THE RECENT TREND OF MORTALITY IN ENGLAND AND WALES

By W. S. HOCKING, O.B.E., F.I.A. Of the Government Actuary's Department

IN continuation of the tables given in J.I.A. LXXVII, 120-2, central deathrates in age-groups for males and females separately in the year 1050 and the three years 1948, 1949, 1950 are shown in Table 1, and the ratios of these death-rates to the corresponding rates for the years 1930, 1931, 1932 are shown in Table 2. Up to 1949 both the deaths and the populations from which the death-rates have been derived were limited to civilians, though a few deaths due to war-mainly those of war-disabled ex-servicemen-were included. In 1950, however, the basis of the Registrar General's estimate of the population of the country was changed to that of the 'home' population, i.e., the total population, including English seamen on foreign-going ships and the armed forces in the country, but excluding the forces abroad. Thus the revised basis for 1050 differs from that for earlier years by the inclusion of the armed forces stationed in England and Wales. The effect of the change in basis is only marginal, except (a) for the quinary age-group 15-10 last birthday for males, where the adjustment of the population observed in 1949 by the replacement of these healthy lives would reduce the rate by nearly 7 %, and (b) for the broader age-group 15-44 last birthday for males, where the reduction would be about 11%.

In order that the trend of mortality rates since 1930–2 may be conveniently studied, the group death-rates and ratios to the 1930–2 standard since 1933 are shown in Tables 3 and 4 respectively, and the ratios to the 1930–2 standard are shown in graphical form on pp. 129–30. In these tables and graphs the age-groups have been reduced to six, viz., under age 1 (infants), 1–4 (young children), 5–14 (children of school age), 15–44 (younger adults), 45–64 (older adults) and 65 and over (elderly). Further, so as to eliminate the effect of the considerable changes in the age distribution of the population that have taken place since 1930–2, the group death-rates and ratios have been standardized on the age distribution of England and Wales at the 1931 Census.

Age-group	Death-ra	tes in 1950	Death-rates in 1948–50		
:	Males	Females	Males	Females	
0-4	·00748	.00585	·00861	.00673	
5-9	.00075	.00053	18000	.00057	
10-14	.00056	.00041	.00001	.00048	
15-19	10100	.00078	.00118	+00095	
20-24	.00139	.00109	.001 20	.00136	
25-29	.00162	.00136	.00167	.00155	
30-34	.00177	.00154	.00188	.00171	
35-39	.00231	.00192	.00244	.00206	
40-44	.00353	.00267	00369	.00277	
45-49	·00641	.00430	.00652	.00430	
50-54	.01046	.00638	.01041	·00648	
55-59	·01746	:00976	.01724	.00975	
60-64	02830	.01579	·02796	·01566	
65-69	04328	·02629	·04209	·02574	
70-74	· o 6654	·04535	06471	·04479	
75-79	·10468	·07934	10056	•07630	
80-84	·16182	·12962	15489	.12319	
85 and over	•25034	•21690	23712	•20639	
All ages:					
Crude rates	.01234	.01099	.01228	•01075	
Standardized*	.00921	.00772	.00944	.00769	

Table 1. Death-rates for age-groups in England and Wales in the year 1950, and in the three years 1948-50

* Standardized on 1931 Census age distribution.

Table 2. Ratios of death-rates for age-groups in England and Wales in the year 1950, and in the three years 1948-50, to the rates for 1930-32

Age-group	Ratios of	1950 rates	Ratios of 1948–50 rates		
	Males	Females	Males	Females	
°-4	•348,	•347	•401	•399	
5-9	·328	-261	.354	·281	
10-14	.373	·285	.407	.333	
15-19	•396	.339	463	.413	
20-24	•424	•388	.457	•484	
25-29	·491	•444	.506	.507	
30-34	•486	·461	·516	.512	
35-39	•484	.200	.211	.523	
40-44	547	•545	.572	.565	
45-49	•688	•640	.700	640	
50-54	•800	.673	.796	•684	
55-59	•913	.702	·902	•701	
60-64	•970	•740	•958	-733	
65-69	-930	.779	.904	•762	
70-74	•894	·816	.870	•806	
75-79	•888	·853	·853	·820	
80-84	900	•877	·862	·833	
85 and over	·888	·875	·841	.833	
All ages:					
Crude rates	.971	•978	·966	·956	
Standardized*	.748	.687	.743	•684	

* Standardized on 1931 Census age distribution.

The Recent Trend of Mortality in England and Wales 127

	Age-group						
Year	Under 1	I-4	5-14	15-44	45-64	65 and over	All ages
	Males						
1930-32	·07650	·00755	.00100	·oo385	·01653	·o8o63	·01271
1933	••7354	•00688	·00189	.00390	·01687	.08075	·01272
1934	.07100	·00697	·00198	.00350	·01629	·07687	·01216
1935	•06791	·oo535	.00175	·00342	•01613	•07755	·01192
1936	.07042	·00580	.00121	.00335	·01658	.08013	.01220
1937	·06845	·00536	.00101	·oo338	.01201	·08102	.01230
1938	.06257	•00483	.00101	.00312	.01572	.07588	.01145
1939	·05874 ·06631	·00367 ·00511	·00137 ·00181	•00304 •00447	·01628	·07947 ·08729	·01158 ·01368
1940 1941	·07111	·00511	.00181	·00447	·01923 ·01701	·03/29 ·07774	·01308
1941	.06150	.00372	·00142	·00393	·01/01	.07089	.011205
1943	.05746	.00348	.00136	·00407	.01542	.07146	'01132
1944	.05428	.00298	.00138	.00409	.01517	·06891	.01102
1945	·05194	.00275	.00110	.00385	.01477	·06849	.01071
1946	·05559	.00220	·00092	.00254	·01467	06713	.00996
1947	·04748	·00236	·00091	·00238	01496	·0734Ŏ	.01025
1948	•03843	·00179	.00076	.00205	·01398	.06557	·00915
1949	·03694	.00100	.00072	.00201	·01451	.07227	·00966
1950	•03378	·00142	·00066	·00184	· 0 1439	·07277	·00951
			Fем	ALES			
1930-32	.05705	.00677	·00174	.00333	·01197	·o6839	·01124
1933	·05587	.00625	·00176	.00342	.01210	·07011	·01142
1934	·05486	·00633	•00190	·00314	·01143	·06469	·01069
1935	.05207	·00490	·00162	.00301	·01126	·06467	·01043
1936	·05286	·00519	.00120	·00289	.01130	·06682	·01058
1937	•05235	·00477	.00145	.00292	.01150	·06785	•01068
1938	•04738	·00424	.00145	.00264	.01058	.06137	.00970
1939	•04566	.00322	.00114	•00260	.01071	.06547	.00992
1940	·05000 ·05462	•00444	·00156 ·00156	·00318 ·00302	·01208 ·01067	.07194	·01121
1941 1942	05402	·00499 ·00318	.00111	.00302	.00051	·06323	·01021 ·00890
1942	.04752	.00318	.00108	·00254 ·00256	.00951	·05633 ·05847	.00890
1943	.04254	.00254	.00102	.00230	.00930	·05462	.00854
1945	.04063	.00235	.00000	.00224	.00899	·05485	.00834
1946	.04229	.00185	.00071	.00205	.00895	.05582	.00820
1947	.03676	·00194	•00068	.00203	·00881	.05782	.00833
1948	.02955	.00155	·00059	·00182	.00821	.05110	.00742
1949	.02817	.00130	.00053	·00174	.00850	·05758	.00793
1950	·02569	.00128	.00047	.00125	.00836	.05722	.00772


Table 3. Standardized death-rates for age-groups in England and Wales (standardized on 1931 Census age distribution)

128 The Recent Trend of Mortality in England and Wales

Table 4. Ratios of standardized death-rates for age-groups in England and Wales to the rates for 1930-32 (standardized on 1931 Census age distribution)


	Age-group						A11
Year	Under 1	1–4	5-14	15-44	45-64	65 and over	ages
			M	ALES		·	
1930-32	1.000	1.000	1.000	1.000	1.000	1.000	1.000
1933	•961	•911	•995	1.013	1.021	1.001	1.001
1934	•929	.923	1.043	·925	•985	•953	.957
1935	•888	•709	·921	·888	•976	•962	·938
1936	•921	•768	•900	·862	1.003	•994	•960
1937	·895	•710	·847	·878	1.020	1.002	•968
1938	·818	•640	·847	·818	•951	•941	·901
1939	•768	•486	.721	•790	•985	•986	•911
194 0	•867	•677	•953	1.101	1.163	1.083	1.076
1941	•930	•738	•989	1.544	1.020	•964	1.011
1942	•804	·493	•747	1.031	•909	•879	·883
1943	•751	•461	.716	1.057	•933	·886	·891
1944	.710	395	.726	1.062	•918	·855	·867
1945	•679	•364	·626	1.000	·894	·849	·843
1946	.727	·291	•484	•66 0	•887	·833	•784
1947	.621	.313	•479	•618	•905	•911	·806
1948	.502	·237	•400	•532	•846	·813	•720
1949	•483	.220	•379	•522	·878	•896	•760
1950	•442	•188	•347	•478	•871	.903	•748
			Fen	IALES			
1930-32	1.000	1.000	1.000	1.000	1.000	1.000	1.000
1933	•979	.923	1.011	1.027	1.018	1.025	1.010
1934	•962	·935	1.005	•943	•955	•946	·951
1935	·913	.724	•931	·904	•941	•946	.028
1936	·927	.767	·862	•868	.952	.977	•941
1937	•918	.705	•833	·877	•966	.992	.950
1938	·831	·626	·833	•793	·884	•897	·863
1939	·800	•476	·655	•781	·895	.957	·883
1940	·876	•656	·897	.955	1.000	1.052	.997
1941	.957	•737	•897	•907	•891	·925	•908
1942	·833	·470	·638	•763	.794	·824	.792
1943	.785	•468	·621	•769	•800	·855	·805
1944	•746	•375	•603	742	•769	•799	.760
1945	.712	•347	.212	•673	.751	.802	.742
1946	.741	•273	•408	·616	•748	·816	.738
1947	•644	•287	.391	•610	•736	·845	•741
1948	.518	•229	•339	•547	•686	•747	•660
1 949	•494	-205	.302	•523	.710	·842	•706
1950	•450	•189	270	•456	•698	·837	•687

Ratios of group death-rates (standardized) to 1930-32 rates



Ratios markedly affected by war conditions have been joined together by broken lines.

Ratios of group death-rates (standardized) to 1930-32 rates



Ratios markedly affected by war conditions have been joined together by broken lines.