

Healthcare Conference – 2005

The Path to Inactivity: What is it and what can we do about it ?

Professor Mansel Aylward CB MD FFOM FFPM FRCP
Chief Medical Adviser & Medical Director, and Chief Scientist
The Department for Work and Pensions
& UnumProvident Centre for Psychosocial & Disability Research
Cardiff University

[email: Mansel.Aylward@dwp.gsi.gov.uk]
[email: AylwardM@Cardiff.ac.uk]

DWP Department for
Work and Pensions

Website: www.dwp.gov.uk/medical





United Kingdom Perspective


- An epidemic of disabling/incapacitating Common Health Problems?
- The burden on the State, Society and Industry
- When, how and why do subjective complaints (syn. symptoms) become disabling/incapacitating?
- What drives this dynamic process?
- Obstacles to Recovery and Barriers to Work
- Some solutions: Pathways to Work

Current context

- 1 million report sick each week; 3000 remain off work at 6 months and 80% of these will not work again in next 5 years
- 2.7 million people of working age on a state incapacity benefit [less than 1 million unemployed]
- Characteristics of benefit recipients:
 - major component of chronic pain
 - subjective health problems
 - mental health
- demographics not good; ageing population; IB load projected to rise further; regional dimension








UK Incapacity Benefit

- 'Severe Medical Conditions' <25%
(Conditions exempt from PCA 16%)
- 'Common Health Problems'
 - Mental health problems 36%
 - Musculoskeletal conditions 20%
 - Cardio-respiratory conditions 10%

Severe Medical Conditions

- objective evidence of disease, pathology, with permanent physical or mental impairment
- e.g. blindness, severe or progressive neurological disease, psychoses

Three year incidence (%) of symptoms in general practice (Total and with organic cause) (Kroenke & Mangelsdorff 1989)



Prevalence of subjective health complaints in the last 30 days in Nordic adults (after, Eriksen et al, 1998)

	Any complaints		Substantial complaints	
	Men	Women	Men	Women
Tiredness	46%	56%	17%	26%
Worry	38%	39%	13%	15%
Depressed	22%	28%	5%	10%
Headache	37%	51%	4%	9%
Neck pain	27%	41%	9%	17%
Arm/shoulder pain	28%	38%	12%	17%
Low back pain	32%	37%	13%	16%

>50% reported two or more symptoms

Edinburgh Neurology Study

	Not at all	Somewhat	Largely	Completely
Explained by disease	11%	19%	27%	43%
Physical Score	75	85	85	80
Anxiety or Depression	70%	65%	48%	32%

Incapacity for Work on Health Grounds:

- A growing problem in all western societies
- Despite improvements in most objective measures of health
- Non-specific and subjective health complaints predominate:
 - back pain and musculoskeletal disorders
 - common, non-specific bodily symptoms (that affect most people)
 - fatigue, worry, disturbed mood, headache, etc

SOME PERTINENT QUESTIONS:

- When, how, and why do symptoms become disabling?
- What are the relationships between illness, disability, and work incapacity?
- What drives this dynamic process?
 - Economic, financial (dis)incentives and risks?
 - Imposed by society organised for able-bodied living?
 - Political and social oppression?
 - Social and cultural attitudes?
 - Psychosocial influences?
 - Consciously motivated intent, volition and free will?

DISABILITY IS RESTRICTED ACTIVITY; IT MAY BE WHOLLY SUBJECTIVE

- Varies independently of IMPAIRMENT
- A measure of performance, influenced by:
 - a actual loss of function or restrictions on function
 - premature termination of activity
 - suboptimal performance
 - fatigue, pain
 - beliefs and attitude
 - environment and culture
 - deception

Common health problems

Less severe mental health, musculoskeletal and cardio-respiratory conditions

Limited objective evidence of disease

Largely subjective complaints

Often associated psychosocial issues



Long-term incapacity is not inevitable

- There is no permanent impairment
- High prevalence in normal population
- Most acute episodes settle quite quickly
- Most people remain at work or return to work quite quickly
- Essentially normal, healthy people
- Only about 1% go on to long-term incapacity

Why do some people not recover as expected?


- Bio-psycho-social factors may aggravate and perpetuate disability
- They may also act as **obstacles to recovery & barriers to return to work**

Rehabilitation for common health problems should address obstacles to recovery and barriers to return to work

Elements to disability	Barriers to RTW	Rehabilitation interventions
BIO	Health condition Cap ^y –v- demands	Clinical management Occupational management
PSYCHO	Personal perceptions Psychosocial aspects of work	Change perceptions, beliefs, behaviour
SOCIAL	Organisational Attitudinal	Modified work Systems, attitudes

Bio-psycho-social barriers to RTW

- Interactions
 - Person
 - Environment
- Perceptions
 - Person
 - Health professionals
 - Employer



The diagram illustrates the relationship between the individual and their environment. It features two ovals: one on the left labeled 'Individual' and one on the right labeled 'Social and physical environments'. Two curved arrows connect them, one pointing from the individual to the environment and another from the environment back to the individual. Below these ovals is a rectangular box containing the text 'Complex interactions between them'.

General Principles

- Rehabilitation cannot be a second stage after health care has failed.
- Principles of rehabilitation must be integrated into:
 - clinical management
 - occupational management

Health care for common health problems



Symptomatic relief **AND** restoration of function

‘Every health professional who treats common health problems should be interested in rehabilitation and occupational outcomes.’

Occupational management

- Common health problems are not a matter for health care alone.
- They are equally a matter of ‘occupational health’

Modified work (Krause et al 1998)

- 29 empirical studies
- Halved the number of lost work days and
Halved the number of injured workers who went on to chronic disability


Health at work

- Health and work are intimately linked (+ve > -ve)
- The key idea is that work is healthy.
- The workplace offers an environment for promoting health and controlling ill health.
- 'A **Healthy working life** is one that provides the opportunity, ability, support and encouragement to work in ways and in an environment that allows people to maintain and improve their health and well being' (Scottish Executive 2004)

Health at work

Company environment	Company & organisational characteristics. Management style & corporate culture
Management interventions	Health & safety policy & practice Sickness absence management
Outcomes	Incidence of work-related ill health Incidence of sickness absence Duration of sickness absence Overall outcomes & costs

Timing



(Dis)incentives & control mechanisms



Culture



The collective attitudes, beliefs and behaviour that characterise a particular social group over time

The way ahead – First steps



Website: www.dwp.gov.uk/medical

Getting all stakeholders on side

(Frank 1996, 1998)


- Workers
- Health professionals
- Employers
- DWP
- Communication
- Common understanding
- Common language
- Common goals

Pathways to Work:

A new approach to Vocational Rehabilitation

- Pilots – Local NHS PCTs and JobCentre Plus
- Multidisciplinary work-focused support
- Case Management (Personal Advisers)
- Mandatory Work-focused interviews
- Condition-Management Programmes:
 - musculoskeletal disorders
 - minor/moderate mental health problems
 - cardio respiratory diseases

Potential impact ?



Strong scientific evidence that we *could*:

- reduce sickness absence due to common health problems by 30-50%
 - reduce number going on to chronic incapacity by 30-50%
- In principle, by much more
