




# Population mortality and projections


- Historical data
- Mortality projection methodology
- Assumptions
- Results from 2004-based population projections
- Comparison with CMI tables
- Mortality by social class









Country	Males	Females
UK	77.0	81.2
The Netherlands	77.2	81.6
Germany (2004)	76.2	81.8
Norway	77.7	82.5
Sweden	78.4	82.8
France	76.8	83.8
Switzerland	78.7	83.9
USA (2004)	75.2	80.4
Canada (2004)	77.8	82.6
Australia	78.5	83.3
Japan	78.6	85.5







### **UK Population Mortality Projections**


- Estimate current rates of mortality improvement by age and gender
- Set rates of mortality improvement for some future year (the target year)
- Make assumptions on method and speed of convergence from current improvement rates to target rates and how improvement rates change after target year


The Actuarial Profession making financial sense of the future

# Projected smoothed percentage changes in death rates between 2003 and 2004 by age

#### **UK Population Mortality Projections**

- Target year is 25<sup>th</sup> year of projection (ie 2029 for 2004-based projections)
- Improvements in 2029 assumed to be 1% pa for all ages for both males and females
- Convergence not linear; more rapidly at first for males, less rapidly for females
- For those born before 1960, convergence assumed along cohort
- After 2029 rates of improvement assumed to remain constant at 1% pa
- Variants HLE target rate 2%, LLE target rate 0%
- Applies to UK and constituent countries








# Actual and assumed overall annual rates of mortality improvement

	М	ales	Females		
•	Past (Actual)	Future (assumed)	Past (Actual)	Future (assumed)	
Last/next 22 years	2.0%	1.9%	1.3%	1.8%	
Last/next 42 years	1.5%	1.5%	1.3%	1.4%	
Last/next 72 years	1.2%	1.3%	1.2%	1.3%	

Note: Analysis relates to England & Wales. Historic estimates are based on comparison of 2002-04 Interim Life Tables with English Life Tables for 1930-32, 1960-62 and 1980-82







# Comparison of '92' tables and 2004-based pop projections – cohort eol65 UK males

	C=2007	C=2017	C=2027	C=2047
PMA92	19.70	20.42	20.99	21.74
PMA92sc	21.20	21.84	22.33	22.99
PMA92mc	21.88	22.52	23.01	23.67
PMA92lc	23.58	24.25	24.76	25.44
UKM principal	19.66	20.67	21.52	23.30
UKM HLE	20.72	22.66	24.61	28.83

The Actuarial Profession

## Mortality improvement factors - males

		l-based ojection		I	PA92mo			PA92lo	:
	Assu	med pe	ercenta	ge redu	ction in	q <sub>x</sub> rates	betwe	en 200	7 and
Age	2017	2027	2047	2017	2027	2047	2017	2027	2047
50	7%	15%	31%	26%	43%	63%	26%	43%	63%
60	13%	21%	35%	26%	43%	63%	26%	43%	63%
70	19%	28%	41%	17%	29%	43%	18%	30%	44%
80	25%	34%	46%	17%	24%	34%	28%	35%	43%
90	18%	29%	41%	14%	19%	24%	28%	40%	44%


The Actuarial Profession


# Variations in life expectancy

- Between local authorities and smaller areas
- Social class component of variation
  - Between countries in the UK
  - Between regions
- Social class trends in life expectancy

authorities in England, 200	03-5
Highest	
Kensington and Chelsea	82.
East Dorset	80.
Hart	80.
Uttlesford	80.
Lowest	
Comhairle nan Eilean Siar	72.
Inverclyde	71.
West Dunbartonshire	71.
Glasgow City	69.

Life expectancy of males wards	in Camden
<b>Highest</b> Belsize	80.4
Swiss Cottage	79.3
Frognal and Fitzjohns	79.0
Hampstead Town	78.8
Lowest	
King's Cross	71.5
Holborn and Covent Garden	70.4
St Pancras and Somers Town	70.2
Kilburn	69.8
	The Actuarial Profession making financial sense of the tutur





#### Data on social class trends


- ONS Longitudinal Study (LS) an approximate 1 per cent sample of the population of England and Wales
- Links census data from 1971 onwards with birth and death registrations, immigration and emigration records, and other life events
- All LS members who entered the study between 1971 and 1991, and were traced in the NHS Central Register, were included in the original analysis
- New analysis uses records up to the end of 2001 data available on National Statistics website at http://www.statistics.gov.uk/StatBase/Product.asp?vlnk=8460&Pos =1&ColRank=1&Rank=272


The Actuarial Profession making francial sense of the future


#### Data & Methods: the population at risk


- Exclusions:
  - never traced in the NHS Central Register
  - present at less than two censuses and lost to follow-
  - exited the study then found at later census
- Censoring:
  - Lost to follow-up in 2001 adjusted for estimated unobserved LS embarkation rates (LS and International Passenger Survey)


#### Methods: assignment of social class Social class was usually assigned to each LS member at their entry to the study and held constant throughout Source of Social Class for Different Types of LS Entrant Type of LS entrant Source of Social Class (in priority order) Own Census adult (Census) Father's Mother's (Census) Census child Own Spouse's (Census) Immigrant Father's Mother's Father's Mother's Father's Mother's New birth (Birth record) (Birth record) (Death record) (Death record)























## Key findings

- Life expectancy has increased for males of all ages and all social classes since the 1970s.
- There is a gradient in life expectancy with social class I living the longest and social class V the least.
- Since the late 1970s, there has been an increase in the difference in life expectancy at age 65 between males in social classes I and V.
- The rate of increase in life expectancy is rising faster for males in social class I than those in social class V.

The Actuarial Profession

The Actuarial Profession making financial sense of the future

Population mortality and projections

Adrian Gallop

ONS/GAD