438

THE RECENT TREND OF MORTALITY IN GREAT BRITAIN

By L. V. MARTIN, F.I.A.

of the Government Actuary's Department

In continuation of the tables given in J.I.A. 84, 281-86, central death-rates in age-groups for males and females separately in the year 1958, and the ratios of these death-rates to the corresponding rates for the years 1950-52 taken as the standard, are shown in Table 1. The deaths are those recorded as occurring in Great Britain in the year and the population used is the 'home' population, i.e. the number of people actually in the country at a stated time, as estimated by the Registrars General of England and Wales and of Scotland. The relatively high mortality rates of men in the age-groups 15-19 and 20-24 may be attributed in part to the exclusion from the experience of part of the armed forces at those ages, with the result that the remaining population, including as it does all those unfit for military service, is somewhat underaverage in health. This feature has, however, only a very minor effect on the broader age-group 15-44 and its effect on the trend from year to year is negligible.

In order that the trend of mortality rates may be conveniently studied, the group death-rates and the ratios to the 1950-52 standard since 1948 are set out in Tables 2 and 3, and the ratios to the 1950-52 standard are shown in graphical form in Figs. 1 and 2. On this occasion figures for 1946 and 1947 have not been given, but they are available in previous articles. In these tables and graphs the age-groups have been reduced to six, namely under age 1 (infants), 1-4 (young children), 5-14 (children of school age), 15-44 (younger adults), 45-64 (older adults) and 65 and over (elderly). Further, the group death-rates and ratios have been standardized on the age distribution of Great Britain at the 1951 Census so as to eliminate the effect of changes in the age distribution

of the population.

As a link with the earlier series of tables that appeared in the *Journal*, showing the trend of mortality in England and Wales since 1930-32, figures for Great Britain for the average of those three years have been included in

Tables 2 and 3.

The standardized death-rate in the year 1958 for all ages combined was higher than in 1957 by about $\frac{1}{2}\%$ for men and about $1\frac{1}{4}\%$ for women. This is entirely due to an increase in mortality among the elderly, death-rates in 1958 at ages 65 and over being $2\frac{1}{2}\%$ heavier for men and 3% heavier for women than the exceptionally light rates experienced in 1957. At ages under 65 there was a considerable improvement over the preceding year; this represents a return to the general trend of the rates over the past ten years which was interrupted in 1957.

The graphs were drawn by Mr D. F. Renn, F.I.A.

Table 1. Death-rates for age-groups in Great Britain in the year 1958 and ratios of these rates to the rates for 1950-52

Age-group	Death-rat	es in 1958	Ratios to 1950-52 rates		
	Males	Females	Males	Females	
0	.02676	.02068	.78	.78	
1-4	.00099	.00079	.70	·78 ·66	
5-9	·00050	100032	.74	-67	
10-14	.00040	.00024	.73	•62	
15-19	·00085	-00036	.89	.52	
20-24	.00107	.00055	-77	•56	
25-29	.00107	·00067	.71	•54	
30-34	.00130	.00098	.74	·54 ·67	
35-39	.00193	.00145	.83	.76	
40-44	.00314	.00232	-88	-86	
45-49	.00538	•00363	⋅86	⋅86	
50-54	.00984	.00559	·89	·8 ₇	
55-59	01762	-00859	-97	-87	
60-64	·02810	.01415	·96	-89	
65-69	.0443	.0237	•98	-89	
70-74	·o687	.0410	1.00	-89	
75-79	.1039	.0707	.95	·89	
80-84	·167	1205	.98	.90	
85 and over	. 243	.219	.85	•94	
All ages:					
Crude rates	.01248	.01100	∙980	.987	
Standardized*	01183	.00972	.929	.872	

^{*} Standardized on 1951 Census age distribution.




Fig. 1. Ratios of group death-rates (standardized) to 1950-52 rates-children.




Fig. 2. Ratios of group death-rates (standardized) to 1950-52 rates—adults and all ages.

Table 2. Standardized death-rates for age-groups in Great Britain (standardized on 1951 Census age distribution)

Year	Age-group							
	Under 1	1-4	5-14	15-44	45-64	65 and over	All ages	
	Males							
1930-32	.07953	· o o760	-00196	.00412	.01637	.0873	·01588	
1948	.04006	.00183	-00080	.00228	.01393	.0711	.01175	
1949	03813	·00168	.00074	.00222	.01445	.0782	.01247	
1950	.03511	·00146	.00067	.00206	.01448	.0796	.01246	
1951	.03524	.00149	.00062	.00199	.01528	.0877	.01336	
1952	.03293	.00134	·00055	.00184	.01404	.0787	.01211	
1953	.03139	.00127	.00053	.00174	.01392	.0790	.01204	
1954	.02992	.00108	·00046	.00170	.01382	.0787	.01192	
1955	.02955	·00104	.00049	.00167	.01382	-0807	.01208	
1956	.02842	.00099	.00044	.00191	.01375	.0804	.01199	
1957	.02779	.00104	.00048	.00164	.01391	.0774	01176	
1958	.02676	.00096	.00045	.00160	· 0 1364	.0793	.01183	
	Females							
1930-32	.05973	·00686	.00178	.00351	.01243	.0735	.01519	
1948	.03057	.00154	.00062	.00199	·00860	.0555	.01046	
1949	.02922	.00140	.00022	.00101	.00888	.0625	.01131	
1950	·02681	00128	.00047	.00169	.00874	.0617	.01104	
1951	·02668	-00130	.00043	-00156	00895	0674	.01174	
1952	.02556	.00106	.00039	.00136	.00822	.0584	.01032	
1953	.02461	.00110	.00039	.00131	.00801	.0585	.01025	
1954	.02272	.00083	.00034	.00127	.00794	.0572	.00999	
1955	.02270	.00092	.00032	.00117	.00783	.0591	.01018	
1956	.02123	.00083	.00031	.00112	.00770	.0585	.01002	
1957	.02160	·00086	.00033	.00112	.00770	.0550	.00960	
1958	.02068	.00075	.00028	.00100	.00755	.0567	.00972	

Table 3. Ratios of standardized death-rates for age-groups in Great Britain to the rates for 1950-52 (standardized on 1951 Census age distribution)

	Age-group							
Year	Under 1	1-4	5-14	15-44	4564	65 and over	All ages	
	Males							
1930-32	2.307	5.390	3.161	2.103	1.130	1.054	1.247	
1948	1.162	1.298	1.200	1.163	.953	·859	.923	
1949	1.106	1.101	1.194	1.133	.988	.944	.980	
1950	1.018	1.035	1.081	1.021	.990	·961	979	
1951	1.022	1.057	1.000	1.012	1.045	1.059	1.049	
1952	.955	.950	.887	.939	·960	.950	.951	
1953	.910	.901	855	-888	.952	·954	.946	
1954	∙868	•766	.742	·867	·945	.950	•936	
1955	·857	.738	.790	.852	'945	.975	.949	
1956	·824	.702	.710	.821	-940	.971	.942	
1957	-806	.738	.774	.837	.951	.935	.924	
1958	.776	.681	.726	-816	.933	·958	.929	
	Females							
1930-32	2.256	5.716	4.046	2.279	1.439	1.163	1.362	
1948	1.154	1.283	1.409	1.592	.995	·8 ₇ 8	.938	
1949	1.103	1.167	1.250	1.540	1.028	·989	1.014	
1950	1.013	1.062	1.068	1.097	1.012	976	-990	
1951	1.008	1.083	.977	1.013	1.036	1.066	1.023	
1952	·965	∙883	∙886	.883	.951	.924	.926	
1953	·929	.917	-886	851	.927	·9 26	.010	
1954	·858	•692	.773	.825	.010	.905	·896	
1955	.857	.792	•796	.760	·906	.932	.513	
1956	.813	∙683	.705	.727	·891	.926	.899	
1957	·816	717	.750	'747	.891	.870	·861	
1958	.781	.625	·636	.708	·874	·89 7	·872	