



Institute
and Faculty
of Actuaries



Analysing the disconnect between the reinsurance submission and global underwriters' needs

Property per risk

by the IFoA / CAS International Pricing Research Working Party

John W. Buchanan (chair), Mohamed S. Afify, Shayne Andrews, Enrico Biffis, Chris Boggs, Lawrence Cheng, Paul Gates, Eric Greenhill, Yin Hang, Kevin Hilferty, Mandy Kisala, Xiao-Xuan (Sherwin) Li, Ana J. Mata, Eoin O'Baoighill, Josiah Ogungbesan, Adam P. Shrubshall, Bei Zhou

1 August 2017 (Reprint)

<http://www.actuaries.org.uk/practice-areas/pages/international-pricing-research-working-party>

IFoA / CAS International Pricing Research Working Party - 2016
Analyzing the Disconnect Between the Reinsurance Submission and
Global Underwriters' Needs - Property Per Risk

Contents

| | |
|---|----|
| Foreword..... | 6 |
| 1. Abstract..... | 7 |
| 1.1 Keywords..... | 8 |
| 1.2 Key Contact | 8 |
| 2. Introduction | 9 |
| 2.1 Joint International Pricing Research Working Party | 9 |
| 2.2 Survey preparatory work | 9 |
| 2.3 Anticipated audience | 10 |
| 2.4 Section Overview | 10 |
| 3. Primary Company Considerations..... | 12 |
| 3.1 Relevance / benefits to primary markets including agents and brokers | 12 |
| 3.1.1 The Beginning | 12 |
| 3.1.2 The Details | 13 |
| 3.2 Impact on Primary Actuaries and Underwriters | 13 |
| 3.3 Other Market Considerations | 13 |
| 4. Reinsurance Company Considerations | 15 |
| 4.1 Relevance / benefits to excess and reinsurance markets including reinsurance brokers..... | 15 |
| 4.2 Impact on Reinsurance Actuaries and Underwriters..... | 16 |
| 4.3 Other Market Considerations | 16 |
| 5. Exposure and Experience Data Elements..... | 17 |
| 5.1 Exposure Elements..... | 17 |
| 5.2 Experience Elements..... | 18 |
| 5.3 Survey Importance of Exposure and Experience Elements | 19 |
| 5.4 Interconnection between Exposure and Experience | 20 |
| 6. Amount of Insurance Definitions | 21 |
| 6.1 What Is Meant by Amount of Insurance..... | 22 |
| 6.2 Varying Terminology: AOI, TIV, MPL, MFL, PML, SOV..... | 22 |
| 6.3 Additional Terminology Details..... | 24 |
| 6.4 Business Interruption Exposure | 26 |
| 6.5 Shared, Layered and Ventilated Policies..... | 26 |
| 6.6 Detailed Exposure Information – Knowing the Business That You Write..... | 28 |
| 6.7 The Impact of PML on Reinsurance Pricing | 29 |
| 7. AOI Submission Types | 31 |
| 7.1 Individual Risk Listing | 31 |
| 7.2 Banded Limit Profile..... | 32 |
| 7.3 Banded Attachment / Limit Profile | 33 |
| 8. Loss ratio information..... | 35 |
| 8.1 Premium x Expected Loss Ratio Method | 35 |

| | |
|--|----|
| 8.2 Extended Exposures Method | 36 |
| 9. Historical AOI Profiles | 38 |
| 9.1 Adjusting experience for changes in exposure | 38 |
| 9.2 Practical example | 39 |
| 10. Traditional COPE and Portfolio Extensions | 43 |
| 10.1 Properly Utilizing COPE Data to Underwrite Packaged Commercial Property Submissions | 43 |
| 10.2 Construction "C" | 43 |
| 10.2.1 Construction Materials | 44 |
| 10.2.2 Mixed Construction Problems. | 45 |
| 10.2.3 Other Construction Material Considerations. | 45 |
| 10.2.4 Maximum Possible Loss (MPL) vs. Probable Maximum Loss (PML) | 45 |
| 10.2.5 International Building Code Considerations. | 46 |
| 10.2.6 Size of the Structure..... | 46 |
| 10.2.7 Age of the Structure..... | 46 |
| 10.2.8 The Importance of "Construction" Information | 47 |
| 10.3 Occupancy "O" | 47 |
| 10.3.1 Occupancy Classifications: What the Insured Does..... | 47 |
| 10.3.2 SIC/NAICS Codes and Occupancy Classes | 48 |
| 10.3.3 How the Insured Manages Its Operations | 48 |
| 10.4 Protection "P" | 49 |
| 10.4.1 Sprinkler Systems..... | 49 |
| 10.4.2 Fire Extinguishers..... | 49 |
| 10.4.3 Alarm Systems | 50 |
| 10.4.4 Fire Doors and Fire Walls | 50 |
| 10.4.5 Public Protection..... | 51 |
| 10.5 Exposures "E" | 51 |
| 10.6 Finishing Up Underwriting Individual Risks..... | 52 |
| 10.7 COPE Expansion to Portfolio Analysis (FARM) | 52 |
| 11. Large Claim Information and Link of AOI to Claims | 53 |
| 11.1 Common challenges in linking claims and exposures | 53 |
| 11.2 The Imperial-IIIC dataset..... | 55 |
| 11.3 The IRFRC LCR dataset | 56 |
| 12. Rate Monitoring Information..... | 57 |
| 12.1 Why do reinsurers need credible rate change information from the cedent?..... | 57 |
| 12.2 What is/should be included in the rate change calculation?..... | 58 |
| 12.3 New Business Rate Monitoring | 62 |
| 12.4 Rate Changes - Level of Detail..... | 62 |
| 12.5 Rate Monitor - Using Extended Exposures | 63 |
| 13. Other Market Considerations | 65 |
| 13.1 Winner's Curse | 65 |
| 13.2 Submission Bias..... | 69 |
| 13.3 Managing Overconfidence | 71 |
| 13.4 Summary of Other Market Considerations..... | 73 |
| 14. Using property cat submission information | 74 |

| | |
|---|----|
| 14.1 Using and reconciling Property Risk Submissions with Cat Submissions..... | 74 |
| 14.2 Why Use Cat Model Input Data?..... | 74 |
| 14.3 Does the Cat File Represent ALL or only PART of the Business? | 74 |
| 14.4 Is the File Coded with the Proper Limits and Deductibles? | 75 |
| 15. Various Country Issues..... | 76 |
| 15.1 US Specific issues - Valued Policy Statutes and Probable Maximum Loss..... | 76 |
| 15.2 Other Markets Issues | 77 |
| 15.3 The Impact of Inuring Reinsurance Treaties and “As-If” Data | 78 |
| 16. Conclusions | 80 |
| References | 81 |
| GIRO Working Party and CARE Links..... | 82 |
| Appendices..... | 83 |
| Appendix A Survey Results..... | 83 |
| Appendix B Raw Survey Data | 87 |
| Appendix C Blended Exposure / Experience Method | 88 |
| Appendix D Additional COPE Details..... | 92 |
| Appendix E Property per Risk Acronym Reference..... | 95 |

Figures

| | |
|---|----|
| Figure 1 - Survey Importance of Exposure Rating Elements..... | 19 |
| Figure 2 - Survey Importance of Experience Rating Elements..... | 20 |
| Figure 3 - Does a written explanation of the risk profile construction affect your pricing?..... | 21 |
| Figure 4 - Reference List for AOI Definitions..... | 22 |
| Figure 5 - Sample Calculation of PML and MFL..... | 24 |
| Figure 6 - Building illustration | 27 |
| Figure 7 - Insurance / Reinsurance Structure | 27 |
| Figure 8 - Relationship of Sum Insured and PMLs | 29 |
| Figure 9 - Sample Individual Risk Listing | 32 |
| Figure 10 - Sample Banded Limit Profile-test | 32 |
| Figure 11 - Sample Banded Attachment / Limit Profile | 34 |
| Figure 12 - Sample Extending Exposures Results..... | 36 |
| Figure 13 - Sample Extending Exposures Details | 37 |
| Figure 14 - Does having historical profiles affect how much you rely on historic claims experience? | 38 |
| Figure 15 - Sample Historical AOI Profile Summary..... | 39 |
| Figure 16 - Sample Historical AOI Profile Details | 41 |
| Figure 17 - Sample Impact of Exposure Results Using Historical AOI Profile | 42 |
| Figure 18 - Does risk profile detail (occupancy type, protection measures, etc.) affect your pricing? | 43 |
| Figure 19 - COPE Portfolio Analysis Framework | 52 |
| Figure 20 - Sample Multi-Location Policy Renewal Information - 2014 and 2015 | 59 |
| Figure 21 - Sample Multi-Location Rate Change Components..... | 60 |
| Figure 22 - Sample Multi-Location Rate Monitor Component - RARC Illustration | 61 |
| Figure 23 - Sample Rate Monitor Using Extended Exposures- Illustrative Data..... | 63 |
| Figure 24 - Sample Rate Monitor Using Extended Exposures - Illustrative Charts..... | 64 |
| Figure 25 - Winner's Curse in Oil Tract Auction - Impact of Competition | 65 |
| Figure 26 - Winner's Curse in Insurance - One Competitor..... | 66 |
| Figure 27 - Winner's Curse in Insurance - Four Competitors..... | 67 |
| Figure 28 - Loss Ratio of Insurer With Superior Pricing Model..... | 68 |
| Figure 29 - Market Share of Insurer With Superior Pricing Model | 69 |
| Figure 30 - Submission Bias - Dynamite Manufacturers..... | 70 |
| Figure 31 - Overconfidence across Industries..... | 71 |
| Figure 32 - Valued Policy Statues - by State..... | 76 |
| Figure 33 - Tables of Risk Profile - Illustrative..... | 79 |
| Figure 34 - Historic Large Loss Information | 79 |
| Figure 35 - Survey: Which territories do you mainly price? | 83 |
| Figure 36 - Survey: How many years have you been pricing reinsurance? | 84 |
| Figure 37 - Survey: Submission quality rank | 84 |
| Figure 38 - Survey: How does a poor quality submission impact price?..... | 85 |
| Figure 39 - Survey: How does an excellent quality submission impact price?..... | 86 |
| Figure 40 - Survey: How much does quality of submission impact your price? | 86 |
| Figure 41 - Survey: Exposure Rating Ranked Importance..... | 87 |
| Figure 42 - Survey: Experience Rating Ranked Importance | 87 |
| Figure 43 - Comparing Exposure and Experience Results by Layer | 89 |
| Figure 44 - Forensic Analysis of the differences between Exposure and Experience Results | 90 |
| Figure 45 - Analogy of Reserving to Pricing and Reconciling Exposure and Experience Results | 90 |
| Figure 46 - COPE: Construction Class Cheat Sheet | 92 |
| Figure 47 - COPE: Mixed Construction Examples – Example 1 | 93 |
| Figure 48 - COPE: Mixed Construction Examples – Example 2 | 94 |

Foreword

The original Pricing Research Paper was published by the Institute and Faculty of Actuaries (IFoA) and Casualty Actuarial Society (CAS) in March 2016. It was then submitted to the General Insurance Research Organisation (GIRO) committee for consideration of the annual Brian Hey award, and announced as the winner at the annual GIRO convention in Dublin, Ireland, in October 2016.

This Paper has been peer reviewed by the IFoA, as well as edited by the CAS, for publication in the British Actuarial Journal. This revised paper reflects the suggested changes by both the IFoA and CAS. In addition to review recommendations, the paper now includes additional help for practitioners such as an Amount of Insurance (AOI) reference guide and visuals in Chapter 6, a more detailed Property Per Risk acronym reference in Appendix E, and a new Chapter 13 entitled *Other Market Considerations*. This chapter helps bridge the gap between the "ideal" world contemplated in most of the rest of the paper, with additional competitive marketplace phenomena, such as the Winner's Curse, Submission Bias, and Managing Overconfidence. Additional references and Appendices have also been included.

For additional background on the GIRO Working Party, and for many of the papers and presentations referenced in this Paper, the interested reader is directed to:

<https://www.actuaries.org.uk/practice-areas/general-insurance/research-working-parties/international-pricing-research>

1. Abstract

Purpose and Intended Result: This research paper is intended to fill the void in the currently available actuarial literature related to information required by the reinsurance underwriter but often lacking when pricing property per risk coverages worldwide. Results from surveys of members in the UK, European and US actuarial communities, as well as others in the related insuring communities, clearly indicated a distinct disconnect between the information desired by reinsurers and the information commonly included within a cedent's submission. Underwriters are unable to refine the pricing of a contract because of this disconnect. Complicating the matter is the fact that this disconnect can occur in one or several steps in the transaction, beginning with the retail agents and/or brokers up through any level of reinsurer.

Primary insurance carriers use the information collected by their retail agents or the insured's broker for their own underwriting purposes. The insurance carrier then decides what and how much of that information is provided to the reinsurer. Assumptions are made at each level. The agent or broker assumes it has provided the information wanted and needed by the primary insurance carrier because a policy is offered. Likewise, the primary insurance carrier assumes it has provided the requisite information to the reinsurer because a contract is offered. These assumptions affect pricing.

Rather than allowing such assumptions to continue (that the information provided is sufficient and correct), this research paper attempts to specify what information is important to the reinsurer. When primary insurance carriers know what is important to the reinsurer, they can gather that information from the agent or broker. This paper results in a top down approach to improved property underwriting and pricing. When assumptions do not have to be made, pricing reflects the true exposure. Subject to the market constraints detailed in Chapter 13, every level wins: the insured gets the best pricing available from the insurance carrier because the primary insurance carrier gets the best pricing from the reinsurers.

Methodology: To support this research paper a survey was prepared and administered by the IFoA and CAS. This survey was used to identify the information that is commonly included in submissions compared to the information that is desired by pricing practitioners. The survey information, along with input from a wide ranging insurance and reinsurance industry Working Party, was used to produce this research paper and to offer observations and make suggestions in many different facets of the pricing process.

The main sections of the paper describe various primary and reinsurance company considerations, and a ranked importance of the main exposure and experience pricing data elements. Each of the main exposure data elements of amounts of insurance definitions, exposure submission types, ground-up loss ratio estimation methods, the usefulness of historical profiles, and granular importance of each of the main elements of construction, occupancy, protection, and exposure is described in detail. Similarly, information related to experience rating such as large claim information including the link to exposed values, various price monitors, and using property cat submissions are reviewed in detail. Lastly, an introduction to some regional differences is included.

Results: The main results of the research paper are:

- identification of the typical level of information that is currently provided in underwriting submissions;
- description of each of the preferred underwriting submission data items, and the importance of each item in the pricing process;
- provision of a reference document that can be used in sections by various market practitioners to enable better risk selection by all parties to the transaction; and
- provision of additional commentary on how the competitive marketplace affects the information that is supplied, the confidence in the modeling, and the resulting impact on those who compete and win the business.

It is important to note that much of the information presented in this paper applies to **property per risk excess of loss reinsurance**. However, many of the concepts presented, such as identifying good data collection practices and the description of the competitive marketplace dynamics, apply equally to primary companies and/or reinsurers of all types.

Also, much of the information presented here may extend to other property or casualty lines such as property catastrophe, crop insurance, motor, employers liability, cyber, and other emerging markets. Hopefully this research may help provide a framework for additional expansion into these other lines of business.

Information presented here is recommended for use as a reference document for anyone involved in the pricing of property per risk, and the extensions to other lines of this information can be explored.

1.1 Keywords

Property per risk pricing; Excess of loss reinsurance; Reinsurance submissions; Actuarial benchmarking; COPE

1.2 Key Contact

Correspondence to: John W. Buchanan, FCAS, MAAA; Verisk/ISO, John.Buchanan@verisk.com

2. Introduction

This paper is intended to provide the reader with practical pricing resource information that is typically included, or should be included, in various property insurance and reinsurance submissions for property per risk exposures around the world. It is not our intention to give advice, nor to be seen to give advice, but rather to offer observations and make suggestions that we hope the reader will find useful and interesting.

The following types of entities may find the information included in this resource document useful for day-to-day data collection and analysis activities:

- primary insurance operations
- excess and surplus lines operations
- reinsurance companies
- initial primary insureds
- agents and brokers, including reinsurance and retrocessional brokers

This resource material can be used when preparing information to be used in pricing and underwriting property per risk contracts and treaties. It is understood that primary insurance carriers do not always have access to the most desired and relevant information for their initial pricing. However, reinsurers who must rely on this information from the primary company, either granularly or in some rolled-up aggregated form, are dependent on, and limited by, its accuracy. Lacking the needed information, primary and reinsurance underwriters must make underwriting assumptions. Such assumptions directly affect reinsurance pricing – often leading to mis-pricing, market inefficiencies, greater likelihood of unexpected results and less stable markets. These effects often lead to increasing either the reinsurance premium paid by the ceding company, or the direct premium paid by the insured, or both.

Increased reinsurance premium translates into increased primary insurance pricing. The lack of credible information could result in higher insurance premiums for commercial property insureds. Understanding what information the reinsurer needs benefits all parties involved in an insurance transaction – from the main street buyer to the agent to the primary insurance carrier.

2.1 Joint International Pricing Research Working Party

Toward the goal of making suggestions for improving primary and reinsurance submissions, the UK IFoA-GIRO and the US CAS's Casualty Actuaries in Reinsurance (CAS-CARe) formed a working party to study the gaps between property reinsurance submissions and the information preferred and needed by property reinsurance underwriters. The information gathered from property reinsurers may create a compelling framework for future property reinsurance submissions.

2.2 Survey preparatory work

Identifying what potentially makes the most beneficial reinsurance submission was the initial aim of the working party. Accomplishing this goal required establishing the current submission quality compared to the needs of pricing practitioners. This first goal was accomplished through use of a survey. As detailed in Appendix A, we had 44 respondents in this initial survey: 86% were from actuaries, and 14% from other areas such as actuaries turned underwriters, etc. Most respondents had significant experience, with 71% pricing reinsurance more than 5 years, and most geographic regions were well represented. The results were presented in total across all actuarial organisations, as well as split between CAS members, IFoA members, and all others. The initial results and observations

emanating from this survey were presented at the annual CAS CArE Conference in June 2015 in Philadelphia, USA.

A follow-up presentation was made at the annual GIRO Conference in October 2015 in Liverpool, UK. At this conference, additional survey questions related to information typically collected in property per risk contracts was presented to a mix of primary and reinsurance pricing practitioners. As detailed in the Appendix, we had 41 respondents in this follow-up GIRO audience survey after presenting the CArE survey results and follow-up analysis.

These presentations and survey results are summarised in this research paper. Drawing from these surveys, this paper provides a broad overview and describes important aspects of the many technical details found in an underwriting submission. A careful review of survey results, presentations and follow-up interviews and conversations reveals what granular information supplied by the initial buyers of property risk insurance is considered most critical, and ultimately presented to the reinsurer. The result is a practical set of suggestions, guidelines and/or framework for producing that information. This paper emphasises the advantages to the primary insureds by amassing and providing the granular and rolled up information required for properly pricing reinsurance submissions. It is hoped that this paper can be referred to by interested parties on all sides of the primary and ceded reinsurance transactions so all can understand the need for, and the benefits obtained from, producing the information provided in a high quality submission.

2.3 Anticipated audience

The intermediate or advanced level actuary or underwriter who is already familiar with basic insurance and reinsurance pricing concepts, but who now wants to have a deeper understanding as to how/why certain data elements are requested is the intended audience for the paper. This includes primary and reinsurance pricing practitioners, actuaries, underwriters, front-line insureds, agents and brokers or reinsurance purchasers in various global settings.

In 2015, the focus is on Property Per Risk. The information presented here may extend to other property or casualty lines such as e.g. property cat, crop insurance, motor, employers liability, cyber or other emerging issues, perhaps augmented by additional research and surveys in these other lines of business.

2.4 Section Overview

The overview below discusses the general content of this research paper. As one of the intended uses of the paper is to provide a framework for preparing data submissions either for the primary insurer or to reinsurers, certain sections may be used by themselves as reference sections that can be shared with interested parties.

Overview

3. Primary Company Considerations - this section describes the relevance and benefits to primary markets, including agents and brokers, by the collection and usage of the data elements presented in the paper

4. Reinsurance Company Considerations - similarly describes the relevance and benefits to excess and reinsurance markets, including reinsurance brokers, by the collection and usage of the data elements in the paper

5. Exposure and Experience Data Elements - provides an overview of the basic actuarial pricing data elements for these two actuarial pricing methods, including the importance of each of the items through surveying various global pricing practitioners

Exposure Rating Elements

6. Amount of Insurance (AOI) Definitions - describes the basic building block of what is being insured and the various terminologies that are used, includes a simplified reference list of the basic definitions in common use in providing schedules of insured values such as AOI, TIV, PML, etc.

7. AOI Submission Types - describes the various ways that the AOIs can be presented

8. Loss ratio information - describes the information needed to assess the relative profitability level of the premium collected for the exposures insured

9. Historical AOI Profiles - describes the usefulness of collecting and using the historical exposure information to bridge to the historical experience results

10. Traditional COPE and Portfolio Extensions - describes in detail the historical foundational items of Construction, Occupancy, Protection, and Exposure, including rolling that information up for a portfolio analysis

Experience Rating Elements

11. Large Claim Information and Link of AOI to Claims - describes the importance of this basic experience information and some of the difficulties in collecting this linked exposure information which is critical in understanding the historical loss experience

12. Rate Monitoring Information - describes the importance of this information in understanding and on-leveling the historical loss ratio information to the current insured profile

Other Considerations

13. Other Market Considerations - describes the impacts of market phenomena known as winners curse, submission bias, and managing overconfidence

14. Using property cat submission information - describes how information that is included in a catastrophe submission may be used to help underwrite a property per risk submission

15. Various Country Issues - goes into some more detail on various country specific issues, as well some other general market issues

Appendices

A. Survey Results - provides the demographics and summary responses from the initial survey done by the IFoA for the CAS-CARe conference in June 2015 in Philadelphia.

B. Raw Survey Data - link to the IFoA website with initial survey data

C. Blended Exposure / Experience Method - additional details related to Section 5

D. Additional COPE Details - additional details related to Section 10

E. Acronym Reference - expanded list of acronyms from Section 6

3. Primary Company Considerations

This section provides an overview of the relevance and benefits to primary companies and related parties due to the careful collection and aggregation of relevant property per risk underwriting information. Such information provides benefit to both the primary actuaries and underwriters in their initial pricing, as well as allowing for better connection between what the primary companies collect and what the reinsurers need in the reinsuring transaction.

3.1 Relevance / benefits to primary markets including agents and brokers

A direct correlation exists between the underwriting information gathered by the primary insurance carrier and subsequently provided to the reinsurer, and the efficiency of the market. When the primary insurer both collects and provides the reinsurer the most important underwriting information, the market can act most efficiently to offer the best price.

However, primary insurance carriers do not always provide the underwriting information considered necessary and most relevant to property reinsurers. Lacking needed information, reinsurance actuaries and underwriters must make underwriting assumptions that can directly affect reinsurance pricing – often resulting in higher reinsurance premiums.

As detailed below, an important example of the information that should be supplied, but often is not, is the existence and adequacy of sprinkler systems at primary insured locations. Proper evaluation of a sprinkler system by a qualified professional may result in significant savings in the ground-up premium charged to the primary insured, as well as potentially additional credits being given by the reinsurer. Agents and brokers are key in collecting the required information for these and many other attributes, and summarizing it for primary insurance companies and reinsurers in a manner that does not sacrifice critical detail. (*see Section 10.4.1 for a discussion of Sprinkler Systems and their importance along with many other protection and other measures of the iconic “COPE” analysis framework*).

Increased reinsurance premium generally translates into increased primary insurance pricing. The result, potentially higher insurance prices for commercial property insureds. Understanding the reinsurer’s information needs benefits all parties involved in the property insurance transaction – from the main street buyer to the agent to the primary insurance carrier.

3.1.1 The Beginning

Ultimately, the process of property reinsurance pricing begins during the primary insurance underwriting process. The primary property insurer must gather the information it deems most important, and subsequently pass along the portions of that information the reinsurer deems most important.

Information judged important by the primary insurer may or may not be considered important by the reinsurer. Likewise, information the primary property insurer sees as unimportant may actually be exactly the information the reinsurer needs to properly underwrite and generate the most appropriate pricing for the risk or risks.

This research paper details the information global property reinsurers want and need in order to provide the best pricing. Primary insurers who gather this information during their underwriting

process, and provide it to the reinsurer, may gain a market advantage as a result of better pricing and possibly improved underwriting.

3.1.2 The Details

Reinsurance pricing can be significantly affected by the details provided by the primary insurer. Gathering and providing information deemed critical by reinsurers can be beneficial to the primary insurer. However, more benefit can be gained when pertinent details are provided.

Consider the following “details” example (see COPE section 10.4.1 for more details). The subject building is protected by a sprinkler system; however, the primary insurance carrier is not crediting the insured for having the sprinkler system. There are many reasons such credit may be withheld ranging from the system not being adequate for the operation to the lack of a main drain test.

Because no explanation is given to the reinsurer beyond, “no sprinkler system information given,” an assumption must be made. The reinsurer has to assume that the system is not adequate, is turned off, or something else.

If the only reason no credit is given is because there is no main drain test, the reinsurer needs this detail. Even though the primary insurer does not and cannot give credit, the reinsurer can make a different pricing decision based on the details.

With these kinds of details, the reinsurer can make a better and sometimes preferred pricing decision. Without details, assumptions must be made that could result in higher reinsurance costs.

3.2 Impact on Primary Actuaries and Underwriters

Providing the reinsurer the information they want, with the necessary details they need, results in more trust, better decisions, and often better pricing. This gives the primary insurer a market advantage compared to those unable to provide that information. Plus, when the primary insurers gather the information and details desired by the reinsurer, they may arrive at better underwriting decisions for themselves.

In a full cost / benefit analysis, collecting additional data may often lead to increased cost. This cost may be due to increased staff resources, or opportunity costs in pursuing alternate projects. The time to collect and collate the data, as well as the time of using it in the pricing models can be significant depending upon the data elements involved. Some may be just a matter of going to old or other data sources and collecting a history of information and presenting that in a meaningful fashion (for example rate monitoring information in Chapter 12 or cat model information in Chapter 14). Other information, although perhaps not currently collected may be extremely valuable to the data collector as well (for example identifying alternate exposure amounts for EML and PML building estimates in Chapter 6 or linking large claims to AOI amounts for first loss scale validations in Chapter 11). Any of these items can have significant payback in demonstrating how various interested parties may consider alternate assumptions in estimating the loss costs.

As such, the information detailed in this research paper could potentially benefit primary insurers as much, or maybe even more, than reinsurers.

3.3 Other Market Considerations

As described more fully in Chapter 13, there are other important market considerations. They are:

- Winner's Curse
- Submission Bias
- Managing Overconfidence

An important conclusion of this paper is that improved data submissions and appropriate modeling of actual and expected results at all levels can benefit the insurance/reinsurance industry and the insured. These benefits include reducing the impact of the winner's curse, submission bias, and overconfidence, all of which may have negative effects on pricing.

4. Reinsurance Company Considerations

This section provides an overview of the relevance of property per risk underwriting information provided by ceding companies, and the benefits to reinsurance companies and related parties when such information is provided in sufficient detail. This information allows both the reinsurance actuaries and underwriters to make better informed decisions in their pricing, and provides a degree of transparency that helps to engender trust that leads to stronger, longer term relationships between the primary company, the reinsurance broker and reinsurers.

4.1 Relevance / benefits to excess and reinsurance markets including reinsurance brokers

As noted in the previous section, a direct correlation exists between the underwriting information gathered by the primary insurance carrier and provided to the reinsurer, and the efficiency of the market. When discussing the “best pricing” for a risk, this generally represents the price where no explicit or implicit loadings are required to compensate for a lack of suitable data. This “best price” can therefore be thought of as the most appropriate price for the given risk taking all features into account.

If upon receiving the underwriting submission, reinsurers are able to produce what they consider the best price for the risk, they can be confident that, from a pricing perspective, they have done everything possible to evaluate the business in a rational manner. This means they have produced a price at and above which they would be happy to write the business and below which, without share modification or other market considerations, they would never be happy to write the business. Without obtaining the optimum information, reinsurers will make assumptions which are likely to cause their price to be, on average, higher than it would be if the optimum information was available. Therefore, one would expect that on average the best price for a risk where incomplete or inadequate data is provided is below the price the reinsurer produces. This means that reinsurers cannot be confident that they are maximising their opportunity to obtain the business. They can only be confident that they are doing what they can to not write poor quality business. The focus of the analysis will be on protecting the firm’s capital rather than on acquisition of profitable business. In other words, they may adopt a defensive rather than an offensive strategy with regards to acquiring business.

An important feature of the reinsurance market is the relationship between ceding company, reinsurance broker and reinsurance company. One way to maintain these relationships is to have reinsurance pricing over a period of time which consistently and fairly reflects the risk transferred from the ceding company to the reinsurer. A quality data submission allows reinsurers and brokers alike to demonstrate to the ceding company that the reinsurance premium charged represents a fair price for the risk. It is less likely to be necessary to explain that the price appears high because of loadings that result from assumptions required due to poor data quality. From the broker point of view this means the cedent may be less likely to look to other brokers to provide a better price and for the reinsurer it means the cedent is less likely to look to other markets for a better price. Of course other market considerations such as lower brokerage, quality of service, etc. may come into play in this selection process.

We can also consider the benefits not only to a fair price but also to a smooth price over time i.e. one that does not move significantly in case of loss. A properly blended or credibility weighted result

generated by the exposures presented in the submission, with the loss experience generated by those exposures, is sought for this smooth price balancing. With sufficiently detailed submission data, a price should reflect exposure in a manner that adequately includes a realistic expectation of loss. That is, a loss would have been considered within the pricing such that there would not need to be significant change of price post loss. The reinsurer is less likely to have an unexpected or shock loss and the reinsurance broker is less likely to have to deal with an unhappy ceding company receiving a post loss price hike. The opposite scenario may also be true. That is, if a portfolio being reinsured changes, then the more granular data will identify the change immediately and lead to a change in reinsurance rate quicker than if the pricing was based on lower granularity of data that masked the change in portfolio.

4.2 Impact on Reinsurance Actuaries and Underwriters

Receiving required information in sufficient detail allows the actuary and underwriter to produce pricing within which they have maximum confidence. Additionally, a quality reinsurance submission will reinforce the softer information that has been obtained from the company through meetings, discussions and general market information.

The above means that reinsurers are able to enhance their ability to acquire and maintain business over and above what would be possible with sub-standard reinsurance submissions.

4.3 Other Market Considerations

As described more fully in Chapter 13, there are other important market considerations. They are:

- Winner's Curse
- Submission Bias
- Managing Overconfidence

An important conclusion of this paper is that improved data submissions and appropriate modeling of actual and expected results at all levels can benefit the insurance/reinsurance industry and the insured. These benefits include reducing the impact of the winner's curse, submission bias, and overconfidence, all of which may have negative effects on pricing.

It should be noted that although the focus in Section 13 is on the primary marketplace, the winner's curse, submission bias, and overconfidence issues that are outlined apply equally to both the primary and reinsurance marketplaces.

5. Exposure and Experience Data Elements

As detailed in the following sections, to properly underwrite any primary contract, or reinsurance treaty, the accompanying submission should include information sufficient to allow a practitioner to produce both Exposure rating and Experience rating results. The process of performing these analyses requires the input of data and selection of a variety of factors, curves, data sets, and even methods. Much of this information is either provided directly by the ceding company, must be judgmentally selected from various proprietary analyses a reinsurer may possess, or needs to be calculated based on other information provided in the submission. Under any of these circumstances, the submission must supply information necessary for an analyst to gain an understanding of the ceded business that is clear enough to enable proper selections and inform good judgment.

It is important to note that much of the information presented below applies to **property per risk excess of loss reinsurance**. However, many of the concepts presented such as description of the basic exposure and experience data elements apply equally to primary companies and reinsurers and other lines of business. For more information on the mechanics and detailed method descriptions of both the exposure and experience methods, the reader is referred to: (*Clark 2014*).

Sections 5.1 and 5.2 describe the typical data elements that are required in both an exposure and experience analysis, respectively. Section 5.3 then shows the importance via survey of each of these items. Section 5.4 shows the importance of considering the interconnectivity of the two methods, through the usage of two examples that would suggest requesting additional information under each of the methods to help understand the overall results. Appendix C, further illustrates the blending of the two methods in an attempt to reconcile the two sets of results.

5.1 Exposure Elements

To properly produce credible **Exposure** indications, a practitioner must typically provide a number of data inputs and make a number of informed selections. Inputs usually include a projected premium and an expected attritional (non-catastrophe) from ground-up (FGU) loss ratio. The Exposure Rating process also requires some type of risk profile, or data that describes how much exposure to risk is being ceded in terms of policy limits, premium, or perhaps both. Selections that must be made may include methods for handling loss adjustment expenses, occupancy types, and loss severity curves that describe the probability of seeing losses of various sizes. Universally among all survey responders (*Figure 1* below), the four items ranked most useful are:

- **In-Force Risk Profile (banded)**
 - This key exposure information, presented as a banded Amount of Insurance exposure profile for all exposures, was shown to be the number one requirement for reinsurance pricing. Unsurprisingly, it was also the item shown to be provided most often, in 86% to 93% of submissions.
- **Individual risk listing (all cat/non-cat exposures)**
 - Among CAS and IFoA members polled, this was the second most important data item that can be provided with a reinsurance submission. Providing information in this level of detail would never have been possible, and indeed was rarely requested until recently. It has only been made possible by the development of inexpensive memory and high-speed data transmission systems capable of transmitting large quantities of data both within and between networks.
 - Catastrophe models typically require this type of granular data, and as their use has become more widespread among reinsurers, it has become more common to

request this information. The significant risk to property posed by natural and man-made disasters may account for the second-place rank awarded to this item. The fact that it is shown to only be provided between 24% and 33% of the time may be due to the fact that not all property reinsurance contracts are catastrophe-exposed. It is not uncommon for per-risk contracts to exclude “named storms”.

- This item was also ranked significantly lower in importance by non-CAS/IFoA responders, presumably from other regions where catastrophe models do not exist, or where catastrophe losses do not typically make up a large proportion of “insured loss”.
- **Historic loss ratios**
 - Shown as the third most important data element by CAS and IFoA responders, and third among other responders, historic loss ratios provide much insight into how well a company has managed their property portfolio in the past, and form a basis for an estimated loss ratio for the projected coverage period, which is required by most exposure rating models. The prior historical loss ratios will often be presented, split between attritional and various forms of catastrophe loss measures
- **Written explanation of risk**
 - Ranked fourth in importance among all responders, this information can typically include a narrative section often found in the submission, and often includes more qualitative information that can inform judgmentally selected analysis modifiers described in the basic underwriting elements of COPE (Construction, Occupancy, Protection, Exposure).

5.2 Experience Elements

A standard **Experience** Rating indication requires many pieces of information, all of which require thoughtfulness and judgment on the analyst’s part. The required inputs include a listing of large losses, historic premiums, historic rate change information, trend factors, and loss development factors. Figure 2 shows poll responses indicating the importance of these data elements and the percentage of responders who would describe each item as one commonly found to be present in property risk submissions.

- **Large loss listing**
 - All those who responded to the poll agreed that the large loss listing is the single most important piece of information needed for an experience rating exercise. This is reflected in the fact that it is the only item that 100% of responders reported commonly finding in submissions.
- **Large loss triangulation**
 - However, in spite of the fact that poll results show that receiving historic loss listings ranks either second or third in overall importance, only one quarter to one third of responders reported that this information is commonly included in the submissions they receive.
 - There may be several factors why historic loss listings are not included in most property per-risk submissions, not least of which is that the loss history is used primarily for the calculation of loss development factors. Loss development is normally not as significant in property (and other short-tail lines) as it is for longer tail lines such as General Liability and Workers’ Compensation
- **Historic Premium**
 - Those who responded ranked Historic Premium as either second or third in importance. A very high percentage of poll responders also reported that this information is commonly included in the submissions they receive.

- **Large Loss Claim Description**
 - Responders rated this item as fourth in importance, and 73% to 96% of them said that this item is commonly found in property risk submissions. Because an experience rating is typically performed to produce a non-catastrophe loss estimate, the cat/non-cat indicator is important. It allows the analyst to filter out catastrophe losses. It also gives the analysis the ability to compare actual catastrophe losses to estimates provided by catastrophe models. It would also be useful to obtain large loss information split between buildings, contents, business interruption, and contingent business interruption
- **Historic Rate Change**
 - This information can be presented granularly by exposure, or as an aggregated price monitor, and is required to bring the historical loss experience to the level expected for the forthcoming policy period. It is interesting to note that while poll responders rated this item similarly in terms of importance, CAS actuaries indicated that they receive such information 84% of the time, compared to IFoA responders who reported receiving it only 33% of the time.
- **Link of actual losses to amounts of insurance**
 - This information is useful to assess the AOI (Amount of Insurance, described more fully in Chapter 6) definition and their impact on the actual types of losses that can occur, and to help in aggregated benchmarking size-of-loss curves across various market segments. Responders may have considered this sort of information to be included in Item C. “Large Loss Claim Description”, but the amount of insurance associated with each claim was not specifically mentioned in the questionnaire.

5.3 Survey Importance of Exposure and Experience Elements

To gain an initial sense as to how important each of these items is for the reinsurance practitioner, various UK, US, and European actuaries and underwriters were surveyed. The survey asked the participants to rank how often each of these exposure and experience elements are received. Survey participants were also asked to rank the elements as to what is most important in their pricing exercises. Each of these is discussed in more detail in the following sections, but Figures 1 and 2 provide a summary of the results. For example, receiving a banded profile is not only most often received (93 percent) but also ranked as most important (Rank #1) for Exposure rating. It is expected that although the reinsurers would typically want to obtain an individual risk listing from all submissions, from a pragmatic standpoint it was considered that receiving at least a banded profile was most important.

Figure 1 - Survey Importance of Exposure Rating Elements

| | All | | CAS | | IFoA | | Other | |
|--|-------------|------|-------------|------|-------------|------|-------------|------|
| | % Receiving | Rank | % Receiving | Rank | % Receiving | Rank | % Receiving | Rank |
| a. In-force risk profile (banded) | 93% | 1 | 92% | 1 | 87% | 1 | 86% | 1 |
| b. Historic risk profiles (banded) | 23% | 5 | 8% | 6 | 60% | 4 | 29% | 3 |
| c. Individual risk listing (all cat/non-cat exposures) | 30% | 3 | 24% | 2 | 33% | 2 | 43% | 6 |
| d. Individual risk listing (above certain threshold) | 48% | 7 | 48% | 7 | 53% | 5 | 29% | 8 |
| e. Historic from ground up loss ratios (cat and non-cat) | 57% | 2 | 68% | 3 | 40% | 3 | 71% | 2 |
| f. Written explanation of risk profile | 25% | 4 | 20% | 5 | 27% | 5 | 29% | 4 |
| g. Risk profile detail | 34% | 6 | 32% | 4 | 40% | 7 | 29% | 5 |
| h. Link of claims to risk profiles | 7% | 8 | 4% | 8 | 7% | 8 | 29% | 7 |

Figure 2 - Survey Importance of Experience Rating Elements

| | All | | CAS | | IFOA | | Other | |
|---|-------------|------|-------------|------|-------------|------|-------------|------|
| | % Receiving | Rank | % Receiving | Rank | % Receiving | Rank | % Receiving | Rank |
| a. Large loss listing (no triangle) | 100% | 1 | 100% | 1 | 100% | 1 | 100% | 1 |
| b. Historic large loss listing (triangle) | 30% | 3 | 24% | 3 | 33% | 2 | 29% | 4 |
| c. Large loss claim description including cat/non-cat indicator | 82% | 4 | 96% | 4 | 73% | 4 | 71% | 3 |
| d. Historic premium | 93% | 2 | 96% | 2 | 87% | 3 | 100% | 2 |
| e. Historic exposures (# of risks, # of exposures / risk) | 30% | 6 | 20% | 6 | 40% | 5 | 57% | 5 |
| f. Projected rate change | 43% | 7 | 56% | 6 | 27% | 7 | 29% | 7 |
| g. Historic rate change | 59% | 5 | 84% | 5 | 33% | 6 | 57% | 6 |
| h. Rate monitor (renewal policies) | 18% | 8 | 24% | 8 | 20% | 8 | 0% | 8 |

5.4 Interconnection between Exposure and Experience

This research paper generally treats the two exposure and experience methods and corresponding data elements as independent. It is important to note that exposure and experience data elements, and the need for both types of information in a submission, is interconnected. In practice, actuaries continuously strive to bring the results of the two methods closer together for a hoped for partial or complete reconciliation of the two methods. This reconciliation attempt, or forensic analysis, often gives rise to requesting data that can help explain any remaining differences. (Buchanan and Angelina, 2007)

For example, if you find that the results from the exposure approach are much higher than the results of the experience approach for lower layers, but are similar for upper layers, then perhaps there has been a significant shift to lower amounts of insurance over time. That is, claims that in years past would have been settled at amounts significantly higher than now due to higher amounts of insurance would now be settled at significantly lower amounts. This situation would give rise to wanting to obtain additional historical exposure profiles to further the reconciliation.

On the other hand, if you find that the experience is much worse in the upper layers, you may find that upon further investigation that the large loss claim experience descriptions yield situations where you have conflagration events or other reasons why some of the claims are being combined and raising flags on how the profiles were being put together.


One of the other benefits of requesting data to analyse this interconnection between the two methods, is the desire to aggregate results across similar accounts. This aggregation will allow the evaluation of various industry defaults on a portfolio basis. As with the individual account forensics, the difference in the method results can be reviewed to modify various industry factors, and to help drive the importance of various exposure and experience data requests.

For more information on the importance of both types of data elements, their interconnectivity, and potential portfolio rollups, please reference *Appendix C: Blended Exposure/Experience Method*.

6. Amount of Insurance Definitions

Initial survey results indicated that a well-defined, in-force risk profile is the most important item for exposure-based pricing. Per the survey results, a quantitative representation of the property exposures is received more than 90 percent of the time. However, a written explanation of the risk profile containing information such as: how is the amount of insurance defined; what is meant by a risk; usage of facultative etc. is only usually received 25 percent of the time. From eight commonly used items in exposure rating, this written explanation was ranked the fourth most important. Additionally, as Figure 3 shows, a vast majority of the time (82 percent) the inclusion of a written explanation of the risk profile has either a qualitative or quantitative impact on price.

Figure 3 - Does a written explanation of the risk profile construction affect your pricing?



Based on these survey observations, cedents benefit when they describe, in detail, how their risk profile is constructed, especially if they wish the information to be properly applied in the pricing. Assuming that most pricing actuaries apply some form of first loss scale to the risk profile in exposure-based pricing, knowing how the risk profile is constructed is highly important. For example, a given exposure curve applied to a risk profile which shows sum insured per policy irrespective of single risk exposure on the policy generally gives a higher excess of loss price than that same curve applied to a risk profile showing sum insured per single risk. Similarly, if the profile is on a top location basis, but the pricing actuary is unaware of this, the exposure curve may overstate the excess of loss price. Along similar lines, if probable maximum loss (PML) is used in the profile, a description of how PML is estimated may well affect how and which curve the pricing actuary applies. A ceding company using a cautious PML policy may be hit by an overstated price if the pricing actuary is unaware of the policy.

At first glance, the term “Amount of Insurance” (AOI) appears fairly straightforward. The term refers to an insured’s exposure to loss, and for the insurance or reinsurance professional the term AOI may bring to mind other terms, such as “Policy Limit,” “Total Sum Insured” (TSI), or “Total Insured Value” (TIV). Interestingly, what might be considered such a simple concept can be quite complicated. Whether one looks at the concept of “Amount of Insurance” from the perspective of the primary insurer or the reinsurer, all parties must clearly understand exactly how each party defines the term. In application, a key is consistency between the basis of the exposure profile and the basis of the

curves (e.g., TSI, PML, key location, perils, attachments, deductibles, business interruption coverage, occupancy, risk size, fire protection, schedules of risks, etc.). For example, if the basis of a profile matches the basis of a curve (based on historical claims data) but the original policy attachment levels have shifted dramatically, the curve will not provide accurate excess layer pricing (in other words, the curve assumes some level of deductible associated with the historical claims used to build the curve – so it will apply to exposures with similar levels of deductibles).

6.1 What Is Meant by Amount of Insurance

The exposure value is meant to represent the upper bound of the risk transferred, or the largest payment that the insurer or reinsurer would be required to make in response to a covered loss. However, the concept of AOI can represent many different amounts. The manner in which the exposure value is represented also often depends on how it is being used and on what questions are being investigated.

6.2 Varying Terminology: AOI, TIV, MPL, MFL, PML, SOV

A short-hand summary of the various definitions used for AOIs is shown in Figure 4.

Figure 4 - Reference List for AOI Definitions

| Acronym | Short For: | Meaning |
|------------|--|--|
| AOI TSI | Amount of Insurance Total Sum Insured | The amount of insurance (AOI) purchased, the policy limit, the total sum insured (TSI), or total insured value (TIV) (but TIV could have two meanings as below). Includes direct loss such as buildings and business personal property (contents), as well as indirect loss such as business interruption (also called time element). Different policy limits are typically purchased for buildings, contents, and business interruption. |
| TIV | Total Insured Values Or Total Insurable Values | Total Insured Values can be defined as the total AOI or policy limit. Or Total Insurable Values can be a reduction to the full AOI values and relates to the MPL and other estimated values. Statistically, buildings and contents are unlikely to suffer a total loss. The MFL, PML, EML, and NLE are all percentages less than the MPL. Estimating these values will depend on many variables specific to the risk including combustibility of the building, various COPE attributes and may include complex engineering scenarios with extensive exposure and loss simulations. |
| MPL | Maximum Possible Loss | The MPL is the maximum amount of loss possible . From a direct loss perspective, the MPL of a building and the business personal property (contents) within the building is 100% of the total values at risk which are measurable. From an indirect loss perspective, the MPL of business income can only be estimated because there is no definitive measure of the period of restoration (POR) following a worst-case, business closing loss. The MPL may be larger than the AOI or policy limits issued. |
| MFL | Maximum Foreseeable Loss | The MFL is the worst loss that is likely to occur if a key loss reduction system fails such as automatic fire alarms and sprinklers, watchman services, public fire suppression, etc. |
| PML | Probable Maximum Loss | The PML is an estimate of the largest loss the risk is likely to suffer when critical protection systems are functioning as expected and takes into account any relevant COPE attributes. |
| EML | Estimated Maximum Loss | The EML can and usually will ignore any particularly unlikely events or “remote coincidences” even if they are possible. |
| NLE | Normal Loss Expectancy | The NLE may assume that all active and passive protection systems and features are fully operating as expected under normal conditions. |



| | | |
|-----|---------------------|--|
| SOV | Statement of Values | A declaration of the value held at each location to be insured. The SOV should state which of the above valuation measures are used to estimate the displayed AOIs. |
|-----|---------------------|--|

Each of these terms can have different meanings in different contexts. In practice there are many different ways, and forms that are used, to measure any of the terms above. Since one term can have multiple meanings, this reference list can be used by various parties to question or confirm they are speaking of the same concept. This list will hopefully spur the asking of relevant valuation questions as well as provide some guidance as to term usage. **The main takeaway from this list is that whatever way the AOI/TSI or policy limit values are being presented in a Statement of Values or policy limits profile, the risk exposures should include a definition and description as to how the values are being produced and displayed.**

The order of the reference list, starting with AOI and TIV and ending with NLE is the rough reverse size order that may be encountered with these terms. For example, Figure 5 shows how illustrative PML and MFL values may be estimated from a building's overall value or limit. In this illustrative example, if a building's value is \$100M, through various COPE estimates and loss mitigation factors, the estimated MFL is 25% of the building value, while the PML is 13%. In this example, the MFL also incorporates the potential failure of a key loss reduction system such as automatic fire sprinkler system.

It is also important to note that the displayed AOI or policy limit may either be higher or lower than the estimated Maximum Possible Loss (MPL), incorporating both direct and indirect losses. Often the true total loss amount from all sources won't be known until an actual adverse event occurs.

Figure 5 - Sample Calculation of PML and MFL

PROBABLE MAXIMUM LOSS REPORT

Policy#/Insured: 12345
 1000 TURNPIKE WEST
 WINTER GARDEN, FLORIDA 34787
On-Site Survey Date: 09/2013
File: FL60003

Risk ID: 09 FL99 244707
County: ORANGE
Most Recent Update: 09/06/2013

| | | |
|---|-------------------------------------|--|
| Building (Line # 010): SMITHEE VOCATIONAL (2S) | Probable Maximum Loss 13% | Maximum Foreseeable Loss 25% |
| Occupant/Content (Line # 015): VOCATIONAL TRADE SCHOOL | Probable Maximum Loss 16% | Maximum Foreseeable Loss 31% |

The percentages shown were calculated using information on file in our Specific Property Information database.

Probable Maximum Loss (PML)
 A determination of the maximum percentage of a building or occupant/content, which under normal conditions, could be damaged in a single fire. This calculation takes the following variables into account:

- Building Construction
- Combustibility of Contents (measure of the effect of contents on the building structure under fire conditions)
- Susceptibility of Contents (measure of the damage to merchandise or materials either from the direct or resultant effects of fire, smoke, and water)
- Protection (both Public and Private)

Maximum Foreseeable Loss (MFL)
 Starting with the PML, this is a determination of the maximum percentage fire loss when considering the failure of a key loss reduction system. Loss reduction systems include automatic fire alarm, watchman, automatic fire sprinklers, and public fire suppression.

Source: Verisk / ISO

The paragraphs that follow provide some additional insights into this critical building block for evaluating and pricing a risk. Appendix E also provides some additional details on this difficult topic. For further information on the impact of the risk profile type, the reader is referred to (Riegel et al, 2010)

6.3 Additional Terminology Details

The term “Policy limit” is intended to mean the maximum loss an insurer is obligated to pay in the event of a loss. The amount of information contained in that one value is extremely limited. Without a clear and precise definition, the exposure information presented can be confusing or misleading. To properly analyse, report on, or otherwise describe the property exposure(s) on an insurance company’s books, requires a clear definition of what is being presented.

When the term “Policy Limit” is used, some explanation of just what the limit applies to is required. Does policy limit mean just the building, the contents, business interruption expenses, or any combination of the three? Perhaps the policy was issued to an entity that operates out of leased quarters and only contents coverage is provided. Likewise, the insurance policy held by the building owner may not include the contents. By itself, the policy limit value contains little data that informs any estimate of the losses a policy might be expected to pay, or what premium an insurer needs to charge for the protection. For example, two insurance policies are issued with identical limits, but one is issued to the building owner while the second is issued to a tenant, the loss characteristics of the

two policies are somewhat different. Clearly, if an accurate measure of the exposure is to be communicated, then some additional descriptive information must be included for the measure to be understood.

For single location policies and full value coverage, the meaning of policy limit is readily understood without much needed clarification. But when a policy is issued to an entity with multiple locations, “policy limit” can have several possible interpretations: the amount of coverage required to cover the largest of those locations (Key Location - the assumption being that a loss would not occur at more than one location at a time); or the sum of all individual location values.

There are many ways to calculate and label an exposure amount. Often, the measure that is selected depends on the nature of the task at hand. Included in the collection of terms commonly used to describe property exposures are “Total Insured Value” (TIV) and “Total Sums Insured” (TSI). Through the years, these terms have been used in many different ways so that it is difficult to know what any value presented under these headings might mean without obtaining confirmation and clarification from the person who created the exhibit. In some cases, these terms could refer to the sum of separate insured limits for various components of coverage, such as building, contents and business interruption. In other cases, the same phrase could refer to the full value of the building(s) and contents insured, regardless of the limit on the insurance policy. For example, if a \$10 million policy was issued on a \$15 million risk, then the term “TIV” might be used to describe either one of these values. Thus, clarification is required.

Another measure commonly used is Probable Maximum Loss (PML). This term is typically understood to refer to the largest loss that might be reasonably **expected** to occur under the assumption that critical systems such as sprinklers work as intended. A PML value may be judgmentally determined or based on a “rule-of-thumb” such as “80 percent of the combined building and contents value”, or may be using a robust exposure by exposure loss control review incorporating estimated impacts under various COPE scenarios. Yet another commonly seen exposure measure is “Maximum Foreseeable Loss” (MFL), which can be larger than PML because the term may be understood to refer to the **largest** loss one could possibly imagine a policy might have to pay, especially when certain key loss reduction systems fail to operate as expected.

Other terms often encountered are Maximum Possible Loss (MPL), Maximum Probable Loss (MPL again), Expected Maximum Loss (EML). Different meanings can be attached to each of these, depending upon the companies involved, and practices in various geographical areas. Investigating what is actually meant by any values presented in a **Statement of Values** (SOV), is important to understanding the nature of the risk. The potential for any claim to go beyond any of these stated values is important to understand. If there is a risk that the claims may go beyond the amounts noted, then suitable modeling to account for that exposure is needed.

Further complicating matters is the difficulty in compiling exposure information for shared & layered policies (see section 6.5 for more information on shared and layered policies). Typically, full building values are not recorded in such circumstances, which makes excess pricing difficult (see section 7.3 for information on handling profiles with underlying attachment points and limits). Another complication would be the existence of Valued Policy Statutes in particular geographic regions. These statutes can alter the definition of insured value (see section 15.1 for information on this additional complexity).

Primary insurers may find these measures useful when calculating the aggregate risk to which the company is exposed. Because these values are generally not compatible with the methods that reinsurers and catastrophe models typically use, they are generally not appropriate measures to use when reporting exposure values to a reinsurer.

6.4 Business Interruption Exposure

Business income/interruption coverage is a function of time and limit. The insurance policy may include language to the effect of, “Business expenses will be covered for a period of up to XX month/weeks.”

The “Period of Restoration” is the time factor defined within the business interruption policy. This term defines the period of time that the business income policy pays the loss of business income. Generally, this period begins some specified number of hours following the business-closing loss (within the US this period may be 72 hours, but may vary significantly by territory and endorsement). The period may end when the business should return to “operational capability.” This term may not be synonymous with pre-loss business income levels. This time period is simply the point at which the business can operate at the same level of service as existed prior to the loss. Prior to a loss there is no way to estimate what any specific period of restoration might be; but an estimate of the “worst-case” period of restoration is possible (though not exact).

The business income policy limit is the maximum amount at risk and stated prior to a business-closing loss. The insurance carrier pays no more than the business income limit purchased. Knowing how the business income limit was developed is critical to ensure a proper understanding and expectation of loss and recovery, pre and post event. The insured will typically complete a standard or proprietary business income worksheet.

Two types of business income coverages are commonly found: 1) indemnity coverage; and 2) non-indemnity protection. Indemnity contracts pay the actual loss of business income sustained by the insured up to the policy limit. Non-indemnity agreements pay a specified amount on a monthly basis or over a specified time period. Reinsurers should know which is being used as the rates may differ in the underlying coverage.

Estimating the Maximum Probable Loss is critical in estimating the potential business interruption loss. Factors that affect rebuilding time can cause the period of restoration to be much longer than anticipated.

Businessowners’ Policies (BOPs) commonly available in the US are the exception. BOPs provide business interruption coverage for up to 12 months of business closure with no specific limit. The potential amount of loss can only be estimated because no limit is purchased.


For additional information related to the key business income concepts (Defining Business Income, Period of Restoration, Operational Capability, and Dependent Property), and to the complexities related to specific large industry claims, the reader is referred to: *(Boggs, Min 2016)*

6.5 Shared, Layered and Ventilated Policies

For pricing large complicated risks, it is important to get an understanding as to how the various potential coverages fit together. Basically, property coverage may be divided among primary and several excess policies creating a situation where policies are “layered.” This layering is also known


as “syndication”. Furthermore, multiple insurers may provide coverage on a single layer, with each one assuming a “share” of the risk. In these instances, a single insurer may write different shares of each layer. An insurer may skip a layer and then provide coverage for some percentage of a higher layer. When these gaps exist, the policy is said to be “ventilated.” An example of how a relatively simple coverage structure may appear is in Figure 6. An example of how various insurers and reinsurers will approach deciding which layers to insure/reinsure is shown in Figure 7.

Figure 6 - Building illustration



Source: Verisk / ISO

Figure 7 - Insurance / Reinsurance Structure



6.6 Detailed Exposure Information – Knowing the Business That You Write

Both the primary insurer and the reinsurer must be able to answer the following questions about the exposures for which they provide coverage:

- Policy Limits and Coverages:
 - What is the Ceding company's definition of Amount of Insurance (PML, MPL, etc. described in Section 6.2, including whether the amounts are gross or net of insuring layering or facultative coverages)?
 - Does reinsured business include single location policies, multiple location policies, or both?
 - Is there any clash with adjoining or neighbouring properties also covered by the cedent?
 - Are limits provided based on Key Location Value, the sum of all location values, or, possibly, an average location value?
 - Is location level data provided for multi-location policies?
 - If multiple locations are proximately close to each other, and can potentially be affected by a single occurrence (catastrophe, explosion, conflagration), does the policy limit represent an aggregate total limit, or is the full limit available to each location?
 - Does coverage include building, contents, business interruption, or only a subset of these?
 - Is contingent business interruption covered?
 - Are coverage limits listed separately or as a single limit? If a single limit is shown, is it the largest coverage limit, or the sum of coverage limits?
 - How is BI limit calculated? Is it an estimate or a firm limit set by policy language?
- Perils and Exposures Covered
 - Does the policy exclude loss caused by catastrophe events such as wind (hurricane), earthquake, terrorism, or other perils?
 - Are there sub-limits for certain perils?
- Deductibles and Self-Insured Retentions
 - Where does coverage begin? Policy language generally states that the deductible is subtracted from the total loss, so the possibility exists that the entire policy limit could be paid.
- Shared and Layered
 - Are there primary and excess policies covering a single account or location?
 - Do policies cover 100 percent of each layer or are there partial participations?
 - If there are partial participations, do they differ by layer and what are the differences?
 - If coverage is layered, are all layers written or is there ventilation?
 - Can it be deduced from the information provided which layered policies are “stacked” and apply to the same location or account?
- Total Value of the Risk

- Regardless of limit, deductible, and participation of insurance policy, what is the total value of the risk underlying each coverage?
- Occupancy
 - Is information provided on either the occupancies present at each location, possibly the predominant occupancy, or the occupancy perceived as constituting the greatest source of risk?
 - Is it possible to distinguish the difference in the mix of occupancy classes between smaller exposures and larger exposures?

6.7 The Impact of PML on Reinsurance Pricing

Rarely is the total value of the insured property damaged by a covered peril, so the concept of PML (Possible Maximum Loss) is generally used by insurers in countries such as Japan.

When submissions are sent to reinsurers, ideally the risk profiles would not only include the information on insured values but also on PMLs, as shown in the Figure 8 below.

Figure 8 - Relationship of Sum Insured and PMLs

| Band of Sum Insured | Number of Risks | PML Ratio | Total Premiums | ... |
|---------------------|-----------------|-----------|----------------|-----|
| \$100M to 250M | 33 | 15.0% | \$5.60M | ... |
| \$250M to 500M | 18 | 20.0% | \$1.90M | ... |

When the exposure rating method is utilised to price the reinsurance treaty, the information on PML ratios should be taken into account. Otherwise, the price of the reinsurance treaty may be underestimated if the reinsurance layer sits below the sum insured values but above the PML values, as sum insured values are usually much higher than PML values. The opposite may occur as well, depending upon the position of the reinsured layer to both the sum insured and PML ratios. This is due to the fact that any layering exercise simply apportions a fixed set of total losses amongst various layers.

First, the sum insured value should be multiplied by the PML ratio to obtain the PML value. Then the PML values, instead of the sum insured values, should be used in the exposure rating formula.

For example, the sum insured value of a property is JPY 50 billion and the premium is JPY 50 million. In addition, the expected loss ratio of the insured property is 50 percent. The structure of the excess-of-loss reinsurance treaty is JPY 10 billion excess of JPY 5 billion, and the assumed formula for the exposure curve is $g(x) = \sqrt{x}$.

If the sum insured value is used directly in exposure rating, the reinsurance pure premium is

$$\text{Reinsurance Pure Premium} = \text{JPY } 50 \text{ million} \times 50 \text{ percent} \times \left[g\left(\frac{10 \text{ billion} + 5 \text{ billion}}{50 \text{ billion}}\right) - g\left(\frac{5 \text{ billion}}{50 \text{ billion}}\right) \right] = \text{JPY } 5.787 \text{ million}$$

However, also known is that the PML ratio of the insured property is 60 percent, which means that the PML value of the insured property is only JPY 30 billion (JPY 50 billion \times 60 percent). Therefore, the correct amount of the reinsurance pure premium should be

$$\text{Reinsurance Pure Premium} = \text{JPY } 50 \text{ million} \times 50 \text{ percent} \times \left[g\left(\frac{10 \text{ billion} + 5 \text{ billion}}{30 \text{ billion}}\right) - g\left(\frac{5 \text{ billion}}{30 \text{ billion}}\right) \right] = \text{JPY } 7.471 \text{ million}$$

As is illustrated in this example, using insured value directly in exposure rating leads to a biased result which is usually lower than the correct number. Further, in this example “assuming 100% PMLs” and “applying the (PML) exposure curve” produces 5.787m pure premium. But adding the information that PML ratios are 60% increases the pure premium to 7.471m. So the PML ratios must be taken into consideration

Note that Limit Profiles are commonly provided based either on policy level data or location level data. If a reinsurance contract responds on a per-location basis, then the profile should outline exposure data at the location level of detail. However, even if a reinsurance contract responds on a per-policy basis, the inclusion of a policy level limit profile in a submission to reinsurers may lead the reinsurers to an overstated estimate of expected loss. This is because most limit profiles include a measure of the premium collected on exposures in each exposure band. There are often a significant number of smaller locations covered by multi-location policies that only partially expose the limit of the policy covering them, and because they have a portion of the policy premium assigned to them, the premium associated with the largest locations is only a portion of the total policy premium. The consequence is that, with only a portion of the policy premium fully exposing the policy, a smaller expected loss value may be generated than the larger value that comes from a policy level profile, where the total premium for the policy would be counted as fully exposed by the full policy limit.

Also note that to validate the PML ratios, the PML per reported loss should be requested, to track the historic performance of their estimates. As described in Section 6.2, the approach to PML will vary across company, so need to understand what is the company’s approach.

Additional complexities such as the impact of inuring reinsurance treaties and "as-if" profiles are discussed in Chapter 15. For additional property valuation concepts and complexities, the reader is referred to: (Boggs, 2016).

7. AOI Submission Types

Reinsurers receive critical Amount of Insurance information in three basic ways: Banded Limits Profile; Individual Risk Listing; or a combination such as banded limits supplemented with Individual Risk above a certain threshold. The survey suggested the following for these different types of submissions:

- **In-force risk profile (banded)** – normally received by 93 percent, ranked 1 in exposure rating importance
- **Individual risk listing (all cat / non-cat exposures)** – normally received by 30 percent, ranked 3
- **Individual risk listing (above a threshold)** – normally received by 48 percent, ranked 7

The respondents found the individual listing important, ranking it third behind only in-force banded profiles and ground up loss ratios (discussed in Section 9). The banded profile could be assumed as the absolute minimum required data for exposure rating in property per risk. A banded risk profile can normally be created from an individual risk listing (or from a cat submission discussed in section 13).

Further, the common format provided to a reinsurer of a banded profile can be further given as either a **Banded Limits Profile**, or a **Banded Attachment / Limits Profile**.

7.1 Individual Risk Listing

Primary companies and Excess & Surplus Lines writers most often want or require an individual risk listing. This individual risk listing could include many different types of information, some of which is required and other information that is useful (see Figure 9). Sometimes dozens of items are required for a thorough granular underwriting of the individual exposures:

- AOIs related to each of the coverages such as Buildings, Contents, and Business Interruption (Time Element),
- Deductibles at either exposure or policy level as applicable,
- Location including region, state, zip code, street address, and latitude/longitude if available
- Occupancy description or code
- Protection classifications including various sprinkler system indications
- Construction measures for fire and wind perils,
- Layering attributes such as when insuring portions of the exposures as opposed to the entire structure (e.g. covering a 50 percent share of all losses that are excess of \$2.5M but less than \$10M).
- Many other items desired or required by different insurers such as distance from fire hydrants, fire stations, highways, and other insureds, etc.
- Basis (risk attaching, loss occurring) and date of extraction of the data to validate that it is relevant to the exposure being priced.

Most useful to a reinsurer, due to its granularity, is some version of this individual risk listing. Many characteristics that make the exposures attractive to the primary company also help the reinsurer understand the risk that is presented to them. Providing the reinsurer with similar information with the necessary details can result in more trust, better decisions, and often better pricing.

Figure 9 - Sample Individual Risk Listing

| REQUIRED | | | | | | | |
|-----------|------------------|--|--------------|--------------|------------|-----------------------|--------------------|
| Orig Sort | Country - Region | Description/Record Index | BUILDING AOI | CONTENTS AOI | Deductible | State/ Country Region | Zip or Postal Code |
| 1 | United States | 1 - Apartments with Mercantile Occupancies - Over 30 Units | 40,500,000 | 4,050,000 | | Alabama | |
| 2 | United States | 2 - Residential Apartments without Mercantile Operations | 38,000,000 | 3,800,000 | | Alabama | |
| 3 | United States | 3 - Non-Governmental Offices and Banks | 35,500,000 | 3,550,000 | | Arizona | |
| 4 | United States | 4 - Non-Governmental Offices and Banks | 33,000,000 | 3,300,000 | | Arizona | |
| 5 | United States | 5 - Churches and Synagogues | 30,500,000 | 3,050,000 | | Connecticut | |
| 6 | United States | 6 - Buildings under Construction | 28,000,000 | | 50,000 | Connecticut | 06928 |
| 7 | United States | 7 - Bakeries | 25,500,000 | | 25,000 | Illinois | 62999 |
| 8 | United States | 8 - Multiple Occupancy Mercantile | 23,000,000 | | 5,000 | Illinois | 62999 |
| 9 | United States | 9 - Waste and Reclaimed Materials, including Yard | 20,500,000 | 2,050,000 | | Wisconsin | 54990 |
| 10 | Australia | 10 - Motels and Hotels with Restaurant - Up to 10 Units | 2,000,000 | 500,000 | | Sydney | |

| OPTIONAL | | | | | | | | |
|----------|------------|-------------------------|-------------------------|----------------|---------------------|--------------------------------|-------------------------------|----------------------------|
| PPC | Sprinkler? | BG1 Construction | BG2 Symbol | Actual Premium | Account GULC Scalar | PSOLD: Syndication Entry Point | PSOLD: Syndication Exit Point | PSOLD: Syndication % Share |
| | | | | 80,000 | | | | |
| | | | | 70,000 | | | | |
| | | | | 50,000 | | | | |
| | | | | 40,000 | | | | |
| | | | | 15,000 | | | | |
| 1 | Full | Modified Fire Resistive | Superior Wind Resistive | 15,000 | | | | |
| 5 | Full | Non-Combustible | Wind Resistive | 12,000 | | | | |
| 88 | Part | Non-Combustible | Ordinary | 10,000 | | | | |
| 10 | Part | Joisted Masonry | Semi Wind Resistive | 2,500 | | 2,500,000 | 10,000,000 | 50% |
| | None | | | 5,000 | | | | |

7.2 Banded Limit Profile

Banded Limit Profile (see Figure 10) is the most common means of reporting exposure information within a reinsurance submission. A Banded Limit Profile typically shows various summarised statistics regarding policies that fall into various bands of increasing value, also providing information regarding the properties covered by those policies.

Common statistics typically include: 1) a count of locations and/or policies that fall into each band, 2) the premium associated with those exposures, 3) the sum of the limits insured, and 4) the sum of value of the property covered by those insured limits.

Figure 10 - Sample Banded Limit Profile-test

| COMMERCIAL | | | | | INDUSTRIAL | | | | |
|---------------------------|-------------------|----------------------|------------|------------------|-------------------|-------------------|--------------------|--------------|------------------|
| Sum Insured (EUR) | Total Sum Insured | Number | Premium | | Sum Insured (EUR) | Total Sum Insured | Number | Premium | |
| - | 500,000 | 58,904,000 | 290 | 172,642 | - | 500,000 | 15,744,000 | 82 | 50,236 |
| 500,001 | 1,000,000 | 75,591,000 | 108 | 180,483 | 500,001 | 1,000,000 | 30,373,000 | 41 | 79,046 |
| 1,000,001 | 2,000,000 | 174,873,000 | 122 | 332,542 | 1,000,001 | 2,000,000 | 34,853,000 | 24 | 69,499 |
| 2,000,001 | 5,000,000 | 287,917,000 | 92 | 447,804 | 2,000,001 | 5,000,000 | 157,877,000 | 40 | 208,191 |
| 5,000,001 | 7,500,000 | 150,015,000 | 24 | 209,515 | 5,000,001 | 7,500,000 | 191,957,000 | 31 | 218,303 |
| 7,500,001 | 10,000,000 | 103,247,000 | 12 | 130,705 | 7,500,001 | 10,000,000 | 115,248,000 | 13 | 125,692 |
| 10,000,001 | 12,500,000 | 168,046,000 | 15 | 170,971 | 10,000,001 | 12,500,000 | 56,236,000 | 5 | 60,856 |
| 12,500,001 | 15,000,000 | 273,308,000 | 20 | 254,471 | 12,500,001 | 15,000,000 | 81,742,000 | 6 | 65,495 |
| 15,000,001 | 20,000,000 | 449,610,000 | 26 | 416,152 | 15,000,001 | 20,000,000 | 37,532,000 | 2 | 24,933 |
| 20,000,001 | 25,000,000 | 287,708,000 | 13 | 177,028 | 20,000,001 | 25,000,000 | 43,364,000 | 2 | 25,836 |
| 25,000,001 | 50,000,000 | 818,160,000 | 24 | 401,052 | 25,000,001 | 50,000,000 | 82,110,000 | 3 | 43,547 |
| 50,000,001 | 100,000,000 | 265,495,000 | | 106,635 | 50,000,001 | 100,000,000 | 69,258,000 | 1 | 28,366 |
| Total | | 3,112,874,000 | 750 | 3,000,000 | Total | | 916,294,000 | 1,000 | 1,000,000 |
| Total Comm'l + Industrial | | 4,029,168,000 | 1,000 | 4,000,000 | | | | | |

Note: Sum insureds are total of Building + Contents + Time Element (Business Interruption) – per policy

The various base metric or validation tests typically performed by a reinsurer when presented with a Banded Limit Profile are:

- **Compare to prior submission** - to validate or understand any changes from the prior year or years and to use in adjusting prior loss experience

- **Review the average sum insured (AOI) in the band** - these values should fall within the bands noted. If they do not, this could be an indicator of, for example, various facultative placements that are not reflected in the banded process.
- **Review the average premium per exposure** - you typically see amounts increase as the bands advance
- **Review the average premium per AOI** - these may be shown or compared as per \$100 (or £100, or €100) AOI and typically decrease as the bands advance to reflect the potential for less than full losses in the first loss scales
- **Compare the average insured limit to the average value of the property that is insured** - the reinsurance analyst looks to confirm that most exposures are insured at or close to their full value. These ratios may help identify whether PMLs or other definitions are being used in the preparation of the profiles.
- **Compare the values presented to those from other submissions** - typically done within a country or across countries to help identify outlier pricing
- **Compare total premium in profile to expected subject and historical premium** - helps identify situations where haven't received all the exposures, or highlighting other complexities in amassing the data

Any of these metrics may help identify issues with the data presented. Unusual values in these metrics can create either additional questions back to the broker or ceding company, or cause additional conservatism to be placed in the benchmarks or assumptions.

7.3 Banded Attachment / Limit Profile

Reinsurers commonly see two profiles listed in a submission, the first being a profile that shows premium, exposure, and counts by limit band. The second profile again shows premium, exposure and counts, but adds banded by deductible or attachment point.

A more useful profile would include a field showing the average deductible or attachment point of the policies in each band. This submission type is a Banded Attachment / Limit Profile. When a separate attachment point profile is provided, it may be nice to know that a certain number of policies attach between \$1 million and \$1.5 million, but if there is no way to tell which policies they are, then the additional information is not terribly useful.

The most useful way to organise exposure information into a limit profile is to organise it in a grid format that shows how the value, counts, and premium in each limit band are spread across various deductible or attachment point groups as shown in the first two grids. The second set of grids shows the total insured values and share percentages if applicable. The share percentage would be values other than 100%, in the case of a policy being issued to just cover a portion of the exposure. For example, if a policy with an attachment point of \$25M, covering a 10% share of a \$25M limit produced a \$100,000 primary premium, then entries would appear below in the \$20-30M attachment band and \$2-3M limit band in the 4 grids of Figure 11 of \$100,000, 1, \$2,500,000, and 10%, respectively.

When exposure data is presented in this grid format, the information presented can dramatically alter a reinsurer's calculations and pricing. For example, while presenting exposure information in the grid format allows a reinsurer to more easily recognize the differences between, say, a \$5M policy with a \$5,000 deductible and a \$5M policy that attaches at \$10M. Also, a limit profile of this form allows for differentiation between a \$5M policy that is purchased to provide protection for the first \$5M of a

\$20M building and a \$5M policy that covers a 25% share of a \$20M building. Presentation of the information as above, including true underlying ground-up attachment points, limits, and participation shares if used, can substantially affect the primary or reinsurer expected excess layer loss calculations.

Figure 11 - Sample Banded Attachment / Limit Profile

| PREMIUM | Limits | | | | | | Grand Total |
|-------------------------|----------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------|
| | 0 - 1,000,000 | 1,000,001 - 2,000,000 | 2,000,001 - 3,000,000 | 3,000,001 - 4,000,001 | 4,000,001 - 5,000,001 | 5,000,001 - 7,500,000 | |
| 0 - 1,000,000 | 100,000 | 200,000 | 300,000 | 400,000 | 500,000 | 600,000 | 2,100,000 |
| 1,000,001 - 2,000,000 | 0 | 50,000 | 0 | 0 | 0 | 0 | 50,000 |
| 2,000,001 - 3,000,000 | 0 | 50,000 | 0 | 0 | 0 | 0 | 50,000 |
| 3,000,001 - 4,000,001 | 0 | 0 | 50,000 | 0 | 0 | 0 | 50,000 |
| 4,000,001 - 5,000,001 | 0 | 0 | 0 | 100,000 | 0 | 0 | 100,000 |
| 5,000,001 - 7,500,000 | 0 | 0 | 0 | 150,000 | 0 | 0 | 150,000 |
| 7,500,001 - 10,000,000 | 0 | 0 | 0 | 0 | 200,000 | 0 | 200,000 |
| 10,000,001 - 15,000,000 | 0 | 0 | 0 | 0 | 400,000 | 0 | 400,000 |
| 15,000,001 - 20,000,000 | 0 | 0 | 0 | 0 | 0 | 160,000 | 160,000 |
| 20,000,001 - 30,000,000 | 0 | 0 | 0 | 0 | 0 | 80,000 | 80,000 |
| 30,000,001 - 50,000,000 | 0 | 0 | 0 | 0 | 0 | 40,000 | 40,000 |
| Grand Total | 100,000 | 300,000 | 350,000 | 650,000 | 1,100,000 | 880,000 | 3,380,000 |

| NUMBER OF POLICIES | | | | | | | | |
|-------------------------|---------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------------|-------------|
| Attachments | Limits | | | | | | | Grand Total |
| | 0 - 1,000,000 | 1,000,001 - 2,000,000 | 2,000,001 - 3,000,000 | 3,000,001 - 4,000,001 | 4,000,001 - 5,000,001 | 5,000,001 - 7,500,000 | 7,500,001 - 10,000,000 | |
| 0 - 1,000,000 | 20 | 40 | 60 | 80 | 100 | 120 | 420 | |
| 1,000,001 - 2,000,000 | 0 | 10 | 0 | 0 | 0 | 0 | 10 | |
| 2,000,001 - 3,000,000 | 0 | 10 | 0 | 0 | 0 | 0 | 10 | |
| 3,000,001 - 4,000,001 | 0 | 0 | 10 | 0 | 0 | 0 | 10 | |
| 4,000,001 - 5,000,001 | 0 | 0 | 0 | 20 | 0 | 0 | 20 | |
| 5,000,001 - 7,500,000 | 0 | 0 | 0 | 30 | 0 | 0 | 30 | |
| 7,500,001 - 10,000,000 | 0 | 0 | 0 | 0 | 40 | 0 | 40 | |
| 10,000,001 - 15,000,000 | 0 | 0 | 0 | 0 | 20 | 0 | 20 | |
| 15,000,001 - 20,000,000 | 0 | 0 | 0 | 0 | 0 | 8 | 8 | |
| 20,000,001 - 30,000,000 | 0 | 0 | 0 | 0 | 0 | 4 | 4 | |
| 30,000,001 - 50,000,000 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | |
| Grand Total | 20 | 60 | 70 | 130 | 160 | 134 | 574 | |

| TOTAL INSURED VALUE | | | | | | | | |
|-------------------------|-------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------------|-------------|
| Attachments | Limits | | | | | | | Grand Total |
| | 0 - 1,000,000 | 1,000,001 - 2,000,000 | 2,000,001 - 3,000,000 | 3,000,001 - 4,000,001 | 4,000,001 - 5,000,001 | 5,000,001 - 7,500,000 | 7,500,001 - 10,000,000 | |
| 0 - 1,000,000 | 10,000,000 | 60,000,000 | 150,000,000 | 280,000,000 | 450,000,000 | 750,000,000 | 1,700,000,000 | |
| 1,000,001 - 2,000,000 | 0 | 15,000,000 | 0 | 0 | 0 | 0 | 15,000,000 | |
| 2,000,001 - 3,000,000 | 0 | 15,000,000 | 0 | 0 | 0 | 0 | 15,000,000 | |
| 3,000,001 - 4,000,001 | 0 | 0 | 25,000,000 | 0 | 0 | 0 | 25,000,000 | |
| 4,000,001 - 5,000,001 | 0 | 0 | 0 | 70,000,000 | 0 | 0 | 70,000,000 | |
| 5,000,001 - 7,500,000 | 0 | 0 | 0 | 105,000,000 | 0 | 0 | 105,000,000 | |
| 7,500,001 - 10,000,000 | 0 | 0 | 0 | 0 | 180,000,000 | 0 | 180,000,000 | |
| 10,000,001 - 15,000,000 | 0 | 0 | 0 | 0 | 360,000,000 | 0 | 360,000,000 | |
| 15,000,001 - 20,000,000 | 0 | 0 | 0 | 0 | 0 | 200,000,000 | 200,000,000 | |
| 20,000,001 - 30,000,000 | 0 | 0 | 0 | 0 | 0 | 100,000,000 | 100,000,000 | |
| 30,000,001 - 50,000,000 | 0 | 0 | 0 | 0 | 0 | 50,000,000 | 50,000,000 | |
| Grand Total | 10,000,000 | 90,000,000 | 175,000,000 | 455,000,000 | 990,000,000 | 1,100,000,000 | 2,820,000,000 | |

| SHARE % (or PML %) | | | | | | | | |
|-------------------------|---------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------------|-------------|
| Attachments | Limits | | | | | | | Grand Total |
| | 0 - 1,000,000 | 1,000,001 - 2,000,000 | 2,000,001 - 3,000,000 | 3,000,001 - 4,000,001 | 4,000,001 - 5,000,001 | 5,000,001 - 7,500,000 | 7,500,001 - 10,000,000 | |
| 0 - 1,000,000 | 100% | 100% | 100% | 100% | 100% | 100% | 100% | |
| 1,000,001 - 2,000,000 | 100% | 100% | 100% | 100% | 100% | 100% | 100% | |
| 2,000,001 - 3,000,000 | 100% | 100% | 100% | 100% | 100% | 100% | 100% | |
| 3,000,001 - 4,000,001 | 100% | 100% | 100% | 100% | 100% | 100% | 100% | |
| 4,000,001 - 5,000,001 | 100% | 100% | 100% | 100% | 100% | 100% | 100% | |
| 5,000,001 - 7,500,000 | 100% | 100% | 100% | 100% | 100% | 100% | 100% | |
| 7,500,001 - 10,000,000 | 100% | 100% | 100% | 100% | 100% | 100% | 100% | |
| 10,000,001 - 15,000,000 | 25% | 25% | 25% | 25% | 25% | 25% | 25% | |
| 15,000,001 - 20,000,000 | 25% | 25% | 25% | 25% | 25% | 25% | 25% | |
| 20,000,001 - 30,000,000 | 25% | 25% | 25% | 25% | 25% | 25% | 25% | |
| 30,000,001 - 50,000,000 | 25% | 25% | 25% | 25% | 25% | 25% | 25% | |

8. Loss ratio information

Respondents to the survey ranked receiving ground up loss ratio information as the second most important exposure rating item behind risk profiles. Despite this perceived importance, loss ratio indications are normally received by only 57 percent of the actuaries (68 percent in CAS, 40 percent in IFoA and 71 percent in Other).

Establishing a loss ratio is critically important to using an exposure based method. Key to exposure rating is establishing an expected total ground-up loss estimate then distributing those losses to various excess layers by usage of a First Loss Scale curve. To the extent that these total ground-up losses are too high or low, any of the excess layers will also be too high or low in the same proportion. So if, for example, the expected loss ratio selection is 40 percent, while the actual loss ratio is 60 percent, any of the layer loss estimates will also be too low by 50 percent (subject to nuances such as layer caps, etc.).

There are two basic methods that either primary or reinsurance practitioners use to estimate the **ground-up losses** needed for the exposure layering exercise. They are:

- **Premium x Expected Loss Ratio (ELR)** – this common method takes the premium that is presented, from either individual exposures or the banded profiles (see Figures 9, 10, or 11), and multiplies the premiums by an expected loss ratio. The resulting ground-up losses are then fed into the layering model in whatever detail is available or desired (by occupancy, region, individual exposure, etc.).
- **Extended exposures** - this alternate method uses the individual exposures, or the banded exposures, in a somewhat different way. This method takes the exposures, in whatever detail is given, and applies a benchmark set of expected loss costs. The exposures are extended by using all the details that is provided or assumed - e.g. occupancy, postal or zip code, protections, constructions, etc.

8.1 Premium x Expected Loss Ratio Method

For the Premium x ELR method, the expected loss ratio component is typically derived after reviewing the total historical ground-up premium and loss information from the insured or ceding company for a number of prior years (such as the last seven, 10 or more years). This loss ratio information generally needs to be split between non-catastrophe (attritional) and catastrophe loss ratios. The number of years needed depends upon the size of the company, how long the company has been in existence, and the relevance of that old history. Actuarial methods are then used to take that information, perform the appropriate development, trending, and on-leveling (adjusting for mix and other changes if necessary) and estimating a set of loss ratios by year. Various weights between the years are selected to produce loss ratio indications for the rating year. A loss ratio or sets of loss ratios is/are then selected for each of the business categories to generate the expected ground-up losses. These ground-up loss ratios are then applied to the expected rating year premium to yield the ground-up losses for layering.

A few of the potential issues related to using the Premium x ELR method to estimate total ground-up loss costs include:

1. The client's own history or projections of ultimate results are very helpful but rarely provided, with proprietary reasons cited for non-provision.
2. Determining the cat element of ground-up loss ratios (for subtraction) can be challenging - modeled outputs may be unreliable or incomplete, experience limited.
3. Cat loss ratios can be significant and so resultant "non-cat" loss ratios (which is what pricing actuaries requires for analysis) can be low - which is plausible if not a little odd-looking.
4. Treatment of cat losses in risk business also differs significantly, e.g. in Europe large risk losses from cat events are included but often with one limit of coverage. Caribbean - often not covered at all. Latin America - only covered if one loss - two loss warranty passes multiple risk losses to cat cover. Chinese risk and cat covers increase complexity in apportionment of large losses / events. All these affect "loss ratio" selection for exposure rating.
5. Use of comparative industry loss ratio benchmarks can be difficult if market data is not on the same basis as the reinsurance coverage. For example, if the reinsurance coverage is on a risks attaching or loss occurring basis, then the industry benchmarks will need to be adjusted accordingly.
6. Allow for large historical large losses impacting overall loss ratios. Loading for large losses may be accomplished by spreading the cost of the losses over a longer period of time.

8.2 Extended Exposures Method

For the Extended Exposure method, the expected losses are alternatively estimated by taking the individual (or banded) set of exposures and multiplying them by a benchmark loss cost. The loss cost selected includes many of the individual components used in granular pricing such as amounts of insurance, occupancy, region, peril (fire, wind, other), etc. that are enumerated in Section 7.1. An illustrative example of the Results and Details of this method are shown in Figure 12 and Figure 13 respectively. An example of using the Extended Exposure method to generate consistent loss costs for a rate monitor is shown in Section 12 (Figures 23 and 24).

Figure 12 - Sample Extending Exposures Results

| Property Risk Exposure Inputs | | | | | | | | | |
|-------------------------------|------------------|-----------------------------|--------------|--------------|------------------|-----------------------|--------------------|----------------|----------------------|
| Orig Sort | Country - Region | Description/Record Index | BUILDING AOI | CONTENTS AOI | TIME ELEMENT AOI | State/ Country Region | Zip or Postal Code | CSP Class Code | Coverage (Blds/Cont) |
| 1 | Canada - M | Forestry Mill (SIC 2421) | 180,000,000 | 18,000,000 | 20,000,000 | | | 3809 | Both |
| 2 | Canada - M | Office Bldg (8721) | 157,500,000 | 15,750,000 | 17,500,000 | | | 0702 | Both |
| 3 | Canada - M | Metal Manufacturing (6810) | 135,000,000 | 13,500,000 | | | | 6810 | Both |
| 4 | United States | Warehouse (4225) | 135,000,000 | 13,500,000 | | Connecticut | 06928 | 1212 | Both |
| 5 | Canada - M | Forestry Mill (SIC 2421) | 90,000,000 | 9,000,000 | | | | 3809 | Both |
| 6 | Canada - M | Forestry Mill (SIC 2421) | 10,000,000 | 90,000,000 | | | | 3809 | Both |
| 7 | Canada - M | Montreal Mall Outlet (5399) | - | 75,000,000 | 7,500,000 | | | 0433 | Contents |
| 8 | France - M | Office Bldg (8721) | 22,500,000 | 2,250,000 | 2,500,000 | | | 0702 | Both |
| 9 | Canada - M | Parking Lot (7521) | 15,000,000 | - | | | | 0931 | Building |
| 10 | Canada - M | Bakery (5461) | 9,000,000 | 900,000 | 1,000,000 | | | 0533 | Both |

| Property Risk Exposure Inputs | | | | | Results | |
|-------------------------------|------------|-------------------------|------------|----------------|----------------------------|--|
| PPC | Sprinkler? | BG1 Construction | BG2 Symbol | Actual Premium | IRV Total Gross Loss Costs | |
| 5 | None | Modified Fire Resistive | Ordinary | 559,250 | 260,296 | |
| 5 | None | Modified Fire Resistive | Ordinary | 156,418 | 72,803 | |
| 5 | None | Modified Fire Resistive | Ordinary | 217,109 | 101,050 | |
| 5 | None | Modified Fire Resistive | Ordinary | 138,876 | 64,638 | |
| 5 | None | Modified Fire Resistive | Ordinary | 248,872 | 115,834 | |
| 5 | None | Modified Fire Resistive | Ordinary | 402,218 | 187,207 | |
| 5 | None | Modified Fire Resistive | Ordinary | 211,940 | 98,645 | |
| 5 | None | Modified Fire Resistive | Ordinary | 23,572 | 10,971 | |
| 5 | None | Non-Combustible | Ordinary | 14,502 | 6,750 | |
| 5 | None | Joisted Masonry | Ordinary | 27,243 | 12,680 | |

Figure 13 - Sample Extending Exposures Details

| A - Exposure Info | | | | | | |
|-------------------|---------------------|-------------------|----------------------|-------------------------|--|------------|
| Exposure Number | 1 | Sprinkler Status | Full | Description | 1:Office | |
| Building AOI | 50,000,000 | Construction Type | Frame | Occupancy | 0702: Non-Governmental Offices and Banks | |
| Contents AOI | 200,000 | BG2 Symbol | Ordinary | State, City/Region | Alabama | |
| Time Element | 500,000 | PPC | 7 | Zip Code | 35004 | |
| Deductible | 1,000 | Prometrix Risk ID | | Address | | |
| BG1 Circular | LI-CF-2015-058 | | | Latitude/Longitude | | |
| BG1 Circular Date | 10/1/2015 | | | Conflagration Potential | | |
| B - LC Details | | | | | | |
| | BG1 (Fire et al) | | iHU BG2 (Wind et al) | | SCL (Ice/snow, theft, et al) | |
| | Building | Contents | Building | Contents | Building | Contents |
| LC Factor | 0.135 | 0.183 | 0.087 | 0.073 | 0.046 | 0.141 |
| LOL Factor | 0.523 | 0.782 | 0.510 | 0.788 | 0.408 | 0.580 |
| Scalar Adjustment | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 |
| Sprinkler Credit | 0.400 | 0.400 | | | | |
| PPC Factor | 1.180 | 1.180 | | | | |
| Loss Cost | 22,621 | 182 | 19,800 | 104 | 8,550 | 148 |
| C - LC Summaries | | | | | | |
| | Peril Totals | | Coverage Totals | | | |
| | Total BG1 LC | 22,803 | Total Building | 50,971 | Total Gross Loss Cost – Class | 51,405 |
| | Total BG2 LC | 19,904 | Total Contents LC | 434 | Additional Gross Loss Cost | 34,486 |
| | Total SCL LC | 8,698 | Time Element | 0 | Additional Net Loss Cost | 34,486 |
| | Total LC xTE | 51,405 | Total LC | 51,403 | | |

A few potential issues related to the Extended Exposure method include:


1. This method requires a granular understanding of each rating factor used as benchmarks.
2. Significant adjustments may need to be made to the industry benchmarks used to reflect a company's own unique exposures.
3. The unadjusted (unscaled) method does not make use of any of the actual experience from the company's own experience.
4. A full adaptation of this method requires a listing of all exposures expected in the rating period. Often, not all exposures are included in the submission.
5. The need to remove any cat component of the loss cost factors to enable concentrating on the non-cat expected losses.
6. If only banded exposures are presented, the method requires use of average benchmarks for each of the rating variables.

A comparison and reconciliation of the results between the charged premium and extended exposure methods can produce meaningful insights into the pricing practices and benchmark parameters selected for each method.

9. Historical AOI Profiles

According to the survey historic risk profiles ranked fifth out of eight in terms of importance for pricing actuaries. CAS members ranked historic risk profiles sixth of eight; IFoA members ranked these fourth of eight; and other members ranked historic risk profiles third of eight. Historical risk profiles are received only 23 percent of the time (8 percent for CAS, 60 percent for IFoA, and 29 percent for other). The historical risk profiles affect how heavily the actuary relies on historic claims experience, as Figure 14 shows.

Figure 14 - Does having historical profiles affect how much you rely on historic claims experience?



This graph indicates that, in general, actuaries use (or would use if received) historical risk profiles to attempt to measure the relevance of historical claims experience. One interpretation is that a risk profile which has changed little over time allows for more reliance on claims experience, while a risk profile that has changed materially indicates a lesser ability to rely on claims experience. From the ceding company's point of view this is important. For example, if the primary insurance carrier has had very good claims experience, providing profiles going back a few years showing that there has been little change might be useful for them; this should allow the primary insurer a pricing benefit due to good claims experience. Alternatively, if claims experience has been poor but the primary insurer has made significant changes to the profile of risks being written, demonstrating this through historical profiles may also benefit them in pricing. This benefit is subject to the additional market considerations spelled out in Chapter 13 such as Submission Bias (information asymmetry).

9.1 Adjusting experience for changes in exposure

A key reason a reinsurer may give a lower credibility weight (if any) to the experience rate is because of shifts in the mix of business and limits offered over time. Primary insurance pricing is mainly concerned with overall exposure growth, while reinsurance pricing must account for exposure growth by layer.

Most submissions include a limit profile summary (see sections 6 and 7 on Amount of Insurance) of the most recently written business, including the date of extract. This profile often contains policies written or in-force over the last 12 months and is used for exposure rating each layer. Such a profile provides a snapshot of the most recently available exposure by layer, without accounting for the historical experience of each layer.

As the survey indicates, reinsurance submissions generally do not include a sample of historical profiles for the previous few years that allow the reinsurer to assess the changes in exposure in the layer. Reinsurance companies that have supported a treaty for a number of years may use previous submissions to compile this information. Reinsurers new to the treaty should request a sample of historical limits profiles from the broker, who should have these from prior renewals. Unless the reinsurer is dealing with a brand new insurance company and/or a brand new treaty, the information generally exists and is often readily available.

Claims experience is largely influenced by the limits exposed in each layer. The more exposed a layer is due to the premium volume or AOI written in the layer, the more likely that layer is to have claims. Therefore, if the limit or AOI profile has significantly changed over time, the experience results for older years lack credibility compared to the most recent years.

Traditionally, in the absence of historical limits profiles, reinsurance actuaries and underwriters have adjusted the claims experience assuming that exposure in the layer is consistent with total exposure. Total exposure tends to be measured using on-level premium (premium adjusted for rate changes) or total insured value. This assumption fails when limits utilisation increases/contracts throughout the insurance cycle.

Mata and Verheyen (2005) present a detailed methodology of how to use the mathematics of exposure rating techniques to determine the exposure adjustment by layer. In addition, they go one step further and split the exposure adjustment into frequency and severity, which is useful when the reinsurer separately experience rates frequency from severity. For details of how to implement the methodology, we refer the reader to the paper.

The following example illustrates how having the historical limits profile may help smooth the exposure adjustment by layer, potentially resulting in a higher credibility weight to the experience from having additional items of data.

9.2 Practical example

The layer \$3m xs \$2m is being priced for a risk excess treaty. The submission includes exposure and claims information since 2005 and the total insured value and premiums written by the cedent have grown steadily over the years with 2015 projections twice the amount written in 2005. Figure 15 shows the written premium and TIV by year.

Figure 15 - Sample Historical AOI Profile Summary

| Year | Written Premium | Written Insured Value (TIV) |
|-------------|-----------------|-----------------------------|
| 2005 | 14,875,000 | 1,250,000,000 |
| 2006 | 15,321,250 | 1,578,000,000 |
| 2007 | 18,349,500 | 1,625,000,000 |
| 2008 | 18,815,577 | 1,680,000,000 |
| 2009 | 19,272,750 | 1,750,000,000 |
| 2010 | 20,084,133 | 1,950,000,000 |
| 2011 | 22,472,100 | 2,050,000,000 |
| 2012 | 23,292,332 | 2,150,000,000 |
| 2013 | 23,842,031 | 2,250,000,000 |
| 2014 | 24,538,500 | 2,420,000,000 |
| 2015 (proj) | 26,500,000 | 2,500,000,000 |

Figure 16 shows the premium and TIV distribution by size of risk and how the average TIV in each band has been changing. Usually reinsurers base their pricing on the average TIV in the band. In this particular example the layer in question (\$3m xs \$2m) is more exposed for two reasons: the average TIV in each band has been steadily increasing (more noticeable in the highest band) and the proportion of risks by band has been shifting towards the higher bands. This example is consistent with what might be expected by general inflation of the underlying property values, with old buildings being replaced by the new buildings.

Figure 16 - Sample Historical AOI Profile Details

| 2005 | | | | | | | |
|-----------|-----------|------|---------------|-----------|----------|---------|------------|
| Low | High | %TIV | TIV in band | Avg TIV | No Risks | % Prem | Premium |
| 0 | 1,000,000 | 35% | 437,500,000 | 759,549 | 576 | 44.12% | 6,562,500 |
| 1,000,001 | 2,000,000 | 25% | 312,500,000 | 1,554,726 | 201 | 24.16% | 3,593,750 |
| 2,000,001 | 3,000,000 | 20% | 250,000,000 | 2,688,172 | 93 | 16.47% | 2,450,000 |
| 3,000,001 | 4,000,000 | 15% | 187,500,000 | 3,232,759 | 58 | 11.60% | 1,725,000 |
| 4,000,001 | 5,000,000 | 5% | 62,500,000 | 4,166,667 | 15 | 3.66% | 543,750 |
| Total | | 100% | 1,250,000,000 | | 943 | 100.00% | 14,875,000 |
| 2007 | | | | | | | |
| Low | High | %TIV | TIV in band | Avg TIV | No Risks | % Prem | Premium |
| 0 | 1,000,000 | 30% | 487,500,000 | 755,814 | 645 | 39.32% | 7,215,000 |
| 1,000,001 | 2,000,000 | 22% | 357,500,000 | 1,588,889 | 225 | 21.82% | 4,004,000 |
| 2,000,001 | 3,000,000 | 24% | 390,000,000 | 2,635,135 | 148 | 20.19% | 3,705,000 |
| 3,000,001 | 4,000,000 | 17% | 276,250,000 | 3,410,494 | 81 | 13.40% | 2,458,625 |
| 4,000,001 | 5,000,000 | 7% | 113,750,000 | 4,375,000 | 26 | 5.27% | 966,875 |
| Total | | 100% | 1,625,000,000 | | 1,125 | 100.00% | 18,349,500 |
| 2009 | | | | | | | |
| Low | High | %TIV | TIV in band | Avg TIV | No Risks | % Prem | Premium |
| 0 | 1,000,000 | 29% | 507,500,000 | 760,870 | 667 | 38.71% | 7,460,250 |
| 1,000,001 | 2,000,000 | 20% | 350,000,000 | 1,583,710 | 221 | 20.16% | 3,885,000 |
| 2,000,001 | 3,000,000 | 23% | 402,500,000 | 2,630,719 | 153 | 19.63% | 3,783,500 |
| 3,000,001 | 4,000,000 | 18% | 315,000,000 | 3,423,913 | 92 | 14.06% | 2,709,000 |
| 4,000,001 | 5,000,000 | 10% | 175,000,000 | 4,487,179 | 39 | 7.45% | 1,435,000 |
| Total | | 100% | 1,750,000,000 | | 1,172 | 100.00% | 19,272,750 |
| 2011 | | | | | | | |
| Low | High | %TIV | TIV in band | Avg TIV | No Risks | % Prem | Premium |
| 0 | 1,000,000 | 29% | 594,500,000 | 777,124 | 765 | 38.62% | 8,679,700 |
| 1,000,001 | 2,000,000 | 21% | 430,500,000 | 1,630,682 | 264 | 21.46% | 4,821,600 |
| 2,000,001 | 3,000,000 | 22% | 451,000,000 | 2,606,936 | 173 | 18.66% | 4,194,300 |
| 3,000,001 | 4,000,000 | 18% | 369,000,000 | 3,481,132 | 106 | 13.96% | 3,136,500 |
| 4,000,001 | 5,000,000 | 10% | 205,000,000 | 4,555,556 | 45 | 7.30% | 1,640,000 |
| Total | | 100% | 2,050,000,000 | | 1,353 | 100.00% | 22,472,100 |
| 2014 | | | | | | | |
| Low | High | %TIV | TIV in band | Avg TIV | No Risks | % Prem | Premium |
| 0 | 1,000,000 | 27% | 607,500,000 | 778,846 | 780 | 35.90% | 8,808,750 |
| 1,000,001 | 2,000,000 | 22% | 495,000,000 | 1,661,074 | 298 | 22.79% | 5,593,500 |
| 2,000,001 | 3,000,000 | 23% | 517,500,000 | 2,640,306 | 196 | 19.82% | 4,864,500 |
| 3,000,001 | 4,000,000 | 15% | 337,500,000 | 3,515,625 | 96 | 11.83% | 2,902,500 |
| 4,000,001 | 5,000,000 | 13% | 292,500,000 | 4,642,857 | 63 | 9.66% | 2,369,250 |
| Total | | 100% | 2,250,000,000 | | 1,433 | 100.00% | 24,538,500 |

Using an exposure curve of the Swiss Re type with parameter $c = 5$, which closely matches the Lloyd's industrial curve (see Bernegger, 1997), we exposure rate the \$3M xs \$2M layer with each of the historical TIV profiles using the average TIV in each band. For the years where the limits profile was not available, we assumed the profile had the same distribution as the prior policy year.

Figure 17 shows an experience rating summary with various exposure adjustments.

Figure 17 -Sample Impact of Exposure Results Using Historical AOI Profile

| Policy year | On-level premium | Inflation adjusted TIV | Exposure rate using historical profiles | Trended ultimate losses in layer | Burn cost | Exposure adjusted losses | | |
|--|------------------|------------------------|---|----------------------------------|-----------|--------------------------|-------------------|-----------------------------|
| | | | | | | With OL Premium | With adjusted TIV | With exposure rate in layer |
| 2005 | 14,427,641 | 1,380,777,657 | 1.327% | 1,015,706 | 7.040% | 1,865,600 | 1,839,011 | 1,621,911 |
| 2006 | 13,509,518 | 1,725,835,360 | 1.327% | 0 | 0.000% | 0 | 0 | 0 |
| 2007 | 16,343,110 | 1,759,642,147 | 1.731% | 0 | 0.000% | 0 | 0 | 0 |
| 2008 | 17,100,229 | 1,801,187,392 | 1.731% | 646,389 | 3.780% | 1,001,700 | 897,170 | 791,663 |
| 2009 | 18,733,394 | 1,857,660,264 | 1.935% | 0 | 0.000% | 0 | 0 | 0 |
| 2010 | 18,592,448 | 2,049,469,598 | 1.935% | 736,261 | 3.960% | 1,049,400 | 898,112 | 806,487 |
| 2011 | 21,119,854 | 2,133,238,221 | 1.943% | 1,926,131 | 9.120% | 2,416,800 | 2,257,285 | 2,101,777 |
| 2012 | 22,383,158 | 2,215,147,150 | 1.943% | 957,999 | 4.280% | 1,134,200 | 1,081,191 | 1,045,360 |
| 2013 | 23,943,359 | 2,295,225,000 | 1.943% | 0 | 0.000% | 0 | 0 | 0 |
| 2014 | 25,274,655 | 2,444,200,000 | 2.120% | 0 | 0.000% | 0 | 0 | 0 |
| 2015 (proj) | 26,500,000 | 2,500,000,000 | 2.120% | | | 842,513 | 829,744 | 774,752 |
| 2015 Projected average loss cost excludes 2014 | | | | | | 3.179% | 3.131% | 2.924% |
| | | | | | | | | 2.670% |

On-level premium is the premium adjusted for rate changes; the historical TIV has been adjusted using 1 percent annual inflation. The exposure rate using historical profiles shows the percentage of the gross premium that falls in the layer according to the curve and the historical profile for that year. This shows a clear increase in exposure in the layer since 2005, but not in line with total exposure.

For example, total exposure change between 2005 and 2015 using on-level premium is a factor of $\$26,500,000/\$14,427,641 = 1.837$ whereas the exposure rate indicates an increase in exposure in the layer of a factor of $2.120 \text{ percent}/1.327 \text{ percent} = 1.597$.

The trended ultimate losses in the layer show losses in the layer adjusted for inflation and incurred but not reported (IBNR) losses.

There are various ways in which actuaries could calculate the experience rate in such a case:

- 1) Convert losses in the layer into a burn cost (losses to premium) and take a premium weighted average. This generates a loss cost rate, which multiplied by the projected premium generates the loss cost amount. Doing so in this example (excluding 2014 from the average) indicates a loss cost rate of 3.179 percent and expected losses of \$842,513.
- 2) Adjust trended ultimate losses for changes in exposure using on-level premium. This assumes, for example, that the 2005 losses would increase by a factor of 1.837 in 2015 exposure. This method generates an average expected loss of \$829,744 (excluding 2014) or a loss cost rate of 3.131 percent.
- 3) When historical TIVs are available, actuaries may prefer to adjust losses using historical TIVs instead of premium. This method generates expected losses of \$774,752 equivalent to a loss cost rate of 2.924 percent.
- 4) A reasonable way to recognize that exposure growth is not proportional by layer is to use the historical exposure rate as a proxy for exposure change in the layer. This method produces an average loss cost of \$707,466 and a loss cost rate of 2.67 percent.


This example shows that providing additional information helps actuaries refine their analysis resulting in a more credible experience rate and overall price.

Also note that if a company is selling any multi-year policies, then obtaining an in-force listing in addition to the policies written in the last 12 months will yield a more complete listing of exposures.

10. Traditional COPE and Portfolio Extensions

The survey asked the importance of risk profile details (occupancy type, protections including sprinkler, shares/syndication layering, coinsurance, split of physical damage/business interruption, etc.). These details were usually received by only 34 percent of respondents. The respondents ranked this information sixth in terms of importance in exposure rating. CAS respondents ranked it fourth out of eight but only received the information 32 percent of the time whereas IFoA ranked COPE seventh out of eight and received it 40 percent of the time. In the author's opinion, given the importance of COPE information on ground-up and excess pricing and the availability of corresponding market exposure curves, the fact that this information is not more regularly requested and provided is surprising. As shown by Figure 18, risk profile detail does impact pricing:

Figure 18 - Does risk profile detail (occupancy type, protection measures, etc.) affect your pricing?



10.1 Properly Utilizing COPE Data to Underwrite Packaged Commercial Property Submissions

Property underwriters have used the same four basic elements of underwriting for nearly 300 years: **C**onstruction, **O**ccupancy, **P**rotection and **E**xposure. Referred to as COPE, each element is important if the underwriter desires to truly understand the property exposures accepted. Commercial property applications completed by retail agents are designed to capture most of the basic COPE underwriting data; but is this same basic information shared with and reviewed by the reinsurer?

If the necessary COPE data is provided to the reinsurer, is it given the necessary attention? Are underwriters for both the ceding company and the reinsurer making use of the COPE information in comparison to other similar accounts or industry benchmarks in an attempt to rank various submissions?

10.2 Construction “C”

“Construction” is the first real property underwriting element requiring underwriting analysis and review. And construction itself is comprised of three sub-parts:

- Construction materials;
- Size of the Area; and

- Age, maintenance, and alterations of the structure.

10.2.1 Construction Materials

Insurance Services Office (ISO) defines six construction classifications (from “1” to “6”) based on the combustibility and damageability of the materials used to construct the “major structural features” of a particular structure. The lower the number, the more susceptible the structure is to damage by fire (the main construction rating factor in this system). The “major structural features” used to determine the construction class codes are the exterior load-bearing walls and the roof/floor(s).

Assigning a construction class code is first a function of the load-bearing wall material and secondarily a function of the floor and roof materials used. Four exterior, load-bearing wall types are considered: 1) masonry, 2) fire-resistive/modified fire-resistive; 3) non-masonry or non-fire resistive; and 4) combustible materials (i.e. wood).

Likewise, there are four floor and roof types considered: 1) concrete; 2) modified fire resistive/fire resistive; 3) non-combustible/slow burning; and 4) wood or materials other than “1,” “2” or “3.”

Combining one of the four wall types with one of the four floor/roof types produces the structure’s construction class. Appendix C illustrates how walls, floors and roof combine to generate a specific construction class. The six construction classes are:

1. Frame (combustible materials)
2. Joisted/Masonry (masonry walls with combustible roof/floors)
3. Non-Combustible (i.e. a metal building)
4. Masonry/Non-Combustible (masonry walls with a metal roof)
5. Modified Fire Resistive
6. Fire Resistive

When assigning a construction class, remember that each “major structural feature” is often an assembly of several parts. When assessing either of the two key structural features (walls or floor/roof), the entire assemblage creating that feature must be considered; no “assembled” feature can be assigned a classification greater than its most combustible or susceptible part (this rule does not apply to masonry, modified fire resistive, or fire resistive load-bearing walls).

Two examples of “assemblage materials” lowering the structural feature’s “classification” are:

- An exterior metal-on-metal-stud wall with plywood or other combustible material attached to the inside of the wall (common in industrial settings). The combination of these two disparate materials requires that the entire section of wall covered with the combustible material be considered a combustible wall. If enough of the wall area is comprised on this assemblage, the entire wall, for rating purposes, may be considered frame (resulting in the assignment of construction class 1 to that building).
- Wood joist roof supports covered with metal is considered a frame assemblage and is thus assigned a frame rating.

Beyond these six construction classes, there are three additional construction classifications relating to Group II Causes of Loss (windstorm, hail, aircraft, riot, civil commotion, etc.). Construction class codes “7,” “8” and “9” modify construction classes “2,” “3” and “4” respectively. The “wind uplift” characteristics of the roof dictate if and when these alternate construction classes are used.

10.2.2 Mixed Construction Problems.

What affect does a combination of building materials and assemblies have on a commercial property’s construction classification? Factually, such mixing can be detrimental to the building’s construction class. Remember, any building with a wall or wall assembly classified as “frame” results in the entire structure being rated as construction class “1” – frame, producing some very expensive property rating results.

Simply, to qualify for a higher construction class rating, the superior construction must equal or exceed 66.67 percent of the rateable structural feature. This “2/3 requirement” applies first to the walls and separately to the combined area of the floors and roofs. (The lowest floor on the ground is not considered when calculating the total floor and roof area.)

Appendix C gives two examples of mixed construction. The first is a one story building combining non-combustible and frame assembly walls all under a non-combustible roof. The second is a partial two story building with masonry walls a non-combustible roof and the second floor constructed of ¾ inch plywood on metal joists – making the second floor a combustible assembly.

10.2.3 Other Construction Material Considerations.

In addition to the “major structural features” highlighted above, underwriters must also review interior construction features that affect the damageability of the structure. Bowling alleys are a good example of this review; a rating charge is generally applied to bowling alleys due to the raised combustible floors making up the bowling lanes.

Beyond the presence of combustible floors, underwriters should consider the potential adverse effects of a large amount of interior or external combustible walls. The presence of combustible floors and interior walls increases the “fire load” of the building. “Fire load” is a somewhat antiquated term, but one that is still understood in the insurance industry to mean that there is more “fuel” to feed a fire increasing the potential for damage and narrowing the difference between the structure’s maximum possible loss and its probable maximum loss.

10.2.4 Maximum Possible Loss (MPL) vs. Probable Maximum Loss (PML)

A structure’s “maximum possible loss” (MPL) is the entire structure; its “probable maximum loss” (PML) is some percentage less than the MPL. These concepts are presented in more detail in another section of this paper, but understanding how construction materials affect the difference between MPL and PML is vital.

The more resistive the structure is to damage (fire damage particularly), the greater the difference between the structure’s MPL and its PML. All other COPE factors being equal, a fire resistive structure has a lower PML than a frame structure. Note that all factors must be essentially the same for this to be true.

10.2.5 International Building Code Considerations.

ISO construction classes are the insurance industry standard. However, a ceding company may provide construction class information using the International Building Code's (IBC) construction classifications. The IBC construction class codes are essentially the direct opposite convention of those used by ISO.

- IBC construction Type IV is equivalent to ISO construction classes 1 and/or 2 (depending on the specifics);
- IBC construction Type II or Type III is equivalent to either ISO construction classes 3 or 4 (depending on the specifics); and
- IBC construction Type IA or IB is equivalent to ISO construction classes 5 or 6 (depending on the specifics).

10.2.6 Size of the Structure

The size of a structure (area measured in square footage, square metres, etc.) influences many aspects of the “construction” underwriting process. Structure size also plays a part in the “protection” section of COPE (i.e. the need for a sprinkler system, etc.); but the main aspect of structure size from the underwriting aspect relates to the difference between the building's MPL and its PML.

Again, it is “**possible**” that the entire structure may be destroyed in any one loss; thus the MPL is the entire structure. However, the chances that the building will suffer a total loss are inversely proportional to the size of the structure. Basically, the larger the building, the less likely the entire structure will be destroyed in a single event. The larger the building, the lower the PML will be relative to MPL, all other factors being equal.

If all other factors are equal (same construction type, same occupancy, same protection features, and the same number of stories), a building with an area of 8,000 has a higher PML (as a percentage of the MPL) than a building with an area of 40,000. The smaller building has a higher PML because a fire does not have to rage as long to destroy a building with an area of 8,000 as it does a building with an area of 40,000 (again, all other factors being equal).

10.2.7 Age of the Structure

Aging structures create concern and questions in the underwriter's mind. Specifically, underwriters should concern themselves with the building's major systems: roofing, plumbing, HVAC (Heating, ventilation, and air-conditioning) and wiring when underwriting an older structure. The older the structure, the more likely a major system will malfunction, leading to a possible claim due mostly to an internal issue rather than caused by an external force.

Have the systems been maintained and updated as necessary? When were the last updates? What was the extent of those updates? Who did the updates? These are questions underwriters should ask regarding older structures.

- Updated as necessary: If the occupancy or use of the building has changed, have the major systems been altered and are they able to meet the current demands?
- When were the updates made: Are the updates recent or made many years ago?
- The extent of the updates: Was the entire structure updated or just one area?
- Who performed the updates: Were the updates done by a licensed contractor or by someone less qualified?

Other age-related issues revolve around the structure's compliance with current building codes. How many times and to what extent have the ordinances and laws been added to or updated since the building's original construction? Are there any increased costs related to bringing a structure into compliance with local building codes following a covered cause of loss that is specifically excluded in the unendorsed commercial property policy? Has the policy been endorsed to allow for this increased cost; and if so, has this information been provided to the property reinsurer?

10.2.8 The Importance of "Construction" Information

Construction and occupancy (Occupancy described further in the next section) can each be seen as a function of the other, working together as risk factors in regard to underwriting decisions. However, often the decision may come back to construction. For example, an underwriter may willingly offer coverage to a plastics manufacturing operation in a masonry/non-combustible building (construction class "4"); but may not be willing to offer coverage to the same operation located in a joisted/masonry building (construction class "2") or even a non-combustible building (construction class "3"). The occupancy may then help dictate the frequency of the claims. While the construction may help dictate the overall severity of the claim, given a loss has occurred.

10.3 Occupancy "O"

"Occupancy" is comprised of two parts: 1) what the insured does; and 2) how the insured manages the hazards associated with what it does. Determining what the insured does is rather simple; determining how they manage their "hazards of occupancy" requires closer investigation (either by the agent, insurance carrier staff, or independent inspection firm).

10.3.1 Occupancy Classifications: What the Insured Does

There are quite a few Occupancy classifications that are in standard usage around the world. These classifications include those established by ISO (Insurance Services Office), SIC (Standard Industrial Classification), NAICS (North American Industrial Classification System), CIC (Canada Industry Codes), and IICI (Lloyd's-Insurance Intellectual Capital Initiative). Some have been in use for many decades and were developed specifically for insurance purposes (e.g. ISO and CIC), while others have been derived more generally (SIC and NAICS) or more recently for specific insurance research purposes (IICI).

As an example of the classification structures, ISO divides every occupancy into two primary classifications: 1) Non-manufacturing; and 2) Manufacturing. Every operation fits into one of these two classifications:

- Non-manufacturing operations include: mercantile; habitational; storage or warehouse facilities; service operations; offices; laboratories; and recreational operations.
- Manufacturing operations are loosely defined as: "Operations that assemble, fabricate, repair, or build something within or at an insured's location."

Each class (non-manufacturing or manufacturing) presents its own relative risk of first party property loss. The greater the risk of loss, the more closely the underwriter must analyse the operations (occupancy), and the higher the relational cost of coverage should be. A non-manufacturing operation generally presents less of an operational hazard than does a manufacturing operation; the result - lower property occupancy rate factors apply to non-manufacturing operations.

10.3.2 SIC/NAICS Codes and Occupancy Classes

SIC and NAICS Codes are applied to the overall operation, not necessarily the use of a particular building. In general, this fact does not deviate from ISO's occupancy classifications. However, there are situations where a building may be assigned a non-manufacturing classification by ISO but a manufacturing occupancy code under SIC or NAICS.

ISO occupancy rules state that auxiliary buildings that house non-manufacturing operations and are not directly/physically connected to the manufacturing building are classed as non-manufacturing. Examples of such operations might include (but are not limited to) cafeterias, hospitals/clinics, offices, locker rooms, dorms, garages, or maintenance buildings.

In cases such as these, the individual building's ISO classification may not match the assigned overall SIC/NAICS code. Underwriters must account for any difference such as this in the overall property rate.

10.3.3 How the Insured Manages Its Operations

Beyond merely knowing the insured's operations/occupancy, the underwriter must also investigate how the insured manages those operations (part two of the occupancy review). Similar insureds do not necessarily manage their operations similarly. Since each insured manages its exposures and hazards differently, each has and presents its own "**hazards of occupancy.**" Underwriters must pay special attention to the hazards of occupancy presented by a risk.

To expand upon the importance of understanding a risk's "hazard of occupancy," consider the manufacturing operation referenced above. Assume the underwriter is evaluating three separate, but somewhat similar, manufacturing operations. All three have similar construction, location, and protection characteristics; however, each applies a different method for storing the 1,500 gallons of flammable and combustible paint on hand:

- Operation "A" stores the paint in a non-vented, unapproved storage room within the building;
- Operation "B" stores all 150 gallons in several storage cabinets meeting NFPA 30 standards; and
- Operation "C" stores all paint in an appropriately constructed storage building separate and apart from the shop.

Which of these three presents the greatest (highest) hazard of occupancy? Which has the lowest relative hazard of occupancy?

All three shops garner the same basic "occupancy" charge; but shop "A" should suffer the highest "hazard of occupancy" charge due to its poor (and improper) storage methods. Operation "B" has mitigated its hazard by using approved storage containers. Finally, operation "C" has largely removed the paint-related hazard of occupancy by choosing to store its flammable and combustible paints outside the building. The result is that operation "C" should be charged the lowest overall occupancy charge because it better managed its hazard of occupancy.

Paint storage is just one example of a hazard of occupancy; underwriters should review all hazards of occupancy such as:

- housekeeping (how neat and free of debris is the building and its surroundings);

- the amount of combustible materials within the building;
- the condition of major systems (heating and wiring);
- dust-collection systems for woodworking and like operations;
- use of spark-reduction equipment where necessary;
- the condition of cooking equipment (cleaned regularly, the existence of maintenance contracts, etc.); and
- the amount and storage of any other potentially hazardous materials.

10.4 Protection "P"

Underwriters and building code officials are often jointly interested in the property protection aspects of structures, but for different reasons. Property underwriters view property protection measures in regards to their ability to lessen the amount of property damage; building code officials generally view protection from a general public and personnel protection angle.

Sprinkler systems, fire extinguishers, alarm systems, fire doors and fire walls, and public fire protection are the primary protection mechanisms evaluated by underwriters. A particular structure's construction and occupancy may dictate which property protection mechanisms are required or desired by the underwriter.

10.4.1 Sprinkler Systems

The mere presence of a sprinkler system is not, or should not be, sufficient to satisfy the underwriter. To be effective, the sprinkler system must meet the demands created by the hazards specific to the occupancy. A sprinkler designed for an office or warehouse does not provide sufficient protection to a chemical manufacturing operation. Insufficient systems are common when an existing building designed for one type of occupancy is later converted to another use (a warehouse is turned into a manufacturing facility).

Proper evaluation of a sprinkler system requires a qualified professional. These inspectors evaluate the condition of the system and the ability of the system to handle the fire load created by the occupancy. Underwriters can glean important information from the inspector's report, including:

- the type of system (wet pipe, dry pipe, deluge, pre-action, foam, etc.);
- the condition of the system (well-maintained or any deficiencies);
- the system's ability to handle the fire load;
- if the water supply is adequate for the occupancy;
- if the location and number of sprinkler heads is adequate;
- the size and location of any non-sprinklered area; and
- whether there is adequate sprinkler protection where there is high-rack storage.

10.4.2 Fire Extinguishers

Fire extinguishers, unlike a sprinkler system, require human interaction. To be effective, the extinguisher must be accessible, appropriate for the hazard presented, and ready for use when needed. To garner maximum benefit from and credit for the presence of fire extinguishers, the underwriter needs to know:

- Are there an appropriate number of fire extinguishers for the building;

- Are fire extinguishers properly located (some jurisdictions may require placing extinguishers no more than a certain distance from any point in the building and to be readily accessible);
- Are fire extinguishers in the path of natural exit (i.e. can the user access one on the way out of the building without having to put themselves in danger to obtain and use one);
- Are fire extinguishers the correct size (too small to do any good or too large to be useful);
- Are the fire extinguishers the correct type:
 1. Class A – Paper, wood, etc. (anything that produces “A”sh);
 2. Class B – Flammable or combustible liquids (anything that “B”oils);
 3. Class C – Electrical fires (anything that has a “C”harge);
 4. Class D – Combustible metals such as shaved magnesium; and
 5. Class K – Cooking related exposures in the “K”itchen.
- Are the fire extinguishers inspected and, if necessary, charged annually
- Are staff members trained in the use of fire extinguishers

10.4.3 Alarm Systems

Fire, smoke, burglar and combination alarm systems are readily available to fit nearly any purpose or need. Before granting any credit or exception based on the presence of an alarm system, key information is required by the underwriter:

- The type of system in use;
- Where does the alarm sound? Is it local only or at an offsite location;
- If at an off-site location, is the monitoring company registered by some competent authority as applicable in the jurisdiction (e.g. Underwriters Laboratory (UL) in the U.S.);
- What type of external communication is used (A digital or tape dialler);
- What are the backup features of the system;
- Are there any special protection features;
- Is the system installed properly; and
- Is the system regularly serviced and maintained.

The last question may seem rather simplistic, but planning an alarm system can be done incorrectly. For example, the owner of a restaurant complained that the fire alarm often sounded (on and off site) for no apparent reason. Upon investigation it was discovered that a “rate-of-rise” detector had been installed over an oven. If the oven was open long enough, the sudden rise in heat sets off the alarm. Proper installation of the system is important.

10.4.4 Fire Doors and Fire Walls

“Maximum possible loss” (MPL) and “probable maximum loss” (PML) are directly related to the presence and effectiveness of fire doors and fire walls. Properly constructed and maintained fire walls and doors limit the spread of fire and lower the PML; the lower the PML, the more favorably the underwriter views the property.

Large open buildings, based of course on the contents of the building, allow a fire the opportunity to spread rather quickly with nothing structural to slow its progress. Compartmentalized spaces created by fire walls and doors contain and slow the spread of fire to reduce the overall damage. At least that is the purpose of fire walls and doors.

To qualify as a fire wall (not just a “fire stop”) requires certain conditions be met. Below are some of the conditions that are required in the US. Other regulations will apply elsewhere and should be reviewed for applicability.

- The wall must be one continuous masonry wall;
- The wall must be at least 6 or 8 inches thick (based on the materials used);
- The wall must come into direct contact with fire resistive, masonry, or non-combustible roofs;
- The wall must pierce “slow burning” or combustible (including assembly) roofs;
- If the exterior walls are masonry, fire resistive, or non-combustible, the wall must be in direct contact with the walls;
- If the exterior walls are “slow burning” or combustible, the wall must pierce the exterior wall;
- If there is an opening in the wall, it must be protected by a self-closing, “Class A” (3-hour) fire door or a sprinkler curtain. Class “A” doors are only effective when they close as designed. If the door is blocked open or unable to fully close for any reason, the wall no longer qualifies as a fire wall; and
- Any communications through the wall by HVAC ducts must be protected by at least one 1 ½ hour damper.

Any masonry or non-combustible wall failing to meet these standards is considered a “fire stop” not a fire wall. Slow burning and combustible (including assembly) walls qualify as neither a fire wall nor a fire stop.

10.4.5 Public Protection

Many countries have established various Fire Protection Agencies. These FPAs will provide research and technical knowledge to assess fire and life safety, including various aspects of public protection. As an example, in the US, Fire districts often involving many individual fire stations are inspected and graded by Insurance Services Office or other jurisdictions with authority. The ultimate grade or public protection class is based on response time, personnel, training, equipment, and local water supply. Each district is assigned a number grade from “1” to “10.” In this classification, the lower the number the better the district and the lower the fire rate. Other classifications and grading criteria apply elsewhere, and should be reviewed to assess the protection measures that are in place.

10.5 Exposures "E"

Is the insured property exposed to any external hazards? Not all hazards are related to the insured structure or operation; some come from outside the premises or are simply geographic in nature. A few external exposures relevant to property underwriters include:

- The insured structure’s proximity to a high-hazard operation;
- The local wildfire risk;
- The possibility for damaging winds and/or water;
- The structure’s flood zone location (located in or near a special flood hazard area (SFHA) in the U.S.);
- The structure’s earthquake exposure; and
- The jurisdiction’s building code requirements.

10.6 Finishing Up Underwriting Individual Risks

Understanding COPE allows better planning during the property underwriting process. Knowing what to provide and why to provide specific information makes the process smoother and hopefully quicker. Also, knowing COPE can assist clients when planning upgrades to current structures or constructing new buildings.

10.7 COPE Expansion to Portfolio Analysis (FARM)

The prior sections all deal with using and applying standard COPE analysis framework for individual exposures. To enable comparison across portfolios, and to help with reconciliation and validation to large loss experience in a portfolio or for a country, a few other measures are useful, as shown in Figure 19. These include investigating differences in:

- Amount of Insurance
- Replacement costs
- Other miscellaneous factors such as social and other influences

A detailed description of each factor is beyond the scope of this paper, but the reader can refer to the CAS International Webinar in February 2014 and recording where these were described in more detail.

Figure 19 - COPE Portfolio Analysis Framework

| COPE Assessment Matrix (for illustration only) | | | | | | | | | |
|--|---|----|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Commercial / Industrial | | | | | | | | | |
| | | US | Country A | Country B | Country C | Country D | Country E | Country F | Country G |
| Construction | C | | H | M | L | | M | M | M |
| Occupancy | O | | L | H | | M | | H | L |
| Protection | P | | | M | M | M | H | M | H |
| Exposure (e.g. industrial facilities) | E | | | M | L | H | | | L |
| Amount of Insurance | A | | M | | | M | L | H | M |
| Replacement Costs | R | | M | L | H | L | L | H | M |
| Miscellaneous | M | | | M | | L | | H | |
| Total Indicated (before validation) | | | | H | | M | L | L | H |

| Impact Key (compared to US) | |
|-----------------------------|--------------|
| Direction | Magnitude |
| Worse | H = High |
| Better | M = Moderate |
| No Difference | L = Low |

| |
|---|
| 1. With US as a base, assess the direction and magnitude of the impact from each COPE attribute |
| 2. Comparatively assess all attributes to produce a total weighted indicated impact |
| 3. Validate total impact against actual large loss experience |
| 4. Use same procedure for Ground-up Loss Costs, but include Frequency component – COPE + FARM |

Source: The CAS International P/C Markets and Benchmarking Webinar, May 2014

11. Large Claim Information and Link of AOI to Claims

The survey asked respondents about the importance of both large loss information and a link between amount of insurance and claims.

With regards to large loss information, a large loss listing without claims development was always received; information that included claims description inclusive of cat / non-cat split was received by 82 percent of respondents. However, a large loss triangle showing claim development was received only 30 percent of the time. When the respondents were asked to rank 8 experience based items in order of what they want to receive, the large loss listing was number 1 and the claim description ranked fourth. Interestingly, a triangulation ranked third behind only the loss list without development and historic premium income.

This suggests that pricing actuaries want to understand the development of large claims even in what is usually a short tail line of business. If ceding companies have a history of cautious case reserving, triangulation of large losses to demonstrate this may be beneficial to them. The actuary can work more quickly when he/she does not have to construct the triangulation themselves from historic submissions; and under time-pressure, they may not do this.

A link between claims and amount of insurance was usually received only 7 percent of the time and was considered the least important of the 8 exposure items. Nevertheless, if the ceding company believes that they write a portfolio with on average better qualities than might be contained within normal exposure curves that reinsurance pricing actuaries use (i.e. they believe the average risk in their portfolio has less chance of total loss than that used in exposure curves) then they may like to demonstrate this through linking risk profiles to claims.

11.1 Common challenges in linking claims and exposures

Claims and exposures are notoriously difficult to link. All attempts to produce plausible property loss curves need to rely on the relationship between losses and their exposed amounts of insurance. The difficulty in obtaining enough data on claims and exposures to produce credible curves has been the main impediment (see Buchanan, 2012).

Two recent studies aimed at collecting information on claims and exposures for large commercial risks in the London market and in the Asia-Pacific region offer important insights into the practical challenges presented by data enrichment exercises. The two studies are described in detail in Sections 11.2 and 11.3 below. They share the following difficulties in overcoming data granularity and quality challenges (see Biffis and Chavez, 2014, and Benedetti *et al.*, 2015a,b):

- **Data collection:** Data sourcing is complicated by the fact that different departments within a company may store different information, or the same information in different format, depending on whether the focus is on pricing, reserving, or claims, for example. Some companies may organize data on a claim basis, some on an event basis, and others on both bases. (Re)insurance companies are concerned with losses directly affecting their business, but proper understanding of risk requires total (from Ground-up = FGU) losses, and hence the need to address censoring and truncation issues induced by deductibles and limits. Recovering FGUs is complicated by the fact that such information may be available only to primary insurers or brokers. This means that data sourcing is often not self-sufficient and needs to rely on external inputs (e.g., broker submissions, loss adjuster's reports). Losses have several

important dimensions, such as fees, physical damage, business interruption, and third party liability.

- Data quality and granularity: An important proxy for the exposure would be the TIV at location. However, this is often not available, in particular when losses originate from large policy schedules, which may only report top location TIVs or aggregate TIVs. In some cases, only the TSI is available, leading to underestimation of the exposure. With data sharing, the classification of an exposure into different occupancy types is often heterogeneous, as companies develop internal systems that reflect individual operational and business considerations.
- Small sample issues: The statistical reliability of a claims basis is often undermined by data paucity. The study of large claims and our understanding of extremes, for example, can be severely biased in the presence of small data samples.
- Integration of data sources: there is very limited availability of public data sources that can be used to complement internal companies' information.

Going forward, we envisage that, as data enrichment gets prioritized by insurance companies, and wider sharing agreements are developed, most of the limitations discussed above will become less material. Although competitive pressure and confidentiality issues still represent significant hurdles, and may slow down the process, the returns from data enrichment are becoming more widely appreciated by the industry. These benefits include:

- Validation of pricing tools: pricing actuaries and underwriters rely on rating methodologies based on adjusting baseline curves depending on AOI, occupancy characteristics, etc. Any divergence (in the statistical sense) of such tools from empirical counterparts is often poorly understood, making it hard to pinpoint margins for prudence (if any) applied to different layers and types of exposure. Developing sensitivity analysis helps to understand such divergence, by distinguishing between frequency and severity dimension, and by providing some useful results on the latter.
- Development or testing of industry first loss scales: there are many different industry standard sets of loss scales that have been developed. Some of these scales have been developed many decades ago, such as the Lloyd's, Salzmann, and Ludwig scales. Other scales have been developed by reinsurers and brokers over time based on various internal or external approximations, such as those developed by Swiss Re (See Bernegger 1997 MBBEFD physics approximations) and China Re (See <http://react.cpcr.com.cn>). Other sets have been developed from significant industry based commercial property data such as ISO's PSOLD, which reflects curve differentials by occupancy, amount of insurance, and peril. If significant data sets can be compiled, which link the exposure to the loss amount (often, the "missing link"), then first loss scales can be developed, or compared against industry scales with appropriate scalars produced. Some brokers and reinsurers often have their own compilations of large losses. Often missing from these compilations is the inclusion of all losses from ground-up or above deductibles, to produce true first loss scales.
- Improvement of fire standards: a robust collection of large fire losses related to the original amounts of insurance will help various government and other agencies to get a deeper understanding of the causes of large losses and fatalities, and how better to prevent them. The collection of this type of data, and what is made available publicly to companies, varies tremendously around the world. In the US, the National Fire Protection Association has collected and distributed all fire losses above \$5M for over 20 years, while recently the

threshold has been increased to \$10M. Many other countries collect similar statistics to help in their assessment of fire protection activities.

- Cross country comparisons: further compilation of these fire statistics can give rise to an understanding of why certain countries' large loss experience can be quite different than others. The COPE portfolio extension framework briefly described in section 10.7 can help in identifying countries and regions for opportunities for enhanced fire loss prevention measures.

11.2 The Imperial-IICI dataset

The discussion of the Imperial-IICI dataset is based on Biffis and Chavez (2014). The dataset contains claim and exposure information obtained from Hiscox and Liberty, two leading syndicates of Lloyd's of London. As the latter is a subscription market, the data span business written by a number of other syndicates. Granular information on claims and exposures was obtained from internal data systems, loss adjusters' reports, and to a large extent brokers' submissions. The latter are documents informing the 'lead' underwriter of any claims occurring under a policy; the information is then shared with the market, in order to allocate the losses to each 'follower', depending on the individual retentions of the syndicates that co-insured the risk underwritten by the 'lead.' Recovering FGU claims from the losses incurred by individual syndicates is, in general, very difficult due to the complex layering and coinsurance arrangements characterising large commercial property insurance.

All data were anonymised and aggregated by using fictitious claims and policy identifiers. Internal validation of the data was carried out by looking at individual claims narratives and policy schedules (documents listing the asset values insured under a policy). External macro-validation was carried out by using data from fire protection agencies as compiled by ISO Verisk.

The Imperial-IICI FGU claims provide aggregate information on indemnities for physical damage and business interruption, as well as claims assessment and settlement fees. Both claims and exposures are expressed in 2012 USD terms; the normalization is obtained by trending claims and exposures at an average rate of 2.5 percent per annum across the two syndicates. For the purpose of this project, we extrapolated the data to the end of 2014 by using the same trending factors.

In terms of exposure information, in addition to TIV information, Biffis and Chavez (2014) classify occupancy types by developing a classification based on three levels of increasing granularity. The first one broadly classifies exposures into commercial (e.g., offices, banks, stores), manufacturing (e.g., utilities, food processors, mines), residential property (e.g., hotels, hospitals), and energy on shore (e.g., oil refinery). The second level provides some more detail, allowing one to distinguish, for example, a hotel from a hospital, or metals from food producers. The third occupancy level offers a more granular view of the exposures, distinguishing for example between large vs. small hotels, heavy vs. light fabrication infrastructure, and food & drugs vs. chemicals vs. metal & minerals processing plants. Finally, occupancy information is complemented by the claim narrative, which may also provide some more information on the hazard event (e.g., burst of water pipe, electrical failure, fire from hotel restaurant).

11.3 The IRFRC LCR dataset

The discussion of this dataset is based on Benedetti *et al.* (2015a,b). The dataset is the result of the combination of the APAC subset of the Imperial-IICI dataset, and APAC data provided by SCOR Services Asia-Pacific Pte Ltd. The database provides information on FGU losses occurred during the period 2000-2013 in the APAC region for commercial, manufacturing, energy on shore, residential and miscellaneous exposures. In line with the information contained in the Imperial-IICI dataset, the focus is on man-made risks, such as fire and explosion, which are often regarded as un-modeled risks. Natural catastrophes, on the other hand, are excluded, as they are typically covered by catastrophe models. In addition to FGU loss information, the dataset provides information on the risk exposure, including location, occupancy type, and TIV. For anonymisation purposes, aggregation of the two data sources was carried out by bucketing data into three time periods (2000-2003; 2004-2008; 2009-2013), and replacing original currency and country information with the categorical values “developed country” and “developing country”. To define the latter, the World Bank’s economic development classification¹ was followed. In line with the Imperial-IICI dataset, the IRFRC LCR dataset provides aggregate information on indemnities using granular information on physical damage and business interruption, as well as claims assessment and settlement fees. Both claims and exposures are expressed in 2013 USD terms; the normalization is obtained by trending claims and exposures at a notional rate of 2.5 percent per annum.

Given sample size issues, the IRFRC LCR dataset only uses the first two occupancy classification levels of Biffis and Chavez (2014), and does not allow one to study residential exposures, as they are severely underrepresented in the dataset. Moreover, as TIV information is sometimes not available, the dataset uses the proxy variable TIV, which relies on Total Sum Insured (TSI), a lower bound for TIV, when the latter is not available.

¹ See www.worldbank.org.

12. Rate Monitoring Information

The survey results in section 5.3 show that for experience rating, pricing actuaries consider historic premium income to be the 2nd most important item, and only behind receiving a large loss listing. To be fully effective for an on-level pricing exercise, these historical premiums would require proper rate change monitors. Receiving historic rate changes was ranked 5, projected rate change 7 and rate monitoring for renewal policies 8. Behind these rate changes were historic exposure in terms of numbers of exposures or numbers of risks which was ranked 6. Results were reasonably consistent across CAS, IFoA and Other.

With the exception of historic premium which is usually received by 93 percent of respondents, the other items are usually received by 30 percent (historic exposure), 59 percent (historic rate change), 43 percent (projected rate change) and 18 percent (rate monitor for renewals). Due to what they typically receive, pricing actuaries will end up using historic premium adjusted for rate change as opposed to historic exposure. Ceding companies benefit when they are able to demonstrate rate gains where they get them either via rate monitoring, providing historic rate change, or providing a reasonable measure of exposure for premiums to be compared to over time.

12.1 Why do reinsurers need credible rate change information from the cedent?

The main use of rate change information is for experience rating. Various rate changes on an account basis are rolled up to produce portfolio rate (or price) monitors. The production of rate monitors is typically done by primary companies for their own purposes, as well as summarised in some fashion by themselves or their brokers to potentially be given to reinsurers. Often these internal rate monitors are also compared to outside industry sources to assess where they are in the market place compared to their peers. The rate monitors for primary companies may include components for attritional (Fire) rate changes, as well as cat (Wind) perils if available. Other broad segments such as commercial versus manufacturing versus residential (or more refined categories such as occupancy and state/region), and distributions by premium size may be produced as well. Reinsurers often rely very heavily on the receipt of such monitors in order to get a good sense as to how the particular ceding company compares against their peers.

Reinsurers, on their part, also often produce rate change information on their own incoming business on an account by account basis, and then rolled up into a rate monitor for their own purposes, and perhaps then given to retrocessionaires for their retrocessional protection.

When historical written or earned premium is used as a measure of exposure, this premium needs to be adjusted for rate changes over time and be brought to current rate levels. In essence, the “as-if” or “on-leveled” premium for each year represents the amount of premium that would be written or earned by the cedent for that historic year if current rates were charged.

As the figures in the survey indicate, historic rate change information is rarely available for property treaty reinsurance submissions, and often, when they are presented, reinsurers are not clear how the cedent calculates the rate change and how much of their portfolio has been included in the rate change for the year. In addition, the rate change information may only be available for some of the most recent years, which makes its use limited.

12.2 What is/should be included in the rate change calculation?

The definition of rate changes on renewal policies varies widely among companies and therefore reinsurers benefit when the submission includes some commentary from the cedent as to how they calculate rate changes on renewal policies. This is of particular relevance for policies covering multiple locations for which the policy structure may frequently change. While not directly impacting the treaty itself, one reason for a rate change monitoring approach originates from Lloyds of London, and is described below.

The Lloyd's minimum underwriting standards framework requires each syndicate to submit, on a monthly basis, the Performance Management Directive Report (PMDR) which includes the following items for each policy:

1. Expiring premium for all lapse policies (non-renewed);
2. Expiring and current written premium for all renewal policies;
3. Current written premium for new policies; and
4. Risk Adjusted Rate Change (RARC) for all renewal policies. The RARC must be broken down into the following components
 - Change due to Limits/Deductibles/Attachment
 - Change due to Coverage (wording and terms and conditions of the policy)
 - Change due to other factors, which may include
 - Change in experience
 - Change in total insured values or sum insured
 - Change in territorial/occupancy/type of building mix

The RARC should reflect the relative difference between the change in risk exposure and the change in net cash for the policy when comparing the expiring and renewal policy. A key item often misunderstood in the measurement of the calculation of rate changes, is the overall change in risk exposure for the policy.

Change in risk exposure includes everything that has changed in the insured's risk profile and could therefore lead to a change in expected loss cost for the policy. For property, the most common changes in risk exposure include:

- Change in total insured values in the schedule of properties/locations;
- For excess or layered policies, changes in the policy limit and attachments;
- Change in coverage to add/remove certain types of losses and perils; and
- Changes in risk perception from subjective elements such as changes in risk management, claims prevention practices, and claims experience.

Changes in net premium compares expiring and renewal net written premium after all deductions including brokerage, no claim bonuses, renewal incentives, additional premiums, profit commissions and reinstatement premium. All deductions should be calculated based on how much the deduction or additional premium is expected to be worth at the end of the policy period.

If the change in net premium equals the change in risk exposure (including all components), the rate change is 0 percent, if the change in net premium is less than the change in risk exposure, then we

expect to see a rate decrease given that the cash has not compensated for the change in risk and if the change in net premium is higher than the change in risk exposure, we should see a rate increase.

Example: Change in total insured value (TIV) and change in layer

One of the most common issues in property insurance is when the TIV is stated as the policy limit and therefore it is often difficult to distinguish between them. The issue becomes more complicated when a policy covers multiple locations and is an excess policy and both of them change on renewal. The rest of this section describes this issue in detail, with amounts shown in Figure 20.

Figure 20 - Sample Multi-Location Policy Renewal Information - 2014 and 2015

The 2014 policy: an excess policy \$25m xs \$75m covering the following three locations:

| Building ID | TIV |
|--------------|--------------------|
| 1 | 55,000,000 |
| 2 | 85,000,000 |
| 3 | 125,000,000 |
| Total | 265,000,000 |

Net written premium = \$200,000

The 2015 policy: an excess policy \$50m xs \$50m covering the following five locations (the first three locations are the same ones as in the expiring policy but with reviewed TIV):

| Building ID | TIV |
|--------------|--------------------|
| 1 | 55,000,000 |
| 2 | 85,000,000 |
| 3 | 125,000,000 |
| 4 | 65,000,000 |
| 5 | 45,000,000 |
| Total | 375,000,000 |

The 2015 policy includes the peril of flood, which was excluded in the 2014 policy and based on the locations and exposures, it is determined that this additional coverage has an expected loss cost of 10 percent of the loss cost excluding flood.

Net written premium = \$665,000

We need to determine the rate change of the policy but we also must provide a breakdown of how much of this rate change is due to the additional two locations, the change in layer and the additional coverage.

The key component of the calculation is the (expected) loss cost in the layer from the TIV exposing the layer. To calculate this loss cost, we need the loss cost per unit of TIV, usually a loss cost rate (percent) and an exposure curve or first loss scale that allows us to layer the loss cost for each location exposing the layer.

Note, in this example, the total insured value for the policy increased 41.5 percent, but the new locations do not expose the expiring layer and only partially expose the new layer.

The table in Figure 21 presents the four possible modeling combinations that require consideration in order to break down the rate change calculation into the relevant components.

Figure 21 - Sample Multi-Location Rate Change Components

| | | Layer | |
|-------------|------|---|---|
| | | 2014 | 2015 |
| TIV Profile | 2014 | A: Loss cost calculated for 2014 policy | B: Loss cost for 2015 layer using on 2014 TIV profile |
| | 2015 | C: Loss cost for 2014 layer using on 2015 TIV profile | D: Loss cost calculated for 2015 policy including flood |

From the expiring and renewal pricing records we have A and D. Assuming nothing else has changed in the policy, the overall change in risk exposure (or loss cost) is the ratio of D to A (D/A). This includes all three components, the change in TIV profile, the change in layer structure and the addition of the flood peril.

The figures represented by A, B, and C above exclude the flood exposure. The 2015 loss cost excluding flood in this example is $D/1.10$ since the loss cost for flood was determined to be worth 10 percent of the loss cost excluding flood.

According to Lloyd’s Underwriting Minimum Standards, the change due to policy limit and attachment should be calculated by modeling the 2015 and 2014 layers using the 2014 profile; in the Figure 21 this is the ratio of B to A (B/A). However, remodeling the previous year’s profile on the new policy structure is often too time consuming and impractical as this would require re-running all the catastrophe models.

From the practical point of view, modeling the expiring (2014) structure on the 2015 TIV profile (in this case C) is more viable and is often the starting point of modeling. The ratio of $D/1.10$ (to exclude flood) and C would measure the change due to policy layer only.

Figure 22 shows some details of the working using an exposure curve of the Swiss Re type with parameter $c = 5$, which closely matches the Lloyd’s industrial curve. See Bernegger (1997) for further details of the exposure curve.

Figure 22 - Sample Multi-Location Rate Monitor Component - RARC Illustration

| | |
|---|---|
| Limit 25,000,000 Attachment 75,000,000 Loss cost rate on TIV 3% | Limit 50,000,000 Attachment 50,000,000 Loss cost rate on TIV 3% |
|---|---|

| | | | | | | | |
|---------------------------|-------------|-----------------|--------------------|-------------------------|-------------|-----------------|--------------------|
| CHANGE IN LAYER STRUCTURE | | | | | | | |
| 2014 Profile/2014 Layer | | | | 2014 Profile/2015 Layer | | | |
| Building ID | TIV | % loss in layer | Loss cost in layer | Building ID | TIV | % loss in layer | Loss cost in layer |
| 1 | 55,000,000 | 0.00% | 0 | 1 | 55,000,000 | 0.83% | 13,686 |
| 2 | 85,000,000 | 1.03% | 26,371 | 2 | 85,000,000 | 5.41% | 138,034 |
| 3 | 125,000,000 | 3.15% | 118,109 | 3 | 125,000,000 | 8.39% | 314,483 |
| Total | 265,000,000 | | 144,480 | Total | 265,000,000 | | 466,203 |

| | | | | | | | |
|-------------------------|--------------------------------------|-----------------|--------------------|-------------|-------------|-----------------|--------------------|
| 2015 Profile/2014 Layer | 2015 Profile/2015 Layer (incl Flood) | | | | | | |
| Building ID | TIV | % loss in layer | Loss cost in layer | Building ID | TIV | % loss in layer | Loss cost in layer |
| 1 | 55,000,000 | 0.00% | 0 | 1 | 55,000,000 | 0.83% | 15,054 |
| 2 | 85,000,000 | 1.03% | 26,371 | 2 | 85,000,000 | 5.41% | 151,838 |
| 3 | 125,000,000 | 3.15% | 118,109 | 3 | 125,000,000 | 8.39% | 345,932 |
| 4 | 65,000,000 | 0.00% | 0 | 4 | 65,000,000 | 2.45% | 52,594 |
| 5 | 45,000,000 | 0.00% | 0 | 5 | 45,000,000 | 0.00% | 0 |
| Total | 375,000,000 | | 144,480 | Total | 375,000,000 | | 565,417 |

If only interested in the risk adjusted rate change (RARC), calculating the total change in risk exposure as the ratio of the renewal loss cost \$565,417, and the expiring loss cost \$144,480, yielding a change in risk exposure factor 391.35 percent is sufficient. The net premium change from an expiring premium of \$200,000, to a renewal premium of \$665,000, a factor of 332.50 percent, indicating a rate reduction of

$$\text{RARC (\%)} = 332.50 \text{ percent} / 391.35 \text{ percent} - 1 = -15.04 \text{ percent}$$

The breakdown of the components according to Lloyd's minimum standards should be done as follows:

Change due to limits, deductibles and attachments = $\$466,203 / \$144,480 = 322.68 \text{ percent}$ (or 222.68 percent increase)

Change due to coverage (flood) = 110 percent (or 10 percent increase)

Change due to other factors (TIV) = $391.35 \text{ percent} / (322.68 \text{ percent} \times 110 \text{ percent}) = 110.26 \text{ percent}$ (10.26 percent increase due to TIV profile)

Although this is the prescribed method within the underwriting minimum standards, each company may slightly deviate from this method depending on how integrated the pricing models are and how much of the calculation is left to the underwriter's discretion.

For non-Lloyd's companies the calculation is less prescriptive and therefore subject to a wider range of considerations that may not be obvious to reinsurers from the way the data is presented in the submission.

Therefore, reinsurers would thoroughly benefit from a brief explanation and even an example of how rate movements are calculated for renewal policies and what risk parameters are used to adjust the expiring premium for changes in risk profile.

12.3 New Business Rate Monitoring

Rate changes tend to be calculated for renewal policies only; very rarely do companies attempt to provide rate change figures at portfolio or class of business level that also include the new policies written. Therefore, the rate change used for business planning, reserving, and capital modeling could be misleading if the volume of new business premium is significant. In the case of reinsurers, the rate change provided in the reinsurance submission is used for experience rating and is applied to the overall premium (including new business). Of utmost importance to reinsurers is knowing whether the cedent has included new business in the rate change calculation.

Rate movements can cause shifts in business mix, leading to inaccurate rate change calculations. Volume tends to grow in classes that received rate decreases and decline for classes receiving rate increases (Bodoff, 2009). Additionally, during soft markets underwriters may have an incentive to gain new accounts and reach volume targets, which can result in overstated rate changes (Robbins, 2009).

Literature discussing methods for calculating the impact of new business on overall rate changes is limited and often the lack of inclusion of new business in the rate change calculation is wrongly attributed to the lack of expiring policy details and written premium. Methodologies tend to involve comparisons of charged rates for new and renewal business to their respective benchmarks (Mata, 2008) and calculating company shift factors, which measure the rate impact produced by moving business between companies with different rate levels (Vaughn, 2004).

Ideally, submissions should include the separate impact of both the new business and renewal rate changes on overall rate adequacy along with premium split into new and renewal. An explanation of the calculation of the new business impact should also be included. If new business impact cannot be calculated, this should be clearly stated and the premium split between new and renewal business should be provided along with retention ratios.

Broadly speaking, to sufficiently include the new business premium in the overall rate change calculation, provide an indication of the overall price differential between renewal and new policies or the rate adequacy (charged premium to technical or benchmark price) differences between renewal and new business. This information combined with the rate change on renewal business is sufficient for the reinsurer to calculate an overall rate index for experience rating.

12.4 Rate Changes - Level of Detail

Since rate changes are applied to premium for experience rating, aside from providing splits of new and renewal rate impacts, rate change information should be aggregated by year of account and provided in a manner consistent with that of the historic premium. Rate change information is often provided in a level of detail which is different than the level of detail of the premium provided, making aggregation of the rate changes in a meaningful way virtually impossible for reinsurers in the midst of the pricing exercise.

It is also suggested that the rate changes be rolled up by premium size. It has been shown that premium size is one of the most important areas to differentiate pricing among groups of accounts. Actual pricing statistics verify that larger accounts experience much lower lows and higher highs, depending on a carrier's position in the underwriting cycle. For example, it has been shown in the US that accounts less than \$10,000 in average premium behave very differently than those accounts that

are larger than \$100,000. Therefore, if there is a substantial shift in account sizes over the experience period, rate monitors used in pricing will need to be modified accordingly. (Buchanan and Izzo, 2012)

Therefore, as long as the rate change and premium information are provided at the same level of detail, reinsurers have the flexibility to decide how to best aggregate the information for experience rating.

12.5 Rate Monitor - Using Extended Exposures

Another usage of the extended exposure method, described in Section 8, is to produce year on year indications that more properly reflect changes in occupancy mix, amounts of insurance, deductibles, protection and construction differences, etc. An example is shown in Figure 23, with charts produced in Figure 24.

Figure 23 - Sample Rate Monitor Using Extended Exposures- Illustrative Data


| US – Banded Profile | | Total Exposure Info | | Total Premium & Loss Cost Info | | |
|---------------------|--|---------------------|----------------|--------------------------------|------------|-------|
| Comm'l / Industrial | | Total AOI | 13,645,744,688 | | | ELR |
| 1/1/2015 | | # of Exposures | 3,425 | 37,044,418 | 16,927,567 | 55.1% |
| Price Monitor Test | | Average Exposure | 3,986,787 | 0.225 | 0.124 | |

| Number of Risks (Banded) | Year | Description/Record Index | Total B&C AOI | TIME ELEMENT AOI | Actual Premium | IRV Total Gross Loss Costs | ELR (IRV GULC / Actual Prem) |
|--------------------------|------|--------------------------|---------------|------------------|----------------|----------------------------|------------------------------|
| 96 | 2010 | Commercial – Band 1 | 182,806 | 20,312 | 176,165 | 47,999 | 27.2% |
| 36 | 2010 | Commercial – Band 2 | 629,925 | 69,992 | 184,166 | 45,630 | 24.8% |
| 40 | 2010 | Commercial – Band 3 | 1,290,047 | 143,339 | 339,329 | 101,554 | 29.9% |
| 116 | 2011 | Commercial – Band 1 | 182,806 | 20,312 | 205,526 | 57,998 | 28.2% |
| 43 | 2011 | Commercial – Band 2 | 629,925 | 69,992 | 214,861 | 54,502 | 25.4% |
| 49 | 2011 | Commercial – Band 3 | 1,290,047 | 143,339 | 395,883 | 124,404 | 31.4% |
| 145 | 2012 | Commercial – Band 1 | 182,806 | 20,312 | 253,885 | 72,498 | 28.6% |
| 54 | 2012 | Commercial – Band 2 | 629,925 | 69,992 | 265,416 | 68,445 | 25.8% |
| 61 | 2012 | Commercial – Band 3 | 1,290,047 | 143,339 | 489,032 | 154,870 | 31.7% |
| 3 | 2014 | Industrial – Band 11 | 24,633,000 | 2,737,000 | 108,868 | 103,442 | 95.0% |
| 1 | 2014 | Industrial – Band 12 | 62,332,200 | 6,925,800 | 70,915 | 85,023 | 119.9% |

IRV Summary – Total and Detail Loss Costs © Insurance Services Office, Inc., 2014
US – Banded Profile Comm'l / Industrial 2010 through 2014 Price Monitor Test Version 2.0

| Year | # of Exposures | Actual Prem | Per Risk Avg AOI | Banded Total AOI | Prem / AOI (100) | IRV – Total Gross Loss | GULC / AOI | ELR | Average Prem |
|--------------|----------------|-------------------|------------------|-----------------------|------------------|------------------------|--------------|--------------|---------------|
| 2010 | 500 | 5,561,224 | 3,913,640 | 1,956,819,880 | 0.284 | 2,570,494 | 0.131 | 46.2% | 11,122 |
| 2011 | 550 | 6,071,429 | 3,985,727 | 2,192,149,847 | 0.277 | 2,812,599 | 0.128 | 46.3% | 11,039 |
| 2012 | 625 | 6,911,765 | 3,947,627 | 2,467,266,841 | 0.280 | 3,110,693 | 0.126 | 45.0% | 11,059 |
| 2013 | 750 | 8,500,000 | 4,012,453 | 3,009,340,120 | 0.282 | 3,676,410 | 0.122 | 43.3% | 11,333 |
| 2014 | 1,000 | 10,000,000 | 4,029,168 | 4,029,168,000 | 0.248 | 4,757,370 | 0.118 | 47.6% | 10,000 |
| Total | 3,425 | 37,044,418 | 3,986,787 | 13,654,744,688 | 0.271 | 16,927,567 | 0.124 | 45.7% | 10,816 |

Figure 24 - Sample Rate Monitor Using Extended Exposures - Illustrative Charts



The above charts show the calculation of ground-up loss costs from a portfolio which grows from 500 exposures to 1,000 in a five-year period. The underlying building exposure characteristics are used to generate expected loss amounts for each of the years, and compared to the actual illustrative charged premium during this history. If, for example, all 500 buildings in the first year were of one particular lower hazard occupancy with a \$5,000 deductible, and were predominantly un-sprinklered, they would produce a certain expected ground-up loss cost. If over the five-year period those buildings were replaced by much higher hazard occupancies, with much larger deductibles, but the inclusion of robust sprinkler systems, then the loss costs for that year would reflect all those exposing characteristics. Comparing the expected losses for each of these years based on current best estimates of all the rating variables, would produce a sequence of expected loss ratios (ELRs). These ELRs would generally be considered a good way to calculate a rate monitor that responds to all the underlying exposing characteristics.

Rate monitors that might be developed based on average premiums, average premium per amount of insurance, or ground-up loss costs per AOI, may not pick up those distinctions. Rolling up the rate monitors across accounts in such a way can produce a robust rate monitor for internal purposes and be given to reinsurers for their independent assessment.

13. Other Market Considerations

This section focuses on describing the issues of the impacts of the market phenomena known as winner's curse, submission bias, and overconfidence. These concepts are first illustrated using their initial industry realms. The concepts are then illustrated in an insurance context with a simplified competitive example running throughout. Lastly, the concepts and illustrative impacts are summarised, including how insurers can help reduce the impact of these issues by usage of the information presented in this paper.

13.1 Winner's Curse

The term "Winner's Curse" was first coined by Capen, Clapp & Campbell in their 1971 paper "Competitive Bidding in High Risk Situations." In any scenario where parties are given access to certain data and asked to estimate a quantity from that data, a wide range of estimates will typically arise. The average of the parties' estimates can be a good estimator of the unknown quantity; the so-called "Wisdom of the Crowds." This property has been evident in the GIRO prediction surveys, where the mean prediction has scored consistently better than the majority of respondents. However, there are some circumstances such as auctions where the estimate that matters is not the mean estimate but the extreme estimate, i.e. the highest price at auction or the lowest price for a quoted insurance policy (an example of a reverse auction). In such situations the "winner" is likely to have been "cursed" by either paying too much for the goods at auction or obtaining insufficient premium for the insured risk. – (Winner's Curse GIRO Working Party, 2009)

The winner's curse has been observed and studied in various industries, most notably in the Petroleum industry by Capen, Clapp, and Campbell. They authored the original paper on the winner's curse, which uses oil tract auctions to illustrate various aspects of the concept. In Figure 25, the tables show how the impact of winner's curse increases with more competition. As the number of competitors increases, Company A's rate of return decreases as well as the Industry's rate of return.

Figure 25 - Winner's Curse in Oil Tract Auction - Impact of Competition

| Tract Number: | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------------------------------------|-----|-----|-----|-----|-----|------------------|-----|------|-----------------|-----|
| A's bid* | 1.9 | 5.6 | 2.6 | 3.4 | 3.7 | 5.2 | 1.9 | 17.5 | 3.9 | 4.3 |
| | | | | | | Company A | | | Industry | |
| Winning bids* | | | | | | 50 | | | 50 | |
| Value of acreage won* | | | | | | 100 | | | 100 | |
| Present-worth profit* | | | | | | 50 | | | 50 | |
| Investor's rate of return, percent | | | | | | 17 | | | 17 | |

*In millions of dollars.

TABLE 4—CASE 3—THREE COMPETITORS ENTER SALE WITH COMPANY A


| Tract Number: | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---------------|------|------|------|------|------|------|------|-------|------|-------|
| A's bid | 1.9 | 5.6 | 2.6 | 3.4 | 3.7 | 5.2 | 1.9 | 17.5* | 3.9 | 4.3 |
| B's bid | 3.8 | 5.1 | 4.0 | 4.9 | 0.6 | 4.2 | 5.9* | 4.5 | 1.8 | 15.2* |
| C's bid | 5.7 | 3.1 | 2.6 | 6.5* | 9.8* | 9.8* | 4.0 | 1.5 | 3.3 | 3.7 |
| D's bid | 6.5* | 8.3* | 7.8* | 6.4 | 3.3 | 2.2 | 3.3 | 5.0 | 4.5* | 2.7 |

| | Company A | Industry |
|------------------------------------|-----------|----------|
| Winning bids** | 17.5 | 91.8 |
| Value of acreage won** | 10.0 | 100.0 |
| Present-worth profit** | - 7.5 | 8.2 |
| Investor's rate of return, percent | 5 | 11 |

*Winning bid.
**Millions of dollars.


The winner's curse applies to several types of auctions, including those for insurance business. One key difference between an oil tract auction and an insurance auction is that the prize goes to the highest bidder for an oil tract and the lowest bidder for insurance business (Note: in our simplified insurance auction examples in this section, we will assume that insureds are making their decision about which insurer to accept coverage from solely on price, rather than on quality of service or other similar factors). The winner's curse occurs when an insurer outbids its competitors for a risk, but offers coverage at an unprofitably low premium. The "winner" may walk away with poorly priced business.

Figure 26 - Winner's Curse in Insurance - One Competitor



Consider an insurance market where there are only pillow and dynamite manufacturers in a new territory. In Scenario 1, in Figure 26, Company A is the only insurer approached by five different manufacturers looking for coverage. Company A uses superior industry benchmarks to inform its assessment of the various risks, and its model perfectly predicts the losses for each manufacturer. As a result, Company A achieves its goal of writing coverage that results in a 50% loss ratio for each risk. In this scenario, the winner's curse was not present because there were no competitors with inferior models.

Figure 27 - Winner's Curse in Insurance - Four Competitors




In Scenario 2, in Figure 27, each of the five manufacturers approach Companies A, B, C, and D for coverage. In this simplified example, the lowest bid for each manufacturer gets the entire business. Companies A, C, and D required the manufacturers to submit all relevant information to help the insurers make a pricing decision. Company B did not insist on a full data submission.

Company A, with its disciplined underwriting informed by broader industry data and complete data submissions from the manufacturers, perfectly estimates the losses for each of the five risks as in Scenario 1. However, instead of five risks, it insures two. Company B does not have complete information about the manufacturers, and its basic underwriting scheme is not granular enough to differentiate between a dynamite and pillow manufacturer. It also cannot distinguish between sprinklered and non-sprinklered properties. As a result, Company B bids the same amount on each insurer. This pricing leads it to potentially bid far too low on the riskiest business (“Dynamite Manufacturer w/o sprinkler”). Company B’s business ends up with twice as many losses as predicted, resulting in a loss ratio of 100%. Companies C and D have pricing models that are more sophisticated than B, but less so than A. As a result, due to the bidding process, Companies C and D have loss ratios worse than A, but better than B.

In this scenario, Company B was the most affected by the winner’s curse; its poor pricing model resulted in it winning business, but the coverage was significantly underpriced. On the other hand, Company A managed to stay disciplined with its pricing, win business albeit at a lower market share, and keep its loss ratio at 50%. With one superior company (A) and three companies with various levels of inferior models, the loss ratio of this industry segment rises from 50% to 72%, while the companies with the inferior models have an 80% loss ratio.


To further the illustration, Figure 28 (Winner’s Curse GIRO Working Party, 2009) shows similar impacts with a range of competitors. The more competitors that are introduced, the more the gap widens in results between the company with a superior model and the rest of the market.

Figure 28 - Loss Ratio of Insurer With Superior Pricing Model



The introduction of more and more companies with inferior models reduces the market share of all companies, but it particularly reduces the market share of companies with a superior model. By getting the price more accurate, the insurer with the superior model loses business to competitors with inferior models. The insurers with inferior models will underprice sufficiently enough to win business on a more frequent basis. The effect is shown in Figure 29.

Figure 29 - Market Share of Insurer With Superior Pricing Model



So, insurers with superior models are still impacted indirectly by the winner’s curse if many of their competitors have inferior models. If all insurers improved their pricing models, it would likely serve to benefit the industry on the whole because it could mitigate both the direct and indirect effects of the winner’s curse.

One way to improve the pricing models of insurers is for data submissions to be more standardised for risks. Once it is standard that risks report certain information (e.g. AOI definition, rate changes, COPE, etc.), insurers should consistently have more data for their models.


For more detailed information about the winner’s curse (incorporating concepts such as bid shading, the impact of brand value, etc.), refer to the GIRO working party research paper titled *Winner’s Curse: The Unmodelled Impact of Competition*.

13.2 Submission Bias

Another impact on individual company and overall results is what is known as Submission Bias. If increased data leads to a more accurate assessment of risk, then there is a danger that only the better risks provide the data. This potential issue is also referred to as Information Asymmetry. In a balanced market with different types of risks, some companies will need to pay more and some will need to pay less. More difficult risks know they will pay more if they provide additional data will be disincentivised to provide the extra data (focusing purely on pricing impacts and putting aside any potential claim settlement issues). Conceptually, greater assumptions will need to be made about the poorer risks, compared to the companies that provide data. However, in practice there is the risk that the prices only move for the better companies that provide data and stay the same for the poorer risks. There is an increased possibility that the price charged for the poorer risk will be less than the technically correct charge. Hence the overall charge falls, when it would otherwise remain the same.

To illustrate this issue, suppose that two manufacturers approach a single insurance company looking for coverage. One manufacturer is a dynamite manufacturer with a sprinkler system (Manufacturer A), and the other is a dynamite manufacturer without a sprinkler system (Manufacturer B).

Figure 30 - Submission Bias - Dynamite Manufacturers



Before giving a price for coverage, the insurance company asks each manufacturer to submit relevant information. If both manufacturers are completely forthcoming with their information, under perfect modeling, Manufacturer A will be charged half of the premium that B will be charged, because Company A's model has estimated that dynamite manufacturers without sprinkler systems have twice as many losses as those with a sprinkler system in this illustration, as shown in Figure 30. However, since Manufacturer B knows that it will be penalised for not having a sprinkler system, it decides to not inform the insurer about its lack of sprinkler system. Since Manufacturer A knows it will receive a better rate because of its sprinkler system, it does inform the insurer about its sprinkler system.

Company A has complete information about Manufacturer A, so it offers coverage at its rate for manufacturers with a sprinkler system. But, since it does not have complete information about Manufacturer B, Company A may decide to offer coverage at 7.5, the rate between the two manufacturer classes.

This scenario illustrates why a potential insured may not be incentivised to provide more information if they know that they are a worse risk than the insurer is expecting. Manufacturer A has no reason to withhold information since it knows it is a good risk (for a dynamite manufacturer), but Manufacturer B may actually get a better premium if it withholds information.

Another reason why risks may be incentivised to not report information is if they know that an insurer has a poor pricing model (like Company B). A savvy potential insured that is a bad risk may only approach companies that it knows will not properly assess how risky they are, which could cause insurers like Company B to suffer from adverse selection.

This bias in data submission may be increased during soft markets. In a soft market, insurers are more aggressive in writing coverage. Therefore, it may be easier for a bad risk to provide less data and not have insurers, who are competing more fiercely for business, insist on a more complete submission.

To mitigate the effect of submission bias, standardising information reporting would likely benefit many in the insurance industry. If it were the standard that all manufacturers report certain data elements (e.g. AOI definition, rate changes, COPE, etc.), then when an insurance company receives information about a risk that excludes a particular data element, they may want to price the coverage with the assumption that the missing data element is the worst case scenario. This way, risks may be

incentivised to report all data elements that are not the worst case scenario for fear of not receiving coverage or getting a worse deal than they would have if they reported more information.

13.3 Managing Overconfidence

Another impact on results is a phenomenon called Overconfidence. Russo and Shoemaker wrote in their paper titled *Managing Overconfidence*:

Good decision making requires more than knowledge of facts, concepts, and relationships. It also requires metaknowledge – an understanding of the limits of our knowledge. Unfortunately, we tend to have a deeply rooted overconfidence in our beliefs and judgments. Because metaknowledge is not recognized or rewarded in practice, nor instilled during formal education, overconfidence has remained a hidden flaw in managerial decision making... [A]lthough overconfidence distorts decision making, it can serve a purpose during decision implementation – (Russo & Shoemaker, 1992)

The concept of overconfidence was tested by Russo and Shoemaker. They asked managers from various industries to give answers to questions with a certain confidence interval. For example, if the question was “How many total employees did IBM have on its payroll on 31 December 1990?”, then respondents were asked to give a range where they felt X% confident that the answer was within the range. Ideally, respondents should only miss (100 - X)% of the questions because they answered each question with X% certainty. However, respondents consistently were overconfident and missed more questions than the ideal number of misses. For example, Figure 31 shows that in one of the Petroleum surveys, it was shown that out of 850 questions where the respondents were asked to give a 90% confidence interval, the real answer fell outside of the range 50% of the time, rather than the expected 10% of the time.

Figure 31 - Overconfidence across Industries

Table 1 Overconfidence across Industries

| Industry Tested | Kind of Questions Used in Test | Percentage of Misses | | Size** |
|-------------------|--------------------------------|----------------------|--------|--------|
| | | Ideal* | Actual | |
| Advertising | Industry | 10% | 61% | 750 |
| | Industry | 50 | 78 | 750 |
| Computers | Industry | 5 | 80 | 1290 |
| | Firm | 5 | 58 | 1290 |
| Data processing | Industry | 10 | 42 | 252 |
| | General business | 10 | 62 | 261 |
| Money management | Industry | 10 | 50 | 480 |
| Petroleum | Industry & firm | 10 | 50 | 850 |
| | Industry & firm | 50 | 79 | 850 |
| Pharmaceutical | Firm | 10 | 49 | 390 |
| Security analysis | Industry | 10 | 64 | 497 |

* The ideal percentage of misses is 100% minus the size of the confidence interval. Thus, a 10% ideal means that managers were asked for 90% confidence intervals.

** The total number of judgments made across persons and questions.

Overconfidence is a common trait among decision makers, and has also been studied in the insurance industry. Underwriters and actuaries are not immune. In one example, 374 respondents were asked 10 questions related to their knowledge of the global insurance industry, and to supply a 90% confidence interval (Collins, 2004). Ideally, respondents would have captured the answer in their ranges 9 out of

10 times. However, in this survey, only 7 (2%) of the respondents were able to supply proper ranges at least 9 out of 10 times. Further, 60% of the respondents were able to only capture the proper range 3 times or less (29 of the 374 did not get any of the 10 questions right, even with being offered to give a 90% confidence interval). Presumably, the results would not be as stark if asked questions specific to their field of interest. But nonetheless the resulting overconfidence is quite interesting.

The underwriting cycle in property casualty insurance is evidence that mispricing is an ongoing problem. This pattern of mispricing continues, in part, because it is difficult to estimate future contingent events based on incomplete knowledge of the risks and/or inferior pricing models. Companies can help reduce the impact of overconfidence by routinely testing the "skill" of their forecasts, and by implementing an effective feedback process to improve pricing performance, including using industry benchmark data. Without a feedback process incorporating the grading of prior decisions, actuaries and underwriters are missing an important tool to manage their overconfidence in their pricing decisions (Conger and Lowe, 2003).

To help illustrate, let's revisit Scenario 2 from Section 13.1. Company A has perfect modeling and information and is appropriately adjusting for every variable in the pricing environment, with expected loss costs ranging from .50 to 5.0. Company B bids the same amount (2.5) on every risk, and either did not know to ask or did not require a full submission from risks. Its pricing model did not differentiate between the different manufacturer classes. It is quite possible that Company B is not overconfident in its pricing, but instead has employed this pricing strategy to gain a short-term advantage in the market for certain kinds of risks.

Of more interest for Overconfidence, are the cases of Companies C and D. Concentrating on D (they "win" the Dynamite manufacturer with Sprinkler risk), they price the risk at fully 20% below any of the other companies (2.0). If they are inappropriately overconfident in their assessment of the risk (maybe they miss the fact that the sprinklers have an insufficient water supply or are out of date), they will suffer larger losses on average those they expected. Even if they thought that there was a 10% margin around their estimate, they may end up with a portfolio of this kind of exposure.

To help reduce the impact of overconfidence, companies should implement systems to provide appropriate exposure vs. experience feedback mechanisms, establish a rigorous set of actual vs. expected set of loss ratios and large claim expectations, and maintain robust rate monitors. When any or all of these results vary from the norm, then a forensic analysis should be done as to why the results started to deviate, and the models and parameters should be adjusted appropriately.

For example, insurers can set up systems to account for emergence lag. Although not a big issue in relatively faster reporting property risk, an issue with emergence lag can cause additional problems with respect to how companies set up and use their models. When companies feel that their results are favourable, they may feel overconfident and decide to reduce prices and write more business. This new business may perform well at first, but if the insurer underpriced it, they may only realise their mistake many years down the line because of the long-tailed nature of insurance. Insurers with an aggressive underwriting strategy that look to "hoover" risks in a chosen market can be particularly affected by this type of overconfidence, given that they rapidly increase market share before having a chance to adjust their strategy based on long-term performance (see Mourad, 2014). To properly account for emergence lag in their pricing models, insurers should set up their "total loss expectations for any individual contract, and specify how [they expect] those losses will be reported over each of

the subsequent quarters or years. Over time, these expectations should then be compared with what has actually been reported” (Buchanan, 2011).

13.4 Summary of Other Market Considerations

In the insurance example given in this Chapter, all four of the Companies are affected in various degrees by these other market considerations.

All companies were affected by the winner’s curse, given that some of the companies had inferior pricing models. Company A, while maintaining its expected loss ratio, had its market share reduced considerably by the new, less sophisticated entrants due to the winner’s curse. Company B was affected significantly by the bias in submissions. They might not have asked, nor been told, that the risk they were to write was the worst in the portfolio. Companies C and D were affected in varying degrees by being overconfident in their modeling and underestimating the potential range of results.

It should be noted that the winner’s curse, submission bias, and overconfidence issues that have been outlined in this section apply equally to both the primary and reinsurance marketplaces.

An important conclusion of this paper is that improved data submissions and appropriate modeling of actual and expected results at all levels can benefit the insurance/reinsurance industry and the insured. These benefits include reducing the impact of the winner’s curse, submission bias, and overconfidence, all of which may have negative effects on pricing. Additional insights on these and other behavioral economics issues such as Framing and Anchoring have been presented as part of the

14. Using property cat submission information

Oftentimes the reinsurer receives both banded profiles from the per risk submission, as well as individual risk information for catastrophe exposed risks. This section describes how best to use the detailed information from the cat submission, as well as typical pitfalls.

14.1 Using and reconciling Property Risk Submissions with Cat Submissions

Given the immense amount of detail that can be coded into catastrophe model input files, looking to these files for information that supplement, augment, or inform the basic limit profiles that often accompany property risk submissions is not uncommon. But while such information can provide much additional insight into the nature of the individual risks subject to a per-risk treaty, one must remember that the information contained in those input files is specifically meant to be used for catastrophe modeling. As such, the analyst must be careful to avoid pitfalls that could lead to a very distorted view of the business.

14.2 Why Use Cat Model Input Data?

When properly and completely coded, the input files for catastrophe models contain a wealth of information not normally found in a basic limits profile. Each location in the file is coded with a value, an occupancy type and a construction type. One of the most basic pieces of information commonly left out of a property risk limits profile pertains to deductibles or attachment points. In a profile with banded exposure ranges, the addition of an average deductible or attachment point for each band could potentially make a significant difference in any calculations the analyst might make. Each location in a catastrophe model is cross-referenced with a policy limit, an attachment point or deductible amount, and a participation share. The files also contain fields for premium on a policy basis. These may or may not be populated because this information is not required for the catastrophe models to function properly. If this part is populated, the policy premium can be allocated to individual location.

In the past, when computational power was at a premium, and most desktop computers were fairly limited in their abilities, limits profiles were provided in bands of exposure so that calculations could be made quickly and without excessive complexity. In this current age of inexpensive memory space and powerful desktop processors, exposure rating calculations on an individual location basis are often possible, and preferable to perform. If premium is allocated to location, and a non-cat limit is coded, the information necessary for such an exercise could possibly be extracted from the catastrophe model data.

14.3 Does the Cat File Represent ALL or only PART of the Business?

Putting together the input data for a catastrophe model can be a very meticulous, time intensive, and manual process. For this reason, an insurer may include in the file only as much information as is absolutely necessary. This may mean, for example, that the only locations included in the file are those locations deemed to have exposure to the catastrophes meant to be modeled. If the file is to be used as input for modeling the hurricane peril, only locations along the east coast of the US may have been coded, and the rest of the business may not be represented at all. Or perhaps, if an insurer is primarily exposed to the earthquake peril, maybe only west coast of the US exposures are represented in the file.

14.4 Is the File Coded with the Proper Limits and Deductibles?

Even if an insurer has included all locations in the input file, often the policy tables are coded with either earthquake or wind-specific deductibles or sub-limits specific to the peril to be modeled. To the extent that these limits are different from the non-cat, or fire limit, they are not suitable for exposure rating, which typically is meant to estimate non-cat expected loss. Also, deductibles for natural perils (as coded in cat modeling data submissions) are usually different from fire deductibles.

15. Various Country Issues

Issues related to specific countries, as well as the quality of information available, varies greatly by geographic region. The above sections provide some general practical resource information. The below sections describe some specific country issues and information, as well as some general regional observations.

15.1 US Specific issues - Valued Policy Statutes and Probable Maximum Loss

In the US, valued policy statutes alter the application of indemnification, total insurable value, and the concept of or limit assignable to a specific property's Probable Maximum Loss (PML). Twenty US states currently maintain valued policy statutes.

States implemented valued policy laws to potentially protect insureds from an insurance carrier's argument citing over-insurance following a total property loss. Essentially, carriers in valued policy states must pay the entire face amount of the property policy if the structure suffers a total loss – regardless of the property's insurable value. Insureds receive the full face value of the policy even if the actual replacement cost is less than the amount carried.

Reinsurance underwriters must know three key facts: 1) which states maintain and apply either a valued policy law or modified valued policy law; 2) the type of property affected by the law (sometime limited to residential properties); and 3) the causes of loss which can trigger the valued policy statute of a particular state. Figure 32 is a chart providing each of these key facts:

Figure 32 - Valued Policy Statutes - by State

| State | Statute | Property Protected | Causes of Loss |
|---------------|---------------------------------|--|--|
| Arkansas | 23-88-101 | All Real Property | Fire and natural disasters (excluding flood and quake) |
| California | 2052, 53, 54, 55, 56, 58 and 75 | Buildings | All perils covered by the property policy |
| Florida | 627.702 | Any building (including mobile and manufactured homes) | All perils covered by the property policy |
| Georgia | 33-32-5 | 1 or 2 family residential bldgs. | Fire |
| Kansas | 40-905 | All improvements on real property | Fire, tornado, wind, lightning |
| Louisiana | 22:1318 | Inanimate / immovable property | Fire |
| Minnesota | 65A.08 | All property | All perils covered by the policy |
| Mississippi | 83-13-5 | Buildings | Fire |
| Missouri | 379.140; 145 | All property | Fire |
| Montana | 33-24-102 and 103 | Improvements to Real Property | All perils covered by the property policy |
| Nebraska | 44-501.02 | Real property | Fire, tornado, wind, lightning, explosion |
| New Hampshire | 407:11 | Buildings | Fire and lightning |
| North Dakota | 26.1-39-05 | Real property | All perils covered by the property policy |

| State | Statute | Property Protected | Causes of Loss |
|----------------|-----------------|--------------------------|---|
| Ohio | 3929.25 | Any building | Fire and lightning |
| South Carolina | 38-75-20 | All real property | Fire |
| South Dakota | 58-10-10 | Real property | Fire, lightning, and tornado |
| Tennessee | 56-7-801 to 803 | Any building | Fire |
| Texas | 862.053 | All real property | Fire |
| West Virginia | 33-17-9 | Real property | All perils covered by the property policy |
| Wisconsin | 632.05(2) | Owner-occupied dwellings | All perils covered by the property policy |

15.2 Other Markets Issues

Below is a list of issues, many covered in other parts of this paper, which apply to various markets around the world. Emerging markets may encounter these issues more often than well established markets.

Risk profiles

- Sometimes not available
- Only gross profiles written, and not net retained
- Number of risks / policy not available
- Definition of risk / policy is unclear
- Poor formatting e.g. lower bound & upper bound in the same column
- Information not passing consistency tests such as (*see section 7.2 for more details*):
 - average AOI does not fall within bands even after adjusting for inuring facultative reinsurance
 - average premium per policy progression by band is unusual
 - average premium per 100AOI progression by band is unusual
 - comparison to others in country and other countries is inconsistent
- The sum of premiums in risk profiles deviates from the subject premium (e.g. gross-net premium income (GNPI)) significantly
- Rate changes not available

Large Loss

- Does not split among ground-up gross loss amounts, and those that are retained
- Share of the loss in the market not given
- Event losses are not shown individually but combined
- Losses are not noted as to whether related to specific catastrophe or large loss events
- Information is not consistent (e.g. number of years of data provided)
- Large loss threshold amounts not specified (e.g. all claims provided ever over \$1M)
- Comparing prior to current submission produces inconsistencies between claim listings

As-if Statistics

- What are the as-if assumptions (Change in retention? Change in underwriting guideline?)
- Does not provide the original statistics before the as-if analysis for comparison

Triangles

- Sometimes only the diagonal is available
- Does not split between paid and outstanding
- Does not split between business segments
- Does not provide the amount of direct commission
- Does not provide enough number of years (good to have 10 years)

The submission in Japan reinsurance market is very unique because the PML estimation is very common in Japan. Some Japanese insurers even have their own risk management company to estimate PML ratio.

For example, the sum insured of a risk may be JPY 1 billion, but the PML ratio may be 30 percent, which means that the PML for the risk is only JPY 0.3 billion. Therefore, JPY 0.3 billion rather than JPY 1 billion should be used in exposure rating.

What's more, there may also be an indemnity limit for a risk. For instance, the sum insured of a risk is JPY 1 billion, but the indemnity limit for the risk is only JPY 0.6 billion, which also affects the exposure rating.

China Insurance Law does refer to Valued Policies. In practice here, for some special property items such as antiques and artworks, valued policies are issued to them because of the difficulty in establishing their monetary value.

As to claims, insurers do not need to evaluate the value of loss but the ratio of damage. For example, if the amount of insurance of the valued policy is CNY 2 million and the ratio of damage is 40 percent, then the amount of claims payment is $CNY\ 2\ million * 40\ percent = CNY\ 0.8\ million$.

15.3 The Impact of Inuring Reinsurance Treaties and “As-If” Data

In general, some other proportional reinsurance treaties may often inure to the benefit of the per-risk excess-of-loss reinsurers. If the structure of the proportional reinsurance treaties remain stable year by year, then the impact of the inuring reinsurance can be analysed relatively simply.

In emerged or emerging markets, however, many insurers may grow very quickly and the structure of their reinsurance arrangement may often change every few years. For instance, an insurer has a quota share reinsurance treaty covering its property line since 2006. However, the retention of the quota share reinsurance treaty was 70% from 2006 to 2010 and was changed to 60% from 2011 to 2015. In 2016, the retention of the quota share treaty will change to 50%.

Now, there is a per risk property excess-of-loss reinsurance treaty covering the property line in 2016. The insurer gives the information of risk profiles to reinsurers as in Figure 33.

Figure 33 - Tables of Risk Profile - Illustrative

| Net Retained Risk Profile of 2015 | | | |
|-----------------------------------|-------------------|-----------------|---------------|
| Sum Insured Band | Total Sum Insured | Number of Risks | Total Premium |
| 0-50M | 15000 | 500 | 15 |
| 50-100M | 24000 | 300 | 24 |
| 100-150M | 25000 | 200 | 25 |
| 150-200M | 17000 | 100 | 17 |
| 200-250M | 13200 | 60 | 13.2 |
| 250-300M | 10800 | 40 | 10.8 |
| 300-400M | 6600 | 20 | 6.6 |
| 400-500M | 6300 | 15 | 6.3 |
| above 500M | 5600 | 10 | 5.6 |
| Total | 123500 | 1245 | 123.5 |

In the meantime, the information of historic large losses is also provided by the insurer as in Figure 34.

Figure 34 - Historic Large Loss Information

| Insured | Date of Loss | Cause of Loss | Net Retained Paid Loss | Net Retained O/S Loss |
|---------|----------------|---------------|------------------------|-----------------------|
| ABC | 9 Sep 2013 | Fire | 60,000,000 | 0 |
| DEF | 10 May 2008 | Fire | 30,000,000 | 0 |
| HIJ | 22 August 2015 | Explosion | 10,000,000 | 10,000,000 |
| ... | ... | ... | ... | ... |

If the reinsurers price the per-risk excess-of-loss treaty using the information directly without any adjustments, the results will be greatly biased.

Referring to the net retained risk profile, it should be adjusted to the new numbers with a 50% quota share treaty in 2016 from a 60% quota share treaty in 2015, even if the portfolio is unchanged during the two years.

Referring to the net retained historic large loss information, we should check the date of loss as well as the policy period and find out how much was ceded into the quota share treaty at that time. All the loss data should be adjusted with a 50% quota share inuring treaty in 2016.

The adjusted data in accordance with the new reinsurance structure in the coming year is usually called “as-if data” in the emerging markets.

Therefore, it can be witnessed that it is very imperative for ceding insurers to provide reinsurers with the “as-if” data information in the emerging markets.

When the ceding company does not provide the “as-if” data, the reinsurers can make some adjustments by themselves if the inuring reinsurance is a quota share treaty, but the reinsurers should know the changes of the cedent’s quota share treaty during the past few years.

However, if the inuring reinsurance is a surplus reinsurance treaty with a grading retention, then it is hardly possible for the reinsurers to find the “as-if” data by themselves.

16. Conclusions

The main conclusions of this research paper are:

- identification of the typical level of information that is currently provided in underwriting submissions;
- description of each of the preferred underwriting submission data items, and the importance of each item in the pricing process;
- provision of a reference document that can be used in sections by various market practitioners to enable better risk selection by all parties to the transaction; and
- provision of additional commentary on how the competitive marketplace affects the information that is supplied, the confidence in the modeling, and the resulting impact on those who compete and win the business

Acknowledgements

The authors acknowledge the help and support of both the IFoA and the CAS organisations for this jointly prepared research paper. In particular, Kim Hutton of the IFoA was instrumental in establishing this joint Working Party. During the formation of the working party and production of this paper, we would like to acknowledge the extra efforts by Adam Shrubshall in drafting the surveys and providing many overview suggestions and formulating this Research Paper, Enrico Biffis for his help in the surveys and in the presentations, Ana Mata for her extensive help in preparing and presenting the results to many actuarial bodies in London and Europe, Sherwin Li for his help in researching prior publications, to Chris Boggs, Kevin Hilferty, and Tim Aman for their extraordinary editing help, to the non actuaries in the working party to help make for a more well rounded reference document, and to the IFoA reviewers for their considerable time and effort to make important suggestions for improving the final product. We would also like to thank Don Yahalom, Marni Wasserman, and Alex Gioia for their help in preparing many of the Figures that are included in the paper.

References

- Benedetti, D., Biffis E., and Milidonis, A. (2015a). *Large Commercial Risks (LCR) in Insurance: Focus on Asia-Pacific*, Insurance Risk and Finance Research Centre Technical report, Retrieved from www.irffc.com.
- Benedetti, D., Biffis, E., and Milidonis, A. (2015b). *Large Commercial Exposures and Tail Risk: Evidence from the Asia-Pacific P&C Insurance Market*, Insurance Risk and Finance Research Centre Technical and Imperial College Business School report, Retrieved from www.irffc.com.
- Bernegger, S. (1997) "The Swiss Re exposure curves and the MBBEFD distribution class." *Astin Bulletin*, Vol.27, No.1, 99-111.
- Biffis, E. and Chavez, E. (2014). Tail risk in commercial property insurance, *Risks*, 2(4), 393-410; doi:10.3390/risks2040393.
- Bodoff, N. (2009). "Measuring rate change". *CAS Forum*.
- Boggs, C. (2016) "Property Risk Pricing: Changing the World, one Valuation at a Time". CARE-Boston
- Boggs, C., Min, V. (2016) "Pardon the Business Interruption" CARE-Boston
- Buchanan, J. and Angelina, M. (2007) "The Hybrid Reinsurance Pricing Method: A Practitioner's Guide". CARE-London
- Buchanan, J. (2008) "Exposure and Experience Pricing Methods A Case Study". CAS Ratemaking Seminar
- Buchanan, J. (2011). "The Medical Professional Liability Cycle: Entering Hot Water?" *Physician Insurer*.
- Buchanan, J. (2012). "The Missing Link: Rating Property Exposure Globally" *Verisk Insurance Solutions*.
- Buchanan, J. and Izzo, J. (2012). "The Price is Right" *Insurance Journal*.
- Buchanan, J., Sandeman, D., and Santoni, A. (2014 February) "International Property & Casualty Markets and Benchmarking Webinar" CAS Webinar
- Buchanan, J., Mata, A., and Boggs, C. (2017 March) "IFoA-CAS International Reinsurance Working Party - Property Per Risk Pricing", ISO London Workshops
- Capen, E. C., R. V. Clapp, and W. M. Campbell. "Competitive Bidding in High-Risk Situations." *Journal of Petroleum Technology*, June 1971, 23, 641-653.
- Clark, D. (2014) "Basics of Reinsurance Pricing" Actuarial Study Note Revised.
- Collins, D. (2004). "Managing Overconfidence" *Spring CAE Meeting*. Zurich.
- Conger, R. and Lowe, S. (2003). "Managing Overconfidence" *Towers Watson Emphasis*.
- Desmedt, S., Snoussi, M., Chenut, X., and Walhin, J. (2012) "Experience and exposure rating for property per risk excess of loss reinsurance revisited". *ASTIN Bulletin*, 42(01):233–270.
- GIRO Working Party (2009). "Winner's Curse: The Unmodelled Impact of Competition."
- Mata, A. (2008). "Pricing actuaries – Adding value in a soft market". *Spring CAE Meeting*. London.
- Mata, A and Verheyen M. (2005 Spring) "An Improved Method for Experience Rating Reinsurance Treaties using Exposure Rating Techniques". *CAS Forum*
- Mata, A. and Underwood A. (2017 June). "The Winner's Curse and Other Real World Expletives". CARE-Washington DC
- Mourad, M. (2014). "The Insurance Management Playbook."
- Philbrick, S. (2008) "Solving the Puzzle: Reconciliation of Exposure and Experience Rating". CAS Ratemaking Seminar
- Riegel, U. (2010) "On fire exposure rating and the impact of the risk profile type". *ASTIN Bulletin*, 40(02):727–777.
- Robbin, I. (2009). "Monitoring renewal rate change on cat-exposed excess property business". *CAS E-Forum*.
- Russo, E. and Shoemaker, P.J. (1992). *Managing Overconfidence*. *Sloan Management Review*, Winter.
- Vaughn, T. (2004). "Commercial lines price monitoring". *CAS Forum*.

GIRO Working Party and CARE Links

<https://www.actuaries.org.uk/practice-areas/general-insurance/research-working-parties/international-pricing-research>

The main landing page for the Joint IFoA / CAS International Research Working Party

<http://www.actuaries.org.uk/research-and-resources/documents/d2-pricing-london-market-20-years>

This presentation reviewed the changes during the past two decades and referred to several valuable papers.

<http://www.actuaries.org.uk/research-and-resources/documents/report-2004-reinsurance-pricing-giro-working-party-rating-long-tail>

This is the report of the 2004 reinsurance pricing WP which referred to the work of the 1998 and 1999 reinsurance pricing WPs.

<https://www.actuaries.org.uk/about-us/recognition-prizes-and-awards/research-paper-and-presentation-prizes/brian-hey-prize>

Includes downloads to the 2009 Winners Curse paper and other Brian Hey award winners

<https://www.youtube.com/watch?v=pi-DIO3tyak>

The CAS International P/C Markets and Benchmarking Recorded Webinar, May 2014

<http://www.casact.org/press/index.cfm?fa=viewArticle&articleID=3207>

Joint IFoA/CAS International Pricing Paper Now Available, March 2016

<http://www.casact.org/press/index.cfm?fa=viewArticle&articleID=3287>

Joint CAS-IFoA Pricing Paper Presented at CARE Seminar, June 2016

<https://www.actuaries.org.uk/learn-develop/attend-event/sessional-event-foa-cas-international-reinsurance-pricing-working-party-property-risk-pricing>

Sessional Event: IFoA-CAS International Reinsurance Pricing Working Party 'Property Per Risk Pricing, February 2017

<http://www.casact.org/education/reinsure/2017/presentations/C-34.pdf>

Winners Curse and Other Real World Expletives Presented at CARE Seminar, June 2017


Appendices

Appendix A Survey Results

The initial survey for the CARE conference in Philadelphia in June 2015, had 44 responders, 86% of whom were actuaries. The remaining 14% came from other areas including actuary turned underwriter, underwriter turned actuary, and CRO.


- Broken down by affiliation, 25 responders were members of the CAS, 16 were members of IFOA, and 13 were members of organizations from other regions/countries, including France, China and Australia/NZ (some were members of multiple organisations).
- Figure 35 shows a wide variety of priced territories:

Figure 35 - Survey: Which territories do you mainly price?



- The survey sample was composed of relatively experienced respondents, with 53% having worked in reinsurance pricing for more than 10 years and 71% for more than 5 years, as shown in Figure 36:

Figure 36 - Survey: How many years have you been pricing reinsurance?




Current status of submission quality

The survey showed that submission quality is generally considered to be at least “Average” (3 out of 5) in Europe and towards “Good” (4 out of 5) in the US / Canada. Submission quality is considered “Below Average” (2 out of 5) in other territories. There is some differentiation in responses of the different Actuarial organisations with the non-CAS respondents ranking US submissions higher than the CAS members but generally responses were similar across Actuarial communities.

Figure 37 shows the submission quality rank (1 = poor, 5 = Excellent) by Territory and Actuarial organisation. Note that respondents were asked to only rank submissions for territories with which they are familiar:

Figure 37 - Survey: Submission quality rank




It was noted in the responses that it might be useful to distinguish between UK and “Rest of Europe” as well as to indicate Australia separately. Additionally, comments were made that Asia tends to produce higher quality submissions than those coming out of the Middle East and North Africa. One respondent noted the importance of size and sophistication of the broker and ceding company on the submission quality.

Impact of submission quality on pricing


The survey then went on to discuss the impact of submission quality on pricing. Respondents were asked firstly how a poor quality submission impacts price, and secondly, how an excellent quality submission impacts price. They were then asked to rate, subjectively, how much submission quality impacts price.

Figure 38 - Survey: How does a poor quality submission impact price?




As shown in figure 38, no responders indicated that poor submission quality would have no impact on price. A clear majority indicated that the result of poor submission quality would be that more pessimistic assumptions would be made, rather than the application of explicit loadings. The “other” responses included comments that poor quality would result in a combination of assumptions and loadings, and often leads to declination of the risk, more uncertainty in pricing and makes them less likely to perform a full pricing analysis.

Figure 39 - Survey: How does an excellent quality submission impact price?



As shown in Figure 39, approximately 10% said that a submission of excellent quality would have no effect on pricing, while approximately 60% indicated there would be a price benefit to the cedent in some form. There were a large number of “other” responses to this question. Many comments seemed to agree with the sentiment that, with excellent quality submissions, more credit is given to cedent data and less benchmark pricing is involved. It was noted that this does not necessarily mean a lower price, but instead suggests a price that is tailored to the cedent’s data. Comments were also made that high quality submissions give credibility to what the cedent is saying about their underwriting, are easy to validate, provide insight into underlying portfolios and give confidence that cedents are competent, which in turn helps with underwriting appetite.

Figure 40 - Survey: How much does quality of submission impact your price?



Clearly this is a subjective question, but as demonstrated in Figure 40, no respondents said that submission quality had no impact on price, and approximately 50% said the impact was “high” or “very high”.

Data elements that make up a quality submission

Respondents were asked whether they normally receive 8 common exposure rating items and 8 common experience rating items in a submission. They were then asked to rank each of the items in terms of what they would like to receive. Figures 41 and 42 show the responses received:

Figure 41 - Survey: Exposure Rating Ranked Importance

| | All | | CAS | | IFOA | | Other | |
|--|-------------|------|-------------|------|-------------|------|-------------|------|
| | % Receiving | Rank | % Receiving | Rank | % Receiving | Rank | % Receiving | Rank |
| a. In-force risk profile (banded) | 93% | 1 | 92% | 1 | 87% | 1 | 86% | 1 |
| b. Historic risk profiles (banded) | 23% | 5 | 8% | 6 | 60% | 4 | 29% | 3 |
| c. Individual risk listing (all cat/non-cat exposures) | 30% | 3 | 24% | 2 | 33% | 2 | 43% | 6 |
| d. Individual risk listing (above certain threshold) | 48% | 7 | 48% | 7 | 53% | 5 | 29% | 8 |
| e. Historic from ground up loss ratios (cat and non-cat) | 57% | 2 | 68% | 3 | 40% | 3 | 71% | 2 |
| f. Written explanation of risk profile | 25% | 4 | 20% | 5 | 27% | 5 | 29% | 4 |
| g. Risk profile detail | 34% | 6 | 32% | 4 | 40% | 7 | 29% | 5 |
| h. Link of claims to risk profiles | 7% | 8 | 4% | 8 | 7% | 8 | 29% | 7 |

Figure 42 - Survey: Experience Rating Ranked Importance

| | All | | CAS | | IFOA | | Other | |
|---|-------------|------|-------------|------|-------------|------|-------------|------|
| | % Receiving | Rank | % Receiving | Rank | % Receiving | Rank | % Receiving | Rank |
| a. Large loss listing (no triangle) | 100% | 1 | 100% | 1 | 100% | 1 | 100% | 1 |
| b. Historic large loss listing (triangle) | 30% | 3 | 24% | 3 | 33% | 2 | 29% | 4 |
| c. Large loss claim description including cat/non-cat indicator | 82% | 4 | 96% | 4 | 73% | 4 | 71% | 3 |
| d. Historic premium | 93% | 2 | 96% | 2 | 87% | 3 | 100% | 2 |
| e. Historic exposures (# of risks, # of exposures / risk) | 30% | 6 | 20% | 6 | 40% | 5 | 57% | 5 |
| f. Projected rate change | 43% | 7 | 56% | 6 | 27% | 7 | 29% | 7 |
| g. Historic rate change | 59% | 5 | 84% | 5 | 33% | 6 | 57% | 6 |
| h. Rate monitor (renewal policies) | 18% | 8 | 24% | 8 | 20% | 8 | 0% | 8 |

The White Paper considers further survey results (also shown in attached Excel file) around the type of data required and how important that data is in pricing. We also try to highlight the benefits to ceding companies in collecting and providing high quality submission data. These benefits are not limited to reinsurance purchasing / pricing but also directly to the primary insurers original business.

Appendix B Raw Survey Data

<http://www.actuaries.org.uk/practice-areas/pages/international-pricing-research-working-party>

Appendix C Blended Exposure / Experience Method

As mentioned previously in Chapter 5, this research paper generally treats the two exposure and experience methods and corresponding data elements as independent. In practice, actuaries continuously strive to bring the results of the two methods closer together for a hoped for partial or complete reconciliation of the two methods. This reconciliation attempt gives rise to requesting data that can help explain any remaining differences.

The results from the Experience and Exposure analyses will typically be weighted together using some form of credibility to produce a blended point estimate for pricing. Implicitly or explicitly, the amount of credibility given to either of the estimates is strongly influenced by the credibility of the individual elements used to produce each estimate.

The ideal account level pricing relies exclusively on observed, fully credible, account specific data that was not subject to random fluctuations. Additionally, these historical patterns should repeat in the future contract period. However, in practically all cases, the credibility of the account's experience is too low to be used as the exclusive measure of future expected results. Also, the older years are less relevant due to either modest or significant reengineering of the book of business through time. These impacts are magnified for accounts that have larger amounts of insurance, significant changes in various COPE characteristics, unstable past experience, significant changes in deductibles and policy limits, etc.

To help offset these experience limitations, some measure of exposure-based loss estimates using company or industry benchmarks is required. Credible large loss industry scales (property "First Loss Scales") are required to help assess expected experience from larger amounts of insurance, etc. Working with actual losses and their link with the AOIs can help understand the difference between the methods.

Reviewing the pricing of any account, using both the Exposure and Experience methods, typically yield the following major questions:

- If the exposure and experience indications are different, how are they different?
- Which factors are causing the difference?
- Should any adjustments be made to help reconcile the results?

By inspection, the practitioner wants to compare the Exposure and Experience results by layer and/or year to detect any patterns (Figure 43). That is, are the expected exposure results always higher or lower by layer than the experience results? Further, the practitioner should look to see if there are any reversals by layer or year. The practitioner should apply forensic actuarial techniques to identify the causes of any of these differences (Figure 44). For example, are there any material occupancy or AOI mix changes during the historical experience periods? And lastly, the practitioner should look to see what adjustments they might want to make to either the underlying data or the assumptions to improve the comparison. For example, does the profile presented accurately represent the true exposed amounts of insurance under potential large loss or multiple exposure conflagration situations.

Full reconciliation of the Exposure and Experience methods is beyond the scope of this paper. The main points to be gathered are:


- The traditional naïve approach to pricing generally involves:
 - estimating an Exposure rate: X

- estimating an Experience rate: Y
- combining as $w(X)+(1-w)Y$
- As tempting as it may be to think the next step is to refine the estimate of w ; this is not easy, but fortunately, not the right next step
- The practitioner should consider using a specific organised blending method for pricing, analogous to the Bornhuetter-Ferguson blending method commonly used for reserving (Figure 45)

A blended (“Hybrid”) method²

- Looks for common drivers between the two traditional methods:
 - use the Experience results of the layer, and adjacent layers to examine the Exposure rating assumptions
 - use the Exposure rating assumptions to help distinguish noise from signal in the Experience rating
 - use claim counts to emphasise signal over noise
 - use the forensic actuarial techniques to bring the Exposure and Experience models closer together
- Apply the Hybrid method to the adjusted Exposure and Experience results to arrive at the blended result.
- Optionally, weight this result with the Exposure indication. Ideally, the indications are now much closer, so the exact value of the weight is less important. Since the Hybrid method is an exposure-adjusted experience method, you should optionally weigh the Hybrid results with the Exposure method, not the Experience method.
- Aggregate the results across experience accounts to help drive the next iteration of adjusted exposure curves.

Figure 43 - Comparing Exposure and Experience Results by Layer




Ideal Situation

- No noticeable slope to ratio of Experience/Exposure
- Random fluctuation around mean

² The above combined approach was described at the CAS Seminar on Ratemaking in Boston 17-18 March 2008 (Solving the Puzzle: Reconciliation of Exposure and Experience Rating - Steve Philbrick). An application to Reinsurance treaties was described at the CARE conference in London 16 July 2007 (Solving the Puzzle: The Hybrid Reinsurance Pricing Method - John Buchanan). An unpublished paper entitled "The Hybrid Reinsurance Pricing Method: A Practitioners Guide" describes this procedure in significantly more detail (John Buchanan and Michael Angelina - July 2007)..

Figure 44 - Forensic Analysis of the differences between Exposure and Experience Results




Upward slope pressure indicators:

- Not enough trend
- Too much LDF
- Too much later year rate change
- Too much earlier year rate change
- ...

Downward slope pressure indicators

- Too much trend
- Not enough LDF
- Not enough later year rate change
- Not enough earlier year rate change
- ...

Figure 45 - Analogy of Reserving to Pricing and Reconciling Exposure and Experience Results



In summary for account pricing, producing exposure and experience results should involve solving one puzzle, not two. The weighting of alternative methods should be viewed as the actuarial equivalent of crying “uncle.” **Weighting should not be viewed as a positive approach to developing an answer. But a concession that there are influences or pressures going on that have not been modeled.** Weighting is perfectly acceptable if the only remaining difference is noise. If not, the practitioner should improve any or all of the:

- values used from the submission;
- assumptions made about the submission;
- various exposure and experience benchmarks selected; or
- exposure and experience models used.

One of the other benefits of collecting interconnected exposure and experience information is the ability to aggregate results across similar accounts and evaluate various industry defaults. Especially for excess reinsurers, there is a significant danger if using only one account with a small number of claims in a curve fitting exercise to derive results for that one account. If the reinsurer has access to many individual submissions, each with only a small number of claims exposing the various layers, a well prepared set of data requests can accumulate enough information across those accounts to enable an evaluation of various pressures on the industry factors. Even if data is being presented at different thresholds such as claims above 100k for one account and above 1M for another account, etc., graphical pressures can be reviewed at the higher thresholds. It is beyond the scope of this paper to show the details of this procedure but you can see this procedure applied as illustration to 16 property per risk accounts with data thresholds ranging from 100k to 10M (see Buchanan and Angelina, 2007 Buchanan, 2008, and Desmedt et al, 2012).

Appendix D Additional COPE Details

Figure 46 - COPE: Construction Class Cheat Sheet

Construction Class Cheat Sheet (Separated by Roof/Floor Material)

| Wall Material | Floor/Roof Material | Construction Class | Code |
|-------------------------|---------------------------------|--------------------|------|
| Wood / Combustible | Wood / Combustible ¹ | Frame | 1 |
| Non-Combustible / Metal | Wood / Combustible ¹ | Frame | 1 |
| Masonry ² | Wood / Combustible ¹ | Joisted Masonry | 2 |
| Modified Fire Resistive | Wood / Combustible ¹ | Joisted Masonry | 2 |
| Fire Resistive | Wood / Combustible ¹ | Joisted Masonry | 2 |

¹ Includes a "Combustible Assembly"

² One layer of non-load-bearing bricks covering metal studs is **not** considered a masonry wall; it is a non-combustible wall with a brick facade.

| Wall Material | Floor/Roof Material | Construction Class | Code |
|-------------------------|---|-------------------------|------|
| Wood / Combustible | Non-Combustible / Slow Burning ³ | Frame | 1 |
| Non-Combustible / Metal | Non-Combustible / Slow Burning | Non-Combustible | 3 |
| Masonry | Non-Combustible / Slow Burning | Masonry Non-Combustible | 4 |
| Modified Fire Resistive | Non-Combustible / Slow Burning | Masonry Non-Combustible | 4 |
| Fire Resistive | Non-Combustible / Slow Burning | Masonry Non-Combustible | 4 |

³ This includes Built-Up Tar and Gravel Roof

| Wall Material | Floor/Roof Material | Construction Class | Code |
|-----------------------------|---|-------------------------|------|
| Wood / Combustible | Concrete, Modified Fire Resistive or Fire Resistive | Frame | 1 |
| Non-Combustible / Metal | Concrete, Modified Fire Resistive or Fire Resistive | Non-Combustible | 3 |
| Masonry ⁴ | Concrete, Modified Fire Resistive or Fire Resistive | Modified Fire Resistive | 5 |
| Masonry ⁵ | Concrete or Fire Resistive | Fire Resistive | 6 |
| Modified Fire Resistive | Concrete, Modified Fire Resistive or Fire Resistive | Modified Fire Resistive | 5 |
| Fire Resistive ⁶ | Modified Fire Resistive | Modified Fire Resistive | 5 |
| Fire Resistive ⁶ | Concrete or Fire Resistive | Fire Resistive | 6 |

⁴ If the masonry does not meet the requirements of footnote "4" but is at least 4 inches thick, then the structure is classed as modified fire resistive.

⁵ To qualify, the wall must be either: 1) **solid** masonry at least 4" thick; 2) hollow masonry at least 12" thick; or 3) hollow masonry between 8" and 12" thick with a listed fire resistance rating of at least 2 hours.

⁶ "Fire Resistive" is defined as a non-combustible material or assemblies with a fire resistance rating of at least 2 hours. Can be accomplished based on the material or by the application of a sprayed on cementitious mixture covering all exposed metal. If between 1 and 2 hours fire resistance rating, the member is considered "modified fire resistive."


Figure 47 - COPE: Mixed Construction Examples – Example 1

Mixed Construction Examples

Example 1: Different Wall Materials

This building is located in an industrial park. This is a one story building measuring 120 feet by 60 feet with a wall height of 10 feet. The front of the building has been converted into office space and the rear is for storage and minor production. When originally built, the walls and roof were all metal siding on metal studs with approved “slow-burning” insulation on the interior of the walls qualifying the building as a construction class “3” structure. Upon moving in, the tenant and landlord installed a dividing wall between the intended office area and the warehouse/production area. Wood paneling was attached to the metal studs in the office area to a height of 8 feet and a drop-panel ceiling installed. The office area is 20 x 110. Does the creation of a frame assembly change the construction class of this building?

| | |
|--|------------------------------|
| Total Exterior Wall Area (360' perimeter x 10 feet tall) | 3,600 square feet |
| Combustible Assembly Wall Area (160' exterior perimeter x 8 feet high) | 1,280 square feet (35.6%) |
| Non-Combustible Wall Area (160' exterior perimeter x 2 feet high) + (200 exterior perimeter x 10 feet high) | 2,320 square feet (64.4%) |




Because the combustible assembly makes up more than 33 1/3% of the total wall area, this building must be rated as a **construction class “1”** rather than the “3” it would have earned otherwise. Had the tenant used drywall rather than wood, the building could have maintained its class “3” construction rating.

Figure 48 - COPE: Mixed Construction Examples – Example 2

Example 2: Differing Floor and Roof Materials

This structure was originally constructed as a one story, 3000 square foot (50' x 60') structure with 12 inch masonry walls and a non-combustible, built-up tar and gravel roof and a wall height of 20 feet. The building/business owner, due to the need for more storage area, added a 50' x 30' mezzanine storage area over the front office area and extending into part of the work area. The storage area is ¼ inch plywood on top of metal joists – a combustible assembly. Prior to this addition, the building was rated as masonry non-combustible (construction class "4"). How does this addition affect the building's construction class? The answer is based on the combination of the floor and roof area since the exterior walls are all of the same masonry material.

| | |
|--|-------------------------------|
| Total Floor and Roof Area (50' x 60')+(50' x 30') | 4,500 square feet |
| Combustible Floor Area (50' x 30') | 1,500 square feet (33.33%) |
| Non-Combustible Roof Area (50' x 60') | 3,000 square feet (66.67%) |



In this building, the construction class does not change. The reason: the superior non-combustible construction accounts for 66.67% of the combined roof and floor area. Thus the structure **retains its construction class "4" rating**. Had the second floor, combustible-assembly storage area been a greater percentage of the combined roof and floor area, the structure's construction classification would have to be changed to "2." Insureds must be careful when making any additions.

Source: Christopher J. Boggs (used with permission)

Appendix E Property per Risk Acronym Reference

| Acronym | Short For: | Meaning |
|---------|--|--|
| AOI | Amount of Insurance | The amount of insurance purchased, the policy limit, the total sum insured (TSI), or total insured value (TIV) (but TIV could have two meanings). Includes direct loss such as buildings and business personal property (contents), as well as indirect loss such as business interruption. |
| TIV | Total Insured Values Or Total Insurable Values | <p>Total Insured Values can be defined as the total AOI.</p> <p>Or</p> <p>Total Insurable Values can alternatively be defined as a reduction to the total AOI values at risk and relates to the MPL and other estimated values. Statistically, buildings and contents are unlikely to suffer a total loss. The MFL, PML, EML, and NLE are all percentages less than the MPL. Estimating these values will depend on many variables specific to the risk including combustibility of the building and various COPE attributes and may include various engineering scenarios and complex exposure and loss simulations.</p> <p>When using the term TIV, define which use is intended.</p> |
| MPL | Maximum Possible Loss | <p>The maximum amount of loss possible. From a direct loss perspective, the MPL of a building and the business personal property (contents) within the building is 100% of the total values at risk which are measurable. From an indirect loss perspective, the MPL of business income can only be estimated because there is no definitive measure of the period of restoration (POR) following a worst-case, business closing loss.</p> <p>A structure's MPL may be negatively affected by building codes and the actions of other regulatory authorities that may ultimately turn a partial loss into a total loss.</p> <p>The direct loss and indirect loss MPL can only be estimated or anticipated. The MPL cannot be precisely calculated prior to the loss. (See "Insurance To Value")</p> <p>Maximum Possible Loss is sometimes referred to as Possible Maximum Loss.</p> |
| MFL | Maximum Foreseeable Loss | <p>The MFL is the worst loss that is likely to occur if a key loss reduction system fails such as automatic fire alarms and sprinklers, watchman services, public fire suppression, etc.</p> <p>Type II Loss (from Verisk/ISO): "The maximum percentage of estimated building and content value expected to be damaged in a single fire event assuming the failure of the most significant fire protection or loss reduction system, such as automatic</p> |

| | | |
|-----|-----------------------|--|
| | | <p>fire sprinklers, automatic fire alarms, public fire suppression, or division walls. The calculation takes the Type I Loss and, through a “what if” approach, determines the foreseeable damage when considering a failure of a key loss reduction feature. Loss reduction features include division walls, automatic fire alarm and detection system, automatic fire sprinkler system, other building fire suppression system, or public fire suppression.”</p> <p>Fire Only (from Sebench Engineering): “The Maximum Foreseeable Loss (MFL) is considered to be the maximum combined property and business interruption dollar loss expected from a single fire occurrence considering all active and most passive protection systems fail. The fire is limited by a lack of combustibles, a properly designed and maintained MFL fire wall, or physical separation. No credit is given to actively fire fighting as no fire water is considered available under an MFL fire scenario.”</p> |
| PML | Probable Maximum Loss | <p>The PML is an estimate of the largest loss the risk is likely to suffer when critical protection systems are functioning as expected, and takes into account any relevant COPE attributes.</p> <p>The “expected” PML percentage is a function of the COPE properties of the building.</p> <ul style="list-style-type: none"> • The PML of a direct loss is directly related to the COPE characteristics of the building; • The PML of an indirect, business income loss is only partially related to the structure’s COPE characteristics. The period of restoration (POR) directly affects the PML and is, itself, affected by outside factors such as regulatory authorities. <p>Estimating the PML is, at times, a best-guess scenario.</p> <p>Type I Loss (from Verisk/ ISO): “The maximum percentage of estimated building and content value expected to be damaged in a single fire event with all fire protection systems functioning as expected. The calculation takes the following property-specific variables into account:</p> <ul style="list-style-type: none"> • building construction • building area (a measure of the mitigation effects of division walls or sprinkler protection) • combustibility of contents (a measure of the effect of content combustibility on the building structure under fire conditions) • susceptibility of contents (a measure of the damage to merchandise or materials either from |

| | | |
|-----|------------------------|--|
| | | <p>the direct or resultant effects of fire, smoke, and water)</p> <ul style="list-style-type: none"> • protection (both public fire suppression capabilities and private fire protection features installed in the building)" <p>Fire Only (from Sebench): “The Probable Maximum Loss (PML) is considered to be the maximum combined property and business interruption dollar loss expected from a single fire occurrence considering that all passive protection systems and all but the most critical active system operating as expected under normal conditions.”</p> <p>Probable Maximum Loss is sometimes referred to as Maximum Probable Loss.</p> |
| EML | Estimated Maximum Loss | The EML can and usually will ignore any "remote coincidences" or particularly unlikely even if they are possible. |
| NLE | Normal Loss Expectancy | <p>The NLE may assume that all active and passive protection systems and features are fully operating as expected under normal conditions.</p> <p>Fire Only (Sebench): “The Normal Loss Expectancy (NLE) is considered to be the maximum combined property and business dollar loss expected from a single fire occurrence considering that all active and passive protection systems and features are operating as expected under normal conditions.”</p> |
| SOV | Statement of Values | A declaration of the value held at each location to be insured. The SOV should state which of the above valuation measures are used to estimate the displayed AOIs. |
| ITV | Insurance to Value | <p>This equates the amount of insurance purchased with the anticipated value of the property at risk of loss. For example, insuring at “100% insurance to value” indicates that the insured has purchased limits that equate to 100% of the anticipated maximum possible loss (MPL).</p> <p>Some coinsurance forms require an ITV of 80% of the structures replacement cost to assure “full” coverage for partial losses (those losses lower than the limits purchased).</p> |

| | | |
|--------|--|---|
| COPE | Construction, Occupancy, Protection and Exposure | <p>Property underwriters use the same information today that was used in the initial creation of property underwriting: Construction, Occupancy, Protection and Exposure. Each of these elements directly or indirectly affects the PML of the direct and indirect loss amounts of a risk.</p> <ul style="list-style-type: none"> • Construction: The materials used to construct the building. Graded based on damageability and susceptibility to damage by fire. • Occupancy: Two sub-parts of occupancy: 1) What the insured does; and 2) How the insured manages what they do (their hazards of occupancy or H of O). • Protection: The internal and external protection features applicable to the structure. Internal features include sprinkler systems, special extinguishing systems, alarm systems, fire extinguishers, and compartmentalization. External features include the local fire department response capability as part of the overall public protection, etc. • Exposure: What outside the building increases the chance of loss to the building. Hazardous operations and geographic hazards (flood hazard, wind hazard, wildfire hazard, etc.) are included in this review. |
| H of O | Hazards of Occupancy | <p>Part of the COPE review related to “Occupancy.” The key question when analyzing the H of O: How does the insured manage their basic hazard risk? The insured utilizing the best hazard management techniques should be rewarded and the one not or mismanaging its hazards should be penalized.</p> <p>For example, the manufacturer that stores its flammable and combustible liquids in an approved storage area or outside the building should generally be rewarded with a better rate than the manufacturer that stores its flammable and combustible liquids in the open and unprotected from the hazards of the operation.</p> |
| POR | Period of Restoration | <p>This term relates to the business income exposure. The period of restoration (POR) defines the time period the business is shut down following a business closing loss. The POR ends when the insured reaches operational capability (the ability to operate at the same level that existed prior to the loss – but not necessarily the same level of income).</p> |

Source: IFoA / CAS International Research Working Party (based on initial compilation by Christopher J. Boggs)

Verisk / ISO (used with permission)

Sebench Engineering (used with permission): <http://www.prnewswire.com/news-releases/progress-in-loss-control-sebench-engineering-obtains-copyright-for-nle-pml-and-mfl-definitions-56906522.html>